Font wsuipa10

Design size: 10.0

Encoding: UNSPECIFIED

Family: WSUIPA Face: O 352

Font parameters

σ_1	slant per pt	0.0
σ_2	interword space	$3.33333 \mathrm{pt}$
σ_3	interword stretch	$1.66666\mathrm{pt}$
σ_4	interword shrink	$1.11111 \mathrm{pt}$
σ_5	x-height	$4.30554 \mathrm{pt}$
σ_6	quad width	$10.00002 \mathrm{pt}$
σ_7	extra space	1.11111 pt

Generated by tfm2tex version 1.8.2 on Mon Sep 23 10:48:06 EDT 2024.

Glyphs are shown at 60 pt. The character box is shown in black. The x-height is shown by the bottom edge of a blue rule and, when the character has a non-zero depth, the baseline is shown by the top edge of a red rule.

Table of Contents

	0	′1	'2	<i>'3</i>	4	' 5	6	′7		
′00x	В	α	α	α	Λ	ъ	b	þ	″0x	
'01x	6	β	Ø	Ç	С	đ	d	øl	UX	
'02x	ď	d,	dз	ð	D	Э	Ø₽	е	″1x	
'03x	ε	3	3₁	3	g	g	G	γ	1 X	
'04x	λ	Å	h	ħ	ĥ	h	Ч	i	″2x	
'05x	ŧ	ι	I	Ŧ	J	1	1	4	ZX	
'06x	l	В	λ	χ	m	ш	щ	n	″3x	
'07x	ŋ	η	N	0	θ	э	ω	ω	OX.	
′10x	∞	Ð	þ	ф	r	r	τ	ı	″4x	
′11x	Ą	J	R	R	ş	ſ	Ţ	σ	4X	
′12x	t	ţſ	Ĵ	θ	ŧ	у	υ	U	″5x	
′13x	U	υ	Μ	χ	Λ	Y	Z.	Z,		
′14x	3	3	3	٩	5	2	ና	п	″6x	
′15x	ı	1	ı	٦	Т	Т	-	-	OX	
′16x	•	I		,	۸	٧	<	>	″7x	
′17x	0	0	c	~	~	v	د	_		
	″8	″9	"A	"B	"C	″D	"E	"F		

Characters

Char code: 0, '000, "00



wd: 5.00002 pt ht: 4.30554 pt

Char code: 1, '001, "01



wd: 5.00002 pt ht: 4.30554 pt ic: 0.40277 pt

Char code: 2, '002, "02



wd: 6.11111 pt ht: 4.30554 pt ic: 0.40277 pt

Char code: 3, '003, "03



 $\begin{array}{lll} \text{wd:} & 5.55557\,\text{pt} \\ \text{ht:} & 4.30554\,\text{pt} \\ \text{ic:} & 0.40277\,\text{pt} \end{array}$

Char code: 4, '004, "04



wd: 5.2778 pt ht: 4.30554 pt ic: 0.13887 pt

Char code: 5, '005, "05



wd: 5.55557 pt ht: 6.94444 pt

Char code: 6, '006, "06



wd: 5.83336 pt ht: 6.94444 pt

Char code: 7, '007, "07



wd: 5.55557 ptht: 7.5 ptdp: 2.5 pt

Char code: 8, '010, "08



wd: 5.55557 pt ht: 6.94444 pt

Char code: 9, '011, "09



wd: 5.2778 pt ht: 6.94444 pt dp: 1.94444 pt

Char code: 10, '012, "0A



wd: 4.44444 pt ht: 5.20833 pt dp: 0.97223 pt

Char code: 11, '013, "0B



wd: 4.44444 pt ht: 4.30554 pt dp: 1.94444 pt

Char code: 12, '014, "0C



wd: 5.00002 pt ht: 6.94444 pt dp: 1.94444 pt

Char code: 13, '015, "OD



wd: 5.55557 pt ht: 6.94444 pt

Char code: 14, '016, "0E



wd: 5.83336 pt ht: 6.94444 pt

Char code: 15, '017, "0F



wd: 5.55557 pt ht: 7.5 pt dp: 2.5 pt

Char code: 16, '020, "10



wd: 6.66669 pt ht: 6.94444 pt

Char code: 17, '021, "11



wd: 6.94447 pt ht: 6.94444 pt dp: 1.94444 pt

Char code: 18, '022, "12



wd: 8.05559 pt ht: 6.94444 pt dp: 1.94444 pt

Char code: 19, '023, "13



wd: 5.00002 pt ht: 6.94444 pt

Char code: 20, '024, "14



wd: 6.24443 pt ht: 5.13887 pt

Char code: 21, '025, "15



wd: 4.44444 pt ht: 4.30554 pt

Char code: 22, '026, "16



wd: 6.27779 pt ht: 4.30554 pt

Char code: 23, '027, "17



wd: 4.3889 pt ht: 4.30554 pt

Char code: 24, '030, "18



wd: 4.58333 pt ht: 4.30554 pt

Char code: 25, '031, "19



wd: 4.72223 pt ht: 4.30554 pt

Char code: 26, '032, "1A



wd: 6.3889 pt ht: 4.30554 pt

Char code: 27, '033, "1B



wd: 4.72223 pt ht: 4.30554 pt

Char code: 28, '034, "10



wd: 5.27779 pt ht: 4.30554 pt dp: 1.94444 pt

Char code: 29, '035, "1D



wd: 6.3889 ptht: 6.94444 ptdp: 2.1389 pt

Char code: 30, '036, "1E



wd: 6.41107 pt ht: 5.13887 pt

Char code: 31, '037, "1F



wd: 5.55557 pt ht: 4.30554 pt dp: 1.94444 pt

Char code: 32, '040, "20



wd: 5.2778 pt ht: 4.30554 pt dp: 1.94444 pt

Char code: 33, '041, "21



wd: 5.2778 pt ht: 4.30554 pt

Char code: 34, '042, "22



wd: 7.7778 pt ht: 6.94444 pt

Char code: 35, '043, "23



wd: 5.55557 pt ht: 6.94444 pt

Char code: 36, '044, "24



wd: 5.55557 pt ht: 6.94444 pt

Char code: 37, '045, "25



wd: 5.55557 pt ht: 6.94444 pt dp: 2.1389 pt

Char code: 38, '046, "26



wd: 5.55557 pt ht: 4.30554 pt dp: 1.94444 pt

Char code: 39, '047, "27



 $\begin{array}{ll} \text{wd:} & 2.77779\,\text{pt} \\ \text{ht:} & 6.67859\,\text{pt} \end{array}$

Char code: 40, '050, "28



 $\begin{array}{ll} \text{wd:} & 2.77779\,\text{pt} \\ \text{ht:} & 6.67859\,\text{pt} \end{array}$

Char code: 41, '051, "29



wd: 2.77779 pt ht: 4.30554 pt ic: 0.40277 pt

Char code: 42, '052, "2A



wd: 3.0222 pt ht: 5.13887 pt

Char code: 43, '053, "2B



wd: 3.0222 pt ht: 5.13887 pt

Char code: 44, '054, "20



wd: 3.05557 pt ht: 4.30554 pt dp: 1.94444 pt

Char code: 45, '055, "2D



wd: 6.66669 pt ht: 6.94444 pt

Char code: 46, '056, "2E



 $\begin{array}{ll} \text{wd:} & 3.05557\,\text{pt} \\ \text{ht:} & 6.94444\,\text{pt} \end{array}$

Char code: 47, '057, "2F



wd: 4.44444 pt ht: 6.94444 pt

Char code: 48, '060, "30



wd: 3.61111 pt ht: 6.94444 pt dp: 1.94444 pt

Char code: 49, '061, "31



wd: 5.00002 pt ht: 6.94444 pt dp: 1.94444 pt

Char code: 50, '062, "32



wd: 5.83336 pt ht: 6.94444 pt

Char code: 51, '063, "33



wd: 5.83336 pt ht: 6.94444 pt

Char code: 52, '064, "34



wd: 8.33336 pt ht: 4.30554 pt dp: 2.1389 pt

Char code: **53**, '065, "35



wd: 8.33336 pt ht: 4.30554 pt

Char code: 54, '066, "36



wd: 8.33336 ptht: 4.30554 ptdp: 1.94444 pt

Char code: 55, '067, "37



wd: 6.94447 pt ht: 4.30554 pt dp: 1.94444 pt

Char code: 56, '070, "38



wd: 5.66667 pt ht: 4.30554 pt dp: 2.1389 pt

Char code: 57, '071, "39



 $\begin{array}{ll} \text{wd:} & 6.94447\,\text{pt} \\ \text{ht:} & 4.30554\,\text{pt} \\ \text{dp:} & 1.94444\,\text{pt} \end{array}$

Char code: 58, '072, "3A



wd: 6.13332 pt ht: 5.13887 pt

Char code: **59**, '073, "3B



wd: 10.00002 pt ht: 6.94444 pt dp: 1.94444 pt

Char code: 60, '074, "30



wd: 5.00002 pt ht: 4.30554 pt

Char code: 61, '075, "3D



wd: 4.44444 pt ht: 4.30554 pt

Char code: 62, '076, "3E



wd: 6.11111 pt ht: 4.30554 pt

Char code: 63, '077, "3F



wd: 6.11111 pt ht: 4.30554 pt

Char code: 64, '100, "40



wd: 9.16669 pt ht: 4.30554 pt

Char code: 65, '101, "41



wd: 5.83336 pt ht: 4.30554 pt dp: 1.94444 pt

Char code: 66, '102, "42



wd: 5.55557 pt ht: 6.94444 pt dp: 1.94444 pt

Char code: 67, '103, "43



wd: 6.11111 pt ht: 6.94444 pt dp: 1.94444 pt

Char code: 68, '104, "44



wd: 3.61111 pt ht: 4.30554 pt

Char code: 69, '105, "45



wd: 3.91667 pt ht: 6.94444 pt

Char code: 70, '106, "46



wd: 3.91667 ptht: 4.30554 ptdp: 1.94444 pt

Char code: 71, '107, "47



wd: 3.91667 pt ht: 4.30554 pt

Char code: 72, '110, "48



wd: 4.66667 pt ht: 4.30554 pt dp: 1.94444 pt

Char code: 73, '111, "49



wd: 3.91667 pt ht: 4.30554 pt dp: 1.94444 pt

Char code: 74, '112, "4A



 $\begin{array}{ll} {\rm wd:} & 6.0222\,{\rm pt} \\ {\rm ht:} & 5.13887\,{\rm pt} \end{array}$

Char code: 75, '113, "4B



 $\begin{array}{ll} {\rm wd:} & 6.0222\,{\rm pt} \\ {\rm ht:} & 5.13887\,{\rm pt} \end{array}$

Char code: 76, '114, "40



wd: 3.94444 pt ht: 4.30554 pt dp: 1.94444 pt

Char code: 77, '115, "4D



wd: 4.72223 pt ht: 6.94444 pt dp: 1.94444 pt

Char code: 78, '116, "4E



wd: 4.72223 pt ht: 6.94444 pt dp: 1.94444 pt

Char code: 79, '117, "4F



wd: 5.69444 pt ht: 4.30554 pt

Char code: 80, '120, "50



wd: 4.00002 pt ht: 6.15079 pt dp: 1.94444 pt

Char code: 81, '121, "51



wd: 6.11111 pt ht: 6.15079 pt dp: 1.94444 pt

Char code: 82, '122, "52



wd: 3.8889 pt ht: 6.15079 pt dp: 0.97223 pt

Char code: 83, '123, "53



wd: 4.58333 pt ht: 6.94444 pt

Char code: 84, '124, "54



wd: 5.55557 pt ht: 4.30554 pt

Char code: 85, '125, "55



wd: 5.55557 pt ht: 6.94444 pt dp: 2.5 pt

Char code: 86, '126, "56



wd: 5.91107 pt ht: 5.13887 pt

Char code: 87, '127, "57



wd: 6.13332 pt ht: 5.13887 pt

Char code: 88, '130, "58



wd: 6.13332 pt ht: 5.13887 pt

Char code: 89, '131, "59



wd: 5.00002 pt ht: 4.30554 pt

Char code: 90, '132, "5A



wd: 7.22223 pt ht: 4.30554 pt ic: 0.13887 pt

Char code: 91, '133, "5B



wd: 5.2778 pt ht: 4.30554 pt dp: 1.94444 pt

Char code: 92, '134, "50



wd: 5.2778 pt ht: 6.94444 pt ic: 0.13887 pt

Char code: 93, '135, "5D



wd: 6.13332 pt ht: 5.13887 pt ic: 0.19998 pt

Char code: 94, '136, "5E



wd: 5.00002 pt ht: 4.30554 pt dp: 1.94444 pt

Char code: 95, '137, "5F



wd: 6.3889 pt ht: 4.30554 pt dp: 1.94444 pt

Char code: 96, '140, "60



wd: 4.72223 pt ht: 4.30554 pt dp: 1.94444 pt

Char code: 97, '141, "61



wd: 4.72223 pt ht: 4.30554 pt dp: 1.94444 pt

Char code: 98, '142, "62



wd: 4.72223 pt ht: 6.94444 pt

Char code: 99, '143, "63



wd: 4.72223 pt ht: 6.94444 pt

Char code: 100, '144, "64



wd: 4.72223 pt ht: 6.94444 pt

Char code: 101, '145, "65



wd: 4.72223 pt ht: 5.0 pt dp: 1.94444 pt

Char code: 102, '146, "66



wd: 4.72223 pt ht: 5.0 pt dp: 1.94444 pt

Char code: 103, '147, "67



wd: 3.8889 ptht: 0.0 ptdp: 2.1389 pt

Char code: 104, '150, "68



 $\begin{array}{ll} \text{wd:} & 2.22223\,\text{pt} \\ \text{ht:} & 6.94444\,\text{pt} \end{array}$

Char code: 105, '151, "69



wd: 2.22223 pt ht: 1.07637 pt dp: 1.94444 pt

Char code: 106, '152, "6A



wd: 2.22223 ptht: 0.0 ptdp: 2.72221 pt

Char code: 107, '153, "6B



wd: 3.8889 pt ht: 6.94444 pt

Char code: 108, '154, "60

wd: 4.44444 pt ht: 4.30554 pt

Char code: 109, '155, "6D

wd: 4.44444 pt ht: 4.30554 pt

Char code: 110, '156, "6E

wd: 4.44444 pt ht: 4.30554 pt

Char code: 111, '157, "6F

wd: 4.44444 pt ht: 4.30554 pt

Char code: 112, '160, "70

wd: 3.22221 pt ht: 4.30554 pt

Char code: 113, '161, "71

wd: 3.22221 pt ht: 4.30554 pt

Char code: 114, '162, "72

wd: 5.00002 pt ht: 0.0 pt dp: 1.94444 pt

Char code: 115, '163, "73

wd: 2.77779 pt ht: 6.94444 pt

Char code: 116, '164, "74



wd: 4.55556 pt ht: 6.94444 pt

Char code: 117, '165, "75



wd: 4.55556 pt ht: 6.94444 pt

Char code: 118, '166, "76



wd: 4.55556 pt ht: 6.94444 pt

Char code: 119, '167, "77



wd: 4.55556 pt ht: 6.94444 pt

Char code: 120, '170, "78



wd: 7.50002 pt ht: 6.94444 pt

Char code: 121, '171, "79



 $\begin{array}{ll} \text{wd:} & 7.50002\,\text{pt} \\ \text{ht:} & 0.0\,\text{pt} \\ \text{dp:} & 2.52779\,\text{pt} \end{array}$

Char code: 122, '172, "7A



wd: 7.50002 pt ht: 0.0 pt dp: 2.33331 pt

Char code: 123, '173, "7B

wd: 6.66669 pt ht: 4.83334 pt

Char code: 124, '174, "70

wd: 6.66669 pt ht: 0.0 pt dp: 2.1389 pt

Char code: 125, '175, "7D

wd: 5.00002 pt ht: 0.0 pt dp: 1.94444 pt

Char code: 126, '176, "7E

wd: 4.44444 pt ht: 0.0 pt dp: 1.70137 pt

Char code: 127, '177, "7F

wd: 5.00002 pt ht: 0.0 pt dp: 1.94444 pt

TFM tables

****	1.1						
Widths		$24 5.91107 \mathrm{pt}$	(1)	5	$5.13887 \mathrm{pt}$	(11)	
0	$0.0\mathrm{pt}$	(0)	$25 - 6.0222 \mathrm{pt}$	(2)	6	$5.20833 \mathrm{pt}$	(1)
1	2.22223 pt	(3)	26 6.11111 pt	(5)	7	$6.15079 \mathrm{pt}$	(3)
2	2.77779 pt	(4)	$27 - 6.13332 \mathrm{pt}$	(4)	8	$6.67859{ m pt}$	(2)
3	$3.0222 \mathrm{pt}$	(2)	$28 - 6.24443 \mathrm{pt}$	(1)	9	$6.94444 \mathrm{pt}$	(43)
4	$3.05557 \mathrm{pt}$	(2) (2)	$29 - 6.27779 \mathrm{pt}$	(1)	10	$7.5\mathrm{pt}$	(2)
5	3.22221 pt		$30 - 6.3889 \mathrm{pt}$	(1)			
_	-	(2)	$31 - 6.3889 \mathrm{pt}$	(2)	Der	oths	
6	3.61111 pt	(2)	$32 - 6.41107 \mathrm{pt}$	(1)	Dol	, , , , , , , , , , , , , , , , , , , ,	
7	3.8889 pt	(3)	33 6.66669 pt	(4)	0	$0.0\mathrm{pt}$	(75)
8	3.91667 pt	(4)	34 6.94447 pt	(3)	1	$0.97223\mathrm{pt}$	(2)
9	3.94444 pt	(1)	35 7.22223 pt	(1)	2	$1.70137\mathrm{pt}$	(1)
10	$4.00002\mathrm{pt}$	(1)	36 7.50002 pt	(3)	3	$1.94444\mathrm{pt}$	(38)
11	$4.3889 \mathrm{pt}$	(1)	37 7.7778 pt	(1)	4	$2.1389{ m pt}$	(6)
12	$4.44444 \mathrm{pt}$	(10)	38 8.05559 pt	(1)	5	$2.33331\mathrm{pt}$	(1)
13	$4.55556 \mathrm{pt}$	(4)	39 8.33336 pt	(3)	6	$2.5\mathrm{pt}$	(3)
14	$4.58333 \mathrm{pt}$	(2)	40 9.16669 pt	(1)	7	2.52779 pt	(1)
15	$4.66667 \mathrm{pt}$	(1)	41 10.00002 pt	(1)	8	2.72221 pt	(1)
16	$4.72223\mathrm{pt}$	(11)	41 10.00002 pt	(1)			(-)
17	$5.00002\mathrm{pt}$	(11)			V.		
18	$5.27779{ m pt}$	(1)	${f Heights}$		Kei	ns	
19	$5.2778{ m pt}$	(6)	$0 \qquad 0.0\mathrm{pt}$	(9)	Ital	lic correc	tions
20	$5.55557 \mathrm{pt}$	(14)	1 1.07637 pt	(1)	1001	ic correc	010115
21	5.66667 pt	(1)	2 4.30554 pt	(53)	0	$0.0\mathrm{pt}$	(120)
22	5.69444 pt	(1)	3 4.83334 pt	. ,	1	$0.13887\mathrm{pt}$	(3)
23	5.83336 pt	(5)	-	(1)	2	$0.19998\mathrm{pt}$	(1)
	- ·	(-)	$4 5.0 \mathrm{pt}$	(2)	3	$0.40277\mathrm{pt}$	(4)