

Alumna: America del Pilar Bolaños Arias

Instalación web

```
(root@kali)-[/]
# sudo systemctl status apache2
o apache2.service - The Apache HTTP Server
   Loaded: loaded (/lib/systemd/system/apache2.service; disabled; preset: disabled)
   Active: inactive (dead)
   Docs: https://httpd.apache.org/docs/2.4/
```

Instalación DB

```
(root@kali)-[~]
# sudo systemctl status mariadb
● mariadb.service - MariaDB 10.11.5 database server
   Loaded: loaded (/lib/systemd/system/mariadb.service; enabled; preset: disabled)
   Active: active (running) since Wed 2023-12-06 19:18:44 UTC; 2min 34s ago
     Docs: man:mariadb(8)
           https://mariadb.com/kb/en/library/systemd/
   Main PID: 3180 (mariadb)
   Status: "Taking your SQL requests now..."
     Tasks: 10 (Limit: 2260)
    Memory: 192.8M
       CPU: 1.428s
   CGroup: /system.slice/mariadb.service
           └─3180 /usr/sbin/mariadb

Dec 06 19:18:43 kali mariadb[3180]: 2023-12-06 19:18:43 0 [Note] InnoDB: Loading buffer pool(s) from /var/lib/mysql/ib_buffer_pool
Dec 06 19:18:43 kali mariadb[3180]: 2023-12-06 19:18:43 0 [Note] Plugin 'FEEDBACK' is disabled.
Dec 06 19:18:44 kali mariadb[3180]: 2023-12-06 19:18:44 0 [Warning] You need to use --log-bin to make --expire-logs-days or --binlog-expire-logs-seconds work.
Dec 06 19:18:44 kali mariadb[3180]: 2023-12-06 19:18:44 0 [Note] InnoDB: Buffer pool(s) load completed at 231206 19:18:44
Dec 06 19:18:44 kali mariadb[3180]: 2023-12-06 19:18:44 0 [Note] Server socket created on IP: '127.0.0.1'.
Dec 06 19:18:44 kali mariadb[3180]: 2023-12-06 19:18:44 0 [Note] /usr/sbin/mariadb: ready for connections.
Dec 06 19:18:44 kali mariadb[3180]: Version: '10.11.5-MariaDB-3' socket: '/run/mysqld/mysqld.sock' port: 3306 Debian n/a
Dec 06 19:18:44 kali systemd[1]: Started mariadb.service - MariaDB 10.11.5 database server.
Dec 06 19:18:44 kali /etc/mysql/debian-start[3218]: Checking for insecure root accounts.
Dec 06 19:18:44 kali /etc/mysql/debian-start[3222]: Triggering myisam-recover for all MyISAM tables and aria-recover for all Aria tables
```

Instalación DNS

```
(root@kali)-[~]
# sudo systemctl status named
o named.service - BIND Domain Name Server
   Loaded: loaded (/lib/systemd/system/named.service; disabled; preset: disabled)
   Active: inactive (dead)
   Docs: man:named(8)
```

Instalación Proxy

```
(root@kali)-[~]
# sudo systemctl status squid
o squid.service - Squid Web Proxy Server
   Loaded: loaded (/lib/systemd/system/squid.service; disabled; preset: disabled)
   Active: inactive (dead)
   Docs: man:squid(8)
```

Instalación VPN

```
(root@kali)-[~]
# systemctl status openvpn
o openvpn.service - OpenVPN service
   Loaded: loaded (/lib/systemd/system/openvpn.service; disabled; preset: disabled)
   Active: inactive (dead)
   Docs: man:openvpn(8)
```

Instalación FTP

```
(root@kali)-[~]  
# sudo systemctl status vsftpd  
o vsftpd.service - vsftpd FTP server  
   Loaded: loaded (/lib/systemd/system/vsftpd.service; disabled; preset: disabled)  
   Active: inactive (dead)
```