Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86	Xanomeline High Dose N = 84	Xanomeline Low Dose N = 84
Treatment Emergent AEs	65 (76%)	75 (89%)	77 (92%)
GENERAL DISORDERS AND ADMINISTRATION SITE CONDITIONS	21 (24%)	40 (48%)	47 (56%)
APPLICATION SITE PRURITUS	6 (7.0%)	22 (26%)	22 (26%)
APPLICATION SITE ERYTHEMA	3 (3.5%)	15 (18%)	12 (14%)
APPLICATION SITE DERMATITIS	5 (5.8%)	7 (8.3%)	9 (11%)
APPLICATION SITE IRRITATION	3 (3.5%)	9 (11%)	9 (11%)
APPLICATION SITE VESICLES	1 (1.2%)	6 (7.1%)	4 (4.8%)
FATIGUE	1 (1.2%)	5 (6.0%)	5 (6.0%)
OEDEMA PERIPHERAL	2 (2.3%)	2 (2.4%)	1 (1.2%)
APPLICATION SITE SWELLING	NA	2 (2.4%)	1 (1.2%)
APPLICATION SITE URTICARIA	NA	1 (1.2%)	2 (2.4%)
CHILLS	1 (1.2%)	1 (1.2%)	1 (1.2%)
MALAISE	NA	2 (2.4%)	1 (1.2%)
PYREXIA	2 (2.3%)	1 (1.2%)	NA
APPLICATION SITE PAIN	NA	2 (2.4%)	NA
APPLICATION SITE PERSPIRATION	NA	2 (2.4%)	NA
APPLICATION SITE REACTION	1 (1.2%)	1 (1.2%)	NA
ASTHENIA	1 (1.2%)	1 (1.2%)	NA
CHEST DISCOMFORT	NA	2 (2.4%)	NA
CHEST PAIN	NA	2 (2.4%)	NA

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86	Xanomeline High Dose N = 84	Xanomeline Low Dose N = 84
OEDEMA	NA	NA	2 (2.4%)
PAIN	NA	1 (1.2%)	1 (1.2%)
APPLICATION SITE BLEEDING	NA	NA	1 (1.2%)
APPLICATION SITE DESQUAMATION	NA	NA	1 (1.2%)
APPLICATION SITE DISCHARGE	NA	1 (1.2%)	NA
APPLICATION SITE DISCOLOURATION	NA	NA	1 (1.2%)
APPLICATION SITE INDURATION	1 (1.2%)	NA	NA
APPLICATION SITE WARMTH	NA	NA	1 (1.2%)
FEELING ABNORMAL	NA	1 (1.2%)	NA
FEELING COLD	NA	1 (1.2%)	NA
INFLAMMATION	NA	NA	1 (1.2%)
SECRETION DISCHARGE	NA	NA	1 (1.2%)
SUDDEN DEATH	NA	NA	1 (1.2%)
SWELLING	NA	NA	1 (1.2%)
ULCER	NA	NA	1 (1.2%)
SKIN AND SUBCUTANEOUS TISSUE DISORDERS	20 (23%)	39 (46%)	39 (46%)
PRURITUS	8 (9.3%)	25 (30%)	21 (25%)
ERYTHEMA	8 (9.3%)	14 (17%)	14 (17%)
RASH	5 (5.8%)	8 (9.5%)	13 (15%)
HYPERHIDROSIS	2 (2.3%)	8 (9.5%)	4 (4.8%)
SKIN IRRITATION	3 (3.5%)	5 (6.0%)	6 (7.1%)
BLISTER	NA	1 (1.2%)	5 (6.0%)

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86	Xanomeline High Dose N = 84	Xanomeline Low Dose N = 84
RASH PRURITIC	NA	2 (2.4%)	1 (1.2%)
PRURITUS GENERALISED	NA	1 (1.2%)	1 (1.2%)
URTICARIA	NA	1 (1.2%)	1 (1.2%)
ACTINIC KERATOSIS	NA	1 (1.2%)	NA
ALOPECIA	1 (1.2%)	NA	NA
COLD SWEAT	1 (1.2%)	NA	NA
DERMATITIS CONTACT	NA	NA	1 (1.2%)
DRUG ERUPTION	1 (1.2%)	NA	NA
RASH ERYTHEMATOUS	NA	NA	1 (1.2%)
RASH MACULO-PAPULAR	NA	1 (1.2%)	NA
SKIN EXFOLIATION	NA	NA	1 (1.2%)
SKIN ODOUR ABNORMAL	NA	1 (1.2%)	NA
SKIN ULCER	1 (1.2%)	NA	NA
NERVOUS SYSTEM DISORDERS	8 (9.3%)	25 (30%)	20 (24%)
DIZZINESS	2 (2.3%)	11 (13%)	8 (9.5%)
HEADACHE	3 (3.5%)	5 (6.0%)	3 (3.6%)
SYNCOPE	NA	3 (3.6%)	4 (4.8%)
SOMNOLENCE	2 (2.3%)	1 (1.2%)	3 (3.6%)
TRANSIENT ISCHAEMIC ATTACK	NA	1 (1.2%)	2 (2.4%)
BURNING SENSATION	NA	2 (2.4%)	NA
LETHARGY	NA	1 (1.2%)	1 (1.2%)
AMNESIA	NA	1 (1.2%)	NA

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86	Xanomeline High Dose N = 84	Xanomeline Low Dose N = 84
BALANCE DISORDER	NA	NA	1 (1.2%)
COGNITIVE DISORDER	NA	1 (1.2%)	NA
COMPLEX PARTIAL SEIZURES	NA	NA	1 (1.2%)
COORDINATION ABNORMAL	NA	NA	1 (1.2%)
HEMIANOPIA HOMONYMOUS	NA	NA	1 (1.2%)
HYPERSOMNIA	NA	1 (1.2%)	NA
PARAESTHESIA	NA	1 (1.2%)	NA
PARAESTHESIA ORAL	NA	NA	1 (1.2%)
PARKINSON'S DISEASE	1 (1.2%)	NA	NA
PAROSMIA	NA	1 (1.2%)	NA
PARTIAL SEIZURES WITH SECONDARY GENERALISATION	NA	1 (1.2%)	NA
PSYCHOMOTOR HYPERACTIVITY	1 (1.2%)	NA	NA
STUPOR	NA	NA	1 (1.2%)
SYNCOPE VASOVAGAL	NA	1 (1.2%)	NA
GASTROINTESTINAL DISORDERS	17 (20%)	20 (24%)	14 (17%)
DIARRHOEA	9 (10%)	4 (4.8%)	4 (4.8%)
VOMITING	3 (3.5%)	7 (8.3%)	3 (3.6%)
NAUSEA	3 (3.5%)	6 (7.1%)	3 (3.6%)
ABDOMINAL PAIN	1 (1.2%)	1 (1.2%)	3 (3.6%)
SALIVARY HYPERSECRETION	NA	4 (4.8%)	NA
DYSPEPSIA	1 (1.2%)	NA	1 (1.2%)

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86	Xanomeline High Dose N = 84	Xanomeline Low Dose N = 84
ABDOMINAL DISCOMFORT	NA	1 (1.2%)	NA
CONSTIPATION	1 (1.2%)	NA	NA
DYSPHAGIA	NA	NA	1 (1.2%)
FLATULENCE	1 (1.2%)	NA	NA
GASTROINTESTINAL HAEMORRHAGE	NA	1 (1.2%)	NA
GASTROOESOPHAGEAL REFLUX DISEASE	1 (1.2%)	NA	NA
GLOSSITIS	1 (1.2%)	NA	NA
HIATUS HERNIA	1 (1.2%)	NA	NA
RECTAL HAEMORRHAGE	NA	NA	1 (1.2%)
STOMACH DISCOMFORT	NA	1 (1.2%)	NA
CARDIAC DISORDERS	12 (14%)	15 (18%)	13 (15%)
SINUS BRADYCARDIA	2 (2.3%)	8 (9.5%)	7 (8.3%)
MYOCARDIAL INFARCTION	4 (4.7%)	4 (4.8%)	2 (2.4%)
ATRIAL FIBRILLATION	1 (1.2%)	3 (3.6%)	1 (1.2%)
SUPRAVENTRICULAR EXTRASYSTOLES	1 (1.2%)	1 (1.2%)	1 (1.2%)
VENTRICULAR EXTRASYSTOLES	NA	1 (1.2%)	2 (2.4%)
ATRIAL FLUTTER	NA	1 (1.2%)	1 (1.2%)
ATRIOVENTRICULAR BLOCK FIRST DEGREE	1 (1.2%)	NA	1 (1.2%)
BUNDLE BRANCH BLOCK RIGHT	1 (1.2%)	NA	1 (1.2%)
PALPITATIONS	NA	NA	2 (2.4%)
ATRIAL HYPERTROPHY	1 (1.2%)	NA	NA
ATRIOVENTRICULAR BLOCK SECOND DEGREE	1 (1.2%)	NA	NA

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86	Xanomeline High Dose N = 84	Xanomeline Low Dose N = 84
BRADYCARDIA	1 (1.2%)	NA	NA
BUNDLE BRANCH BLOCK LEFT	1 (1.2%)	NA	NA
CARDIAC DISORDER	NA	1 (1.2%)	NA
CARDIAC FAILURE CONGESTIVE	1 (1.2%)	NA	NA
SINUS ARRHYTHMIA	1 (1.2%)	NA	NA
SUPRAVENTRICULAR TACHYCARDIA	NA	NA	1 (1.2%)
TACHYCARDIA	1 (1.2%)	NA	NA
VENTRICULAR HYPERTROPHY	1 (1.2%)	NA	NA
WOLFF-PARKINSON-WHITE SYNDROME	NA	NA	1 (1.2%)
INFECTIONS AND INFESTATIONS	16 (19%)	13 (15%)	9 (11%)
NASOPHARYNGITIS	2 (2.3%)	6 (7.1%)	4 (4.8%)
UPPER RESPIRATORY TRACT INFECTION	6 (7.0%)	3 (3.6%)	1 (1.2%)
INFLUENZA	1 (1.2%)	1 (1.2%)	1 (1.2%)
URINARY TRACT INFECTION	2 (2.3%)	1 (1.2%)	NA
CYSTITIS	1 (1.2%)	1 (1.2%)	NA
EAR INFECTION	2 (2.3%)	NA	NA
BRONCHITIS	1 (1.2%)	NA	NA
CELLULITIS	NA	NA	1 (1.2%)
CERVICITIS	1 (1.2%)	NA	NA
GASTROENTERITIS VIRAL	1 (1.2%)	NA	NA
HORDEOLUM	NA	1 (1.2%)	NA
LOCALISED INFECTION	1 (1.2%)	NA	NA

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86	Xanomeline High Dose N = 84	Xanomeline Low Dose N = 84
LOWER RESPIRATORY TRACT INFECTION	NA	1 (1.2%)	NA
PNEUMONIA	NA	NA	1 (1.2%)
RHINITIS	NA	1 (1.2%)	NA
VAGINAL MYCOSIS	1 (1.2%)	NA	NA
VIRAL INFECTION	NA	NA	1 (1.2%)
PSYCHIATRIC DISORDERS	10 (12%)	8 (9.5%)	10 (12%)
CONFUSIONAL STATE	2 (2.3%)	1 (1.2%)	3 (3.6%)
AGITATION	2 (2.3%)	1 (1.2%)	2 (2.4%)
INSOMNIA	2 (2.3%)	2 (2.4%)	NA
ANXIETY	NA	NA	3 (3.6%)
DELUSION	1 (1.2%)	1 (1.2%)	NA
IRRITABILITY	1 (1.2%)	NA	1 (1.2%)
COMPLETED SUICIDE	1 (1.2%)	NA	NA
DELIRIUM	NA	1 (1.2%)	NA
DEPRESSED MOOD	NA	NA	1 (1.2%)
DISORIENTATION	1 (1.2%)	NA	NA
HALLUCINATION	NA	1 (1.2%)	NA
HALLUCINATION, VISUAL	NA	1 (1.2%)	NA
LIBIDO DECREASED	NA	1 (1.2%)	NA
LISTLESS	NA	1 (1.2%)	NA
NIGHTMARE	NA	1 (1.2%)	NA
RESTLESSNESS	NA	NA	1 (1.2%)

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86	Xanomeline High Dose N = 84	Xanomeline Low Dose N = 84
RESPIRATORY, THORACIC AND MEDIASTINAL DISORDERS	8 (9.3%)	10 (12%)	9 (11%)
COUGH	1 (1.2%)	5 (6.0%)	5 (6.0%)
NASAL CONGESTION	3 (3.5%)	3 (3.6%)	1 (1.2%)
DYSPNOEA	1 (1.2%)	1 (1.2%)	1 (1.2%)
EPISTAXIS	NA	2 (2.4%)	1 (1.2%)
PHARYNGOLARYNGEAL PAIN	NA	1 (1.2%)	1 (1.2%)
RHINORRHOEA	NA	1 (1.2%)	1 (1.2%)
ALLERGIC GRANULOMATOUS ANGIITIS	NA	1 (1.2%)	NA
DYSPHONIA	NA	NA	1 (1.2%)
EMPHYSEMA	1 (1.2%)	NA	NA
HAEMOPTYSIS	1 (1.2%)	NA	NA
PHARYNGEAL ERYTHEMA	NA	1 (1.2%)	NA
POSTNASAL DRIP	1 (1.2%)	NA	NA
PRODUCTIVE COUGH	NA	1 (1.2%)	NA
RALES	1 (1.2%)	NA	NA
RESPIRATORY TRACT CONGESTION	NA	1 (1.2%)	NA
INVESTIGATIONS	10 (12%)	6 (7.1%)	6 (7.1%)
ELECTROCARDIOGRAM ST SEGMENT DEPRESSION	4 (4.7%)	NA	1 (1.2%)
ELECTROCARDIOGRAM T WAVE INVERSION	2 (2.3%)	1 (1.2%)	1 (1.2%)
BLOOD GLUCOSE INCREASED	NA	1 (1.2%)	1 (1.2%)

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86	Xanomeline High Dose N = 84	Xanomeline Low Dose N = 84
ELECTROCARDIOGRAM T WAVE AMPLITUDE DECREASED	1 (1.2%)	NA	1 (1.2%)
BIOPSY	NA	1 (1.2%)	NA
BIOPSY PROSTATE	NA	1 (1.2%)	NA
BLOOD ALKALINE PHOSPHATASE INCREASED	1 (1.2%)	NA	NA
BLOOD CHOLESTEROL INCREASED	NA	1 (1.2%)	NA
BLOOD CREATINE PHOSPHOKINASE INCREASED	1 (1.2%)	NA	NA
BLOOD URINE PRESENT	1 (1.2%)	NA	NA
BODY TEMPERATURE INCREASED	NA	NA	1 (1.2%)
CYSTOSCOPY	1 (1.2%)	NA	NA
HEART RATE INCREASED	1 (1.2%)	NA	NA
HEART RATE IRREGULAR	1 (1.2%)	NA	NA
NASAL MUCOSA BIOPSY	NA	NA	1 (1.2%)
WEIGHT DECREASED	NA	1 (1.2%)	NA
MUSCULOSKELETAL AND CONNECTIVE TISSUE DISORDERS	4 (4.7%)	7 (8.3%)	7 (8.3%)
BACK PAIN	1 (1.2%)	3 (3.6%)	1 (1.2%)
ARTHRALGIA	1 (1.2%)	1 (1.2%)	2 (2.4%)
SHOULDER PAIN	1 (1.2%)	NA	2 (2.4%)
MUSCLE SPASMS	NA	1 (1.2%)	1 (1.2%)
ARTHRITIS	NA	1 (1.2%)	NA
FLANK PAIN	NA	1 (1.2%)	NA

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86	Xanomeline High Dose N = 84	Xanomeline Low Dose N = 84
MUSCULAR WEAKNESS	NA	NA	1 (1.2%)
MYALGIA	NA	1 (1.2%)	NA
PAIN IN EXTREMITY	1 (1.2%)	NA	NA
INJURY, POISONING AND PROCEDURAL COMPLICATIONS	4 (4.7%)	5 (6.0%)	5 (6.0%)
CONTUSION	1 (1.2%)	2 (2.4%)	1 (1.2%)
EXCORIATION	2 (2.3%)	1 (1.2%)	1 (1.2%)
FALL	1 (1.2%)	1 (1.2%)	2 (2.4%)
HIP FRACTURE	1 (1.2%)	2 (2.4%)	NA
SKIN LACERATION	1 (1.2%)	NA	2 (2.4%)
FACIAL BONES FRACTURE	NA	1 (1.2%)	NA
JOINT DISLOCATION	NA	NA	1 (1.2%)
WOUND	NA	NA	1 (1.2%)
RENAL AND URINARY DISORDERS	4 (4.7%)	3 (3.6%)	3 (3.6%)
MICTURITION URGENCY	1 (1.2%)	1 (1.2%)	1 (1.2%)
DYSURIA	1 (1.2%)	NA	1 (1.2%)
NEPHROLITHIASIS	1 (1.2%)	1 (1.2%)	NA
CALCULUS URETHRAL	NA	1 (1.2%)	NA
INCONTINENCE	NA	NA	1 (1.2%)
POLLAKIURIA	1 (1.2%)	NA	NA
METABOLISM AND NUTRITION DISORDERS	6 (7.0%)	2 (2.4%)	1 (1.2%)
DECREASED APPETITE	1 (1.2%)	1 (1.2%)	NA
FOOD CRAVING	1 (1.2%)	NA	1 (1.2%)

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86	Xanomeline High Dose N = 84	Xanomeline Low Dose N = 84
INCREASED APPETITE	1 (1.2%)	1 (1.2%)	NA
DEHYDRATION	1 (1.2%)	NA	NA
DIABETES MELLITUS	1 (1.2%)	NA	NA
HYPONATRAEMIA	1 (1.2%)	NA	NA
VASCULAR DISORDERS	3 (3.5%)	1 (1.2%)	3 (3.6%)
HYPOTENSION	2 (2.3%)	NA	1 (1.2%)
HYPERTENSION	1 (1.2%)	NA	1 (1.2%)
HOT FLUSH	NA	NA	1 (1.2%)
ORTHOSTATIC HYPOTENSION	1 (1.2%)	NA	NA
WOUND HAEMORRHAGE	NA	1 (1.2%)	NA
EYE DISORDERS	2 (2.3%)	1 (1.2%)	2 (2.4%)
VISION BLURRED	NA	1 (1.2%)	1 (1.2%)
CONJUNCTIVAL HAEMORRHAGE	NA	NA	1 (1.2%)
CONJUNCTIVITIS	1 (1.2%)	NA	NA
EYE ALLERGY	1 (1.2%)	NA	NA
EYE PRURITUS	1 (1.2%)	NA	NA
EYE SWELLING	1 (1.2%)	NA	NA
SURGICAL AND MEDICAL PROCEDURES	2 (2.3%)	2 (2.4%)	1 (1.2%)
CATARACT OPERATION	1 (1.2%)	NA	1 (1.2%)
ACROCHORDON EXCISION	NA	1 (1.2%)	NA
EYE LASER SURGERY	1 (1.2%)	NA	NA
SKIN LESION EXCISION	NA	1 (1.2%)	NA

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86	Xanomeline High Dose N = 84	Xanomeline Low Dose N = 84
EAR AND LABYRINTH DISORDERS	1 (1.2%)	1 (1.2%)	2 (2.4%)
VERTIGO	NA	1 (1.2%)	1 (1.2%)
CERUMEN IMPACTION	NA	NA	1 (1.2%)
EAR PAIN	1 (1.2%)	NA	NA
CONGENITAL, FAMILIAL AND GENETIC DISORDERS	NA	2 (2.4%)	1 (1.2%)
VENTRICULAR SEPTAL DEFECT	NA	2 (2.4%)	1 (1.2%)
NEOPLASMS BENIGN, MALIGNANT AND UNSPECIFIED (INCL CYSTS AND POLYPS)	NA	1 (1.2%)	2 (2.4%)
COLON CANCER	NA	NA	1 (1.2%)
MALIGNANT FIBROUS HISTIOCYTOMA	NA	NA	1 (1.2%)
PROSTATE CANCER	NA	1 (1.2%)	NA
REPRODUCTIVE SYSTEM AND BREAST DISORDERS	2 (2.3%)	1 (1.2%)	NA
BENIGN PROSTATIC HYPERPLASIA	1 (1.2%)	1 (1.2%)	NA
PELVIC PAIN	1 (1.2%)	NA	NA
HEPATOBILIARY DISORDERS	1 (1.2%)	NA	NA
HYPERBILIRUBINAEMIA	1 (1.2%)	NA	NA
IMMUNE SYSTEM DISORDERS	NA	NA	1 (1.2%)
HYPERSENSITIVITY	NA	NA	1 (1.2%)
SOCIAL CIRCUMSTANCES	NA	1 (1.2%)	NA
ALCOHOL USE	NA	1 (1.2%)	NA