

× 2. When a operator	an operator's value is NULL, the typeof returned by the unary is:	0/1
Boolean		
Undefined	d	×
Object		
Integer		
Correct answe	r	
(A)		
	s the output of the following code snippet? N === NaN);	0/1
★ 3.What is		0/1
★ 3.What is print(NaN)		
X 3.What is print(NaN	N === NaN);	
X 3.What is print(NaN true False	N === NaN);	
X 3.What is print(NaN true False undefined	N === NaN); d	
X 3.What is print(NaN true False undefined Error	N === NaN); d	

✓	4. What happens if the return statement has no related expression?	1/1
•	It will return a undefined value	/
0	It will throw a exception	
0	It will return the 0 as the value	
0	It will throw a error	
~	5. Which of the following function of the Array object is used to add one or more elements to the front of an array and returns the new length of the array?	1/1
0	splice()	
•	unshift()	/
0	sort()	
0	toString()	
✓	6.What output will come on console if we run the following part of the JavaScript code? var string2Num=parseInt("123abc"); console.log(string2Num);	1/1
0	Exception	
0	123abc	
•	123	✓

✓ 7.Which one is not a data type in JavaScript?	1/1
O var	
boolean	
undefined	
float	✓
✓ 8.What is the correct JavaScript syntax to write "Hello World"?	1/1
System.out.println("Hello World")	
odocument.write("Hello World")	✓
println ("Hello World")	
response.write("Hello World")	
9.To include external JS code inside an HTML document which attrused?	ibute is0/1
script	×
○ link	
o ext	
o src	
Correct answer	
src	

/	10.What are the types of Pop up boxes available in JavaScript?	1/1
0	Confirm	
0	Alert	
0	Prompt	
•	All of the above	✓
✓	11.Comments in JS are ignored by	1/1
0	JVM	
•	Browser	✓
0	Operating System	
0	Compiler	
~	12.What is the correct syntax for referring to an external script called " abc.js"?	1/1
0	<script href=" abc.js"></td><td></td></tr><tr><td>0</td><td><script href=" abc.js"> <script name=" abc.js"></td><td></td></tr><tr><td></td><td></td><td>✓</td></tr></tbody></table></script>	

✓ 13.The method of an Array object adds and/or removes ele from an array.	ements 1/1
Reverse	
Shift	
Slice	
Splice	✓
X 14.function x(){document.write(2+5+"8");}	0/1
258	×
O 15	
O 7	
O 78	
Correct answer	
78	
√ 15.What if we put ++ operator inside if condition? find the output of below code: var a = 10; if(a == a++) document.write(a);	of 1/1
○ Error	
Nothing is printed	
O 10	
11	~

✓ 16.Which of the following is the correct output for the following 1/1 JavaScript code: function display1(option) return(option ? "true" : "false"); bool ans=true; console.log(display1(ans)); false true Runtime error Compilation error

6/20/22, 9:28 AM

× 17. Which of the following is the correct output for the following 0/1 JavaScript code: var grade='D'; var result; switch(grade) case'A': result+="10"; case'B': result+="9"; case'C': result+="8"; case 'D' result+=" 6"; default: result+=" 0"; document.write(result); 10 33 Correct answer 6

✓ 18.What will be the output of the following code snippet?	1/1
<pre>const obj1 = {Name: "Hello", Age: 16}; const obj2 = {Name: "Hello", Age: 16}; print(obj1 === obj2);</pre>	
O true	
false	✓
Undefined	
None of the above	
✓ 19.The primary purpose of the array map() function is that it	1/1
maps the elements of another array into itself	
passes each element of the array and returns the necessary mapped elements	
passes each element of the array on which it is invoked to the function you specify, and returns an array containing the values returned by that function	✓
None of the mentioned	
✓ 20.Which of the following number object function returns the value of the number?	1/1
o toString()	
valueOf()	✓
toLocaleString()	
o toPrecision()	
This content is neither created nor endorsed by Google <u>Terms of Service</u> - <u>Privacy Policy</u>	

JavaScript Quiz 6/20/22, 9:28 AM

Google Forms