

ANSWER BOOK

I AGREE TO ABIDE BY THE SENATE POLICY ON CONDUCT OF ASSIGNMENTS, MID-TERM EXAM, AND FINAL EXAM

Student's name: **Thakur, Amey Mahendra**

Student ID number: **110107589**

Final Exam Question on CNN:

Q1. Solution:

Given:

- Input image size, $M = N = 64$
- Number of channels, $nC = 3$
- Number of filters, $nF = 8$
- Filter size, $F_1 = F_2 = 5$
- Dilation factor, $D = 4$
- Stride, $S = 1$
- Padding size, $P = 1$

The output height M_c and width N_c of the convolutional layer due to one filter is

$$\begin{aligned}M_c &= \frac{M - [(F_1 - 1) * \text{Dilation Factor} + 1] + 2 * \text{Padding}}{\text{Stride}} + 1 \\&= N_c = \frac{N - [(F_2 - 1) * \text{Dilation Factor} + 1] + 2 * \text{Padding}}{\text{Stride}} + 1 \\&= \frac{64 - [(5 - 1) * 4 + 1] + 2 * 1}{1} + 1 = 50\end{aligned}$$

The size (or the number of neurons) of each feature map is

$$M_c * N_c = 50 * 50 = 2500$$

The total number of neurons in the convolutional layer due to 8 filters is

$$M_c * N_c * nF = 2500 * 8 = \mathbf{20000}$$

```

% Input image size
M = 64; N = 64; nC = 3;

% Convolutional layer parameters
nF = 8;      % Number of filters
F1 = 5;      % Filter height
F2 = 5;      % Filter width
D = 4;      % Dilation factor
S = 1;      % Stride
P = 1;      % Padding

% Formula to calculate the number of filter weights per filter
W = F1 * F2 * nC + 1;

% Formula to calculate the total number of filter weights for all filters
nW = (F1 * F2 * nC + 1) * nF;

% Display calculation of filter weights
disp('-----');
disp('          Convolutional Neural Network          ');
disp('-----');
disp(['Input Image Size (M x N x nC): ', num2str(M), ' x ', num2str(N), ' x ',
num2str(nC)]);
disp(' ');

disp('Convolutional Layer Parameters:');
disp(['Number of Filters (nF): ', num2str(nF)]);
disp(['Filter Size (F1 x F2): ', num2str(F1), ' x ', num2str(F2)]);
disp(['Dilation Factor (D): ', num2str(D)]);
disp(['Stride (S): ', num2str(S)]);
disp(['Padding (P): ', num2str(P)]);
disp(' ');

disp('Calculation of Filter Weights:');
disp(['The number of filter weights (including one bias) per filter is W = F1 x F2 x nC + 1 = ', num2str(W)]);
disp(['The total number of filter weights for all ', num2str(nF), ' filters is nW = (F1 x F2 x nC + 1) x nF = ', num2str(nW)]);
disp(' ');

% Step 1: Calculate output size
M_out = floor((M + 2*P - D*(F1-1) - 1) / S + 1);
N_out = floor((N + 2*P - D*(F2-1) - 1) / S + 1);

% Display intermediate results for step 1
disp('Step 1: Output size calculation');
disp(['Output Height (M_out): floor((M + 2*P - D*(F1-1) - 1) / S + 1) = ',
num2str(M_out)]);
disp(['Output Width (N_out): floor((N + 2*P - D*(F2-1) - 1) / S + 1) = ',
num2str(N_out)]);
disp(' ');

% Step 2: Calculate size of each feature map
Mc = M_out; % Height of each feature map
Nc = N_out; % Width of each feature map

% Display size of each feature map
disp('Step 2: Size of each feature map');

```

```
disp(['Size of each feature map (Mc x Nc): ', num2str(Mc), ' x ', num2str(Nc), ' =  
' , num2str(Mc * Nc)]);  
disp(' ');  
  
% Step 3: Calculate total number of neurons in the output  
total_neurons = Mc * Nc * nF;  
  
% Display intermediate results for step 3 and total number of neurons  
disp('Step 3: Total number of neurons calculation');  
disp(['Total Number of Neurons in the Output: ', num2str(total_neurons)]);
```