WDL MCQ Quiz on Chapter No 1,2 and 3_TE Div B_25 sep 2020

Total points 19/20

WDL quiz_chapter_No_1_2_3

The respondent's email address (ameythakur@ternaengg.ac.in) was recorded on submission of this form.

1) Dynamic web page*	1/1
is same every time whenever it displays	
same every time whenever it displays and generates on demand by a program request from browser	or a
is different always in a predefined order	
generates on demand by a program or a request from browser	✓

2) What is a web browser? *	1/1
O a program that can display a wah name	
a program that can display a web page	
a program used to view html documents	
it enables user to access the resources of internet	
all of the mentioned	✓

	✓ 3) URL stands for*	1/1
	unique reference label	
	uniform reference label	
	uniform resource locator	✓
	unique resource locator	
	✓ 4) A web cookie is a small piece of data that is*	1/1
	sent from a website and stored in user's web browser while a user is browsing a website	✓
	sent from user and stored in the server while a user is browsing a website	
	sent from root server to all servers	
	sent from the root server to other root servers	
	✓ 5) Which one of the following is not used to generate dynamic web pages? *	1/1
	ASP.NET	
	○ JSP	
	O PHP	
!	© css	✓

	✓ 6) What is document object model (DOM)? * 1/1
	 application programming interface hierarchy of objects in ASP.NET convention for representing and interacting with objects in html documents scripting language
	√ 7) If we want define style for an unique element, then which css selector 1/1 will we use ? *
	Idtextnameclass
	✓ 8) What should be the table width, so that the width of a table adjust to 1/1 the current width of the browser window? *
<u>:</u>	640 pixelsfull-screen100 %✓1024 px

	~	9) Which element is used in the <head> section on an HTML / XHTMLpage, if we want to use an external style sheet file to decorate the page? *</head>	1/1 ne
	•		✓
	0	<src></src>	
	0	<style></th><th></th></tr><tr><th></th><th>0</th><th><CSS></th><th></th></tr><tr><th></th><th>/</th><th>10) Which attribute can be added to many HTML / XHTML elements to identify them as a member of a specific group ? *</th><th>1/1</th></tr><tr><th></th><th>0</th><th>div</th><th></th></tr><tr><th></th><th>•</th><th>class</th><th>✓</th></tr><tr><th></th><th>0</th><th>ID</th><th></th></tr><tr><th></th><th>0</th><th>span</th><th></th></tr><tr><th></th><th>~</th><th>11) When we write , what "img.png" inside double quote implies? *</th><th>1/1</th></tr><tr><th></th><th>0</th><th>element</th><th></th></tr><tr><th></th><th>•</th><th>value</th><th>✓</th></tr><tr><th>!</th><th>0</th><th>attribute</th><th></th></tr></tbody></table></style>	

operator	·	,	_	_	•	

12) How can we write comment along with CSS code ? * 1/1
/* a comment */
// a comment //
/ a comment /
<' a comment'>
✓ 13) Which CSS property is used to control the text size of an element ? * 1/1
of font-style
● font-size
text-size
text-style
14) By default Hyperlinks are displayed with an underline. How do you remove the underline from all hyperlinks by using CSS code? *
a {text: no-underline;}
a {text-decoration:none;}
a {text-style: no-underline;}
a {text-decoration: no-underline;}

	15) What is the HTML tag under which one can write the JavaScript code? *						
	<pre><javascript></javascript></pre>						
	<pre><scripted></scripted></pre>						
	<script></th><th>✓</th></tr><tr><th></th><th>16) Which of the following is the correct syntax to display "GeeksforGeeks" in an alert box using JavaScript? *</th><td>1/1</td></tr><tr><th></th><th><pre>alertbox("GeeksforGeeks");</pre></th><th></th></tr><tr><th></th><th colspan=5>alert("GeeksforGeeks");</th></tr><tr><th></th><th colspan=5>msg("GeeksforGeeks");</th></tr><tr><th></th><th>msgbox("GeeksforGeeks");</th><th></th></tr><tr><th></th><th>√ 17) <TR> belongs to*</th><td>1/1</td></tr><tr><th></th><th><pre></pre></th><th>✓</th></tr><tr><th></th><th><pre><div></pre></th><th></th></tr><tr><th></th><th><pre><frameset></pre></th><th></th></tr><tr><th>!</th><th><pre><frame></pre></th><th></th></tr></tbody></table></script>						

×	18) A can be inserted in HTML document which can act as a container for all the *	0/1
	text area	×
0	form	
\circ	text field	
0	button	
Corr	ect answer	
	form	
✓	19) In order to add border to a table, BORDER attribute is specified in which tag *	1/1
0	head	
0	border	
	table	~
0	tr	
~	20) Method is used to sent form data as URL variables. *	1/1
•	get	~

9/25/2020		WDL MCQ Quiz on Chapter No 1,2 and 3_TE Div B_25 sep 2020	
	set		
	sent		

This form was created inside of Terna.

Google Forms