

The boomi logo is displayed in white lowercase text on a purple-to-pink gradient background. The background features abstract, wavy, concentric line patterns that create a sense of depth and movement.

Discovering the Process Call Step Activities

Table of Contents

Discovering the Process Call Step Activities	1
Table of Contents.....	2
About the Activities.....	3
Activity 1: Create a process using the Process Call step.....	4
1. Create a Process Call subfolder and install the process from the Process Library.....	5
2. Create the subprocess.....	7
3 Add the Process Call step to the parent process.....	12
4. Run and review your process call results in test mode.....	16
5. Package and Deploy the parent process.....	18
6. Execute the process and view the logs.....	20
Activity 2:Access an Error Subprocess.....	22
1. Install the [Sub] Tek Innovations Group Error Handling process from the Process Library.....	23
2. Add the Process Call step to the parent process.....	24
3. Run and review your process call results in test mode.....	26
Activities Wrap-Up	28



About the Activities

To complete the Activities, log into the [Boomi Platform](#) with your Training Account, then proceed with the instructions. We recommend completing the activities in order as they build on each other.



Activity 1: Create a process using the Process Call step

You are part of Tekspresso's Boomi Development team and are creating an integration to keep track of all their products. You will receive a file containing a Product ID, Name, Description, and Cost in US dollars.

This file splits by line and proceeds to a Route step. Each line follows a different path to perform specific tasks and save a file in the work directory.

As you work on the process, you observe repetitive tasks. To save time and reduce the process footprint, you decide to use a Process Call step.

The activities are:

- Create a Process Call subfolder and install the [Main] Tekspresso process from the Process Library.
- Create the subprocess.
- Add the Process Call step to the parent process.
- Run and review your process call results in test mode.
- Package and Deploy the parent process.
- Execute the process and view the logs.

1. Create a Process Call subfolder and install the process from the Process Library.


1. Create a Process Call folder for your process directly from the top root folder.

Note: Not sure how to create a folder? Check out [Create a Folder](#).

2. Install **[Main] Tekspresso Products** from the **Process Library**.

Note: Not sure how to Install a Process from the Process Library? [Check out Install a Process from the Process Library](#).


3. Review each step of the process. The Message step contains the input data.



4. Test the process.


Note: Not sure how to test your process? [Check out How to Test Your Process in Test Mode.](#)

Each specific path contains one record, while the default path has three records.



2. Create the subprocess.

1. Select the three dots next to the Process Call folder and select **New Component**.



2. Make sure the Type field equals **Process** and select **Create**.

Create Component

Type

3. A Start step will appear automatically. Choose **Data Passthrough** as the Type. Select **Make the recommended changes for me** in the message. For the Display Name, enter **Begin Subprocess** and select **OK**.

 **Start Step** 

The Start step is the main step that begins the process flow. It is automatically added to each new process and it cannot be removed.

Process Mode [General](#)


Type ☐ Connector ☐ Trading Partner ☒ **Data Passthrough** ☐ No Data
Select this option if this process should receive data from another process or another external source. If this process is scheduled without a data source, it will run as a no-data start step.

 For Processes starting with a Data Passthrough, we recommend that you disable Capture Run Dates
Make the recommended change for me.

Display Name


OK Cancel

4. Change the Process Name to **[SUB] – SmartBrew** and select **Save**.




Recommended Practice: Name the subprocess [SUB] to make it a subprocess.

5. Return to the **[Main]Tekspresso** process. Highlight the three steps on the **1 – Equal to 001** branch and select **Copy**.



6. Return to the **[SUB] – SmartBrew** subprocess, select the canvas, and select Paste to paste the components.




7. Add a **Return Documents** step to the Process Canvas, enter **SmartBrew** in the Display Name, and select **OK**.

 **Return Documents Step** 

The Return Documents step is placed at the end of a document path and returns the documents to the calling source point which is either the parent process or a web service client application.


Display Name

8. Attach the Start step to the Map and the Set Properties step to Return Documents. Select **Save** to save the subprocess and **Save & Close** to save and close the subprocess




3 Add the Process Call step to the parent process.

1. Return to the [Main] Tekspresso process. Notice the Route step with its paths is still part of the process.



2. Go to the branch labeled 1 – Equal to 001. Highlight the three steps you copied to the subroutine and remove them. The following message is displayed:

“Are you sure you want to remove these 3 steps from the process? This action can not be undone.” Select **OK**.



3. Add a Process Call step to the canvas and configure it.

On the General Tab, do the following:

- Enter **Tekspresso SmartBrew** in the Display Name.
- Select **[SUB] - SmartBrew** as the Process.
- Leave the default options checked: **Wait for process to complete** and **Abort if process fails**.
- Select **OK**.

 **Process Call Step** ⓘ

The Process Call step allows you to execute another process from within a process. The subprocess call is considered a separate, distinct process execution. The subprocess execution results display on the Manage menu's Process Reporting page like a regularly executed process.

General

Display Name


Process  

Options


☒ Wait for process to complete ⓘ

☒ Abort if subprocess fails ⓘ


- Attach the Process Call step as the first step in branch 1 – Equal To 001 and the Disk step.




- Go to the branch labeled 3 – Equal to 003. Highlight the first three steps you copied and remove them.




- Return to branch 1 – Equal To 001 and **Copy** the Process Call.



7. Paste the Process Call step on the branch labeled 3 - Equal to 003.




8. Attach the Process Call step as the first step in branch 3 - Equal to 003 and the Disk step.



4. Run and review your process call results in test mode.

1. Select **Save** to save the process and **Test** to run a test in Test Mode using the **Test Runtime Cloud**.



2. Select the Process Call step within the parent process. Select the Process Call step in the branch called Equal to 001 Branch.
3. In the Test Results window, navigate to the Step Source Data tab.

4. Select the blue arrow located in the Process Call column.

Process: [Main] Tekspresso Products

Submit This Test Case

Documents		Test Results		
#		Logs	Shape Source Data	Process Call
1	✓	View Source	Size (kB)	0.07

Note: Viewing the Process Call step does not initiate a rerun of the child process; it only uploads logs from the document's initial execution.

5. Go to the subprocess to review the steps and connection data. When finished, select the highlighted arrow to return to the Main process.

Process Call: [SUB] - SmartBrew

Submit This Test Case

Documents		Test Results					
#		Logs	Connection Data				
1	✓	Time	Level	Shape	Ext Info	Message	Details
		2024-07-17 09:24:07 AM	INFO	Begin Subprocess	Passthrough	Continuing document execution...	

5. Package and Deploy the parent process.

Note: Not sure how to Package and Deploy? Check out [How to Package and Deploy a Process](#).

1. Package your process with the following details:

- **Version for all: PCall-<MONYYYY>-01**
- **Packaged Notes for All: Initial Package**
- **Sharing: Not allowed**

Create Packaged Components: Add Details

Optionally apply details to the newest version of your packaged components. When you have multiple packaged components selected at one time, the details you specify are applied in bulk to all selected components, though each selected component results in its own individual version.

Component Name	Latest Version ⁱ	Latest Notes	Action
[Main] Tekspreso Products	None	None	View Included Components

Version for all

PCall-012024-01

If you do not supply a name, a version number is automatically generated for each individual packaged component, and increments based on the latest version number.

Package Notes for All

Initial Package

3985 characters remaining.

Sharing ⁱ

☒ Not Allowed

☐ Allowed

This setting is ignored for components that cannot be shared.

Cancel

Back: Select Components

Create Packaged Component (1)

2. Deploy your process with the following details:

- **Deployment Environment: Test**
- **Deployment Notes: Initial Deployment**

Deploy: Select Environment

Select the environment in which to deploy your packaged component(s), and optionally add notes about the deployment.

Deployment Environment

Deployment Notes

Initial Deployment

3982 characters remaining.

Cancel

Next: Select Versions

Note: Since this contains a Process Call step, the deployment of the parent process is necessary. The system will automatically deploy the subprocess.

6. Execute the process and view the logs.

1. Navigate to Process Reporting by selecting the **Manage** menu and then **Process Reporting**. Select **Execute Process** to run manually [Main]Tekspresso Products.

Execute Process

Auto Refresh is Off



2. Select the Runtime: **Test Training Cloud**, choose the Process: **[Main] Tekspresso Products**, and select **Execute**.

Execute Process

Choose the runtime on which you want to execute the process, then choose the process to execute.

Select a Runtime *(required)* ☁ Test Training Cloud ▼

Process *(required)* 🔍 [Main] Tekspresso Products

Cancel **Execute**

Press the Refresh button if you do not have Auto Refresh toggled on.

3. Select the **Date/Time** hyperlink to view the Process Execution Detail. You can see the outputs from each subprocess and your default path. You're welcome to examine each result and select **Close** when finished.

● [Main] Tekspresso Products

Time: 23 Apr 2025 09:09:27 | Elapsed Time: 0:04 | Documents In: 1 | Documents Out: 4 | Runtime: Test Training Cloud | Execution Type: Manual Execution

⚙ Actions ▾

(Start) No Data

Connection
nodata
Operation
Start
Successes: 1 Errors: 0

Disk (Legacy)

Connection
Work 001 Directory
Operation
Overwrite file
Successes: 1 Errors: 0

Disk (Legacy)

Connection
Work002 Directory
Operation
Write Unique
Successes: 1 Errors: 0

Close Previous Next



Activity 2: Access an Error Subprocess

Your process runs smoothly, but you intend to include an error subprocess in the default path. Instead of creating a new subprocess from scratch, a colleague recommends using Tekspresso's error subprocess which is already available. With this subprocess already made, all you need to do is copy it to your account and use a process call step to run the subprocess, saving you a lot of time.

The activities are:


- Install the [Sub] Tekspresso process from the Process Library into the Process Call folder.
- Add the Process Call step to the parent process.
- Run and review your process call results in test mode.

1. Install the [Sub] Tek Innovations Group Error Handling process from the Process Library.

1. Install **[Sub] Tek Innovations Group Error Handling** from the **Process Library**.


Note: Not sure how to Install a Process from the Process Library? [Check out Install a Process from the Process Library.](#)

2. Review each step of the process.



2. Add the Process Call step to the parent process.

1. Return to the **[Main] Tekspresso Products** process. Unattach the **Stop** step on the Default branch.



2. Add a Process Call step to the canvas. Configure the Process Route step. On the General Tab, do the following:
 - Enter **Tek Innovations Group Error Handling** in the Display Name.
 - Select **[SUB] Tek Innovations Group Error Handling** as the Process.
 - Leave the default options checked: **Wait for process to complete** and **Abort if process fails**.
 - Select **OK**.

Process Call Step ⁱ

The Process Call step allows you to execute another process from within a process. The subprocess call is considered a separate, distinct process execution. The subprocess execution results display on the Manage menu's Process Reporting page like a regularly executed process.

General

Display Name

Process


Options

☒ Wait for process to complete ⁱ

☒ Abort if subprocess fails ⁱ


OK Cancel

3. Attach the Process Call step as the first step in the branch Default and the Stop step.



3. Run and review your process call results in test mode.

1. Select **Save** to save the process and **Test** to run a test in test mode using the **Test Training Cloud**.



2. Select the Process Call step within the parent process.
3. In the Test Results window, navigate to the Step Source Data tab.
4. Select the blue arrow located in the Process Call column.

Process: [Main] Tekspresso Products

Submit This Test Case

Documents		Test Results		
#		Logs	Shape Source Data	Process Call
1	✓	View Source	Size (kB)	Process Call
			0.10	↓
			0.07	↓

Note: Viewing the Process Call step does not initiate a rerun of the child process; it only uploads logs from the document's initial execution.

5. Go to the subprocess to review the steps and connection data. When finished, select the highlighted arrow to return to the parent process.

← Process Call: [Sub] Tek Innovations Group Error Handling ▼

```
graph LR; A[Start Subprocess - Data Passthrough] --> B[Message]; B --> C[Mail: Boomi Training (Mail), Tek Innovations Group email]; C --> D[Return to Default];
```

Documents		Test Results			
#		Logs		Connection Data	
		Time	Level	Shape	Ext Info
1	✓	2024-07-17 10:28:43 AM	INFO	Start Subprocess - Data Passthrough	Passthrough



Activities Wrap-Up

Congratulations, you completed all of Discovering the Process Call Step activities.

Copyright & Trademarks

COPYRIGHTS AND TRADEMARKS

This guide contains proprietary information protected by copyright and/or other legal grounds. The software described in this guide is furnished under a software license, service agreement, or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose without the written permission of Boomi, LP ("Boomi").

The information in this document is provided in connection with Boomi products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Boomi products and/or services. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, BOOMI (TOGETHER WITH BOOMI TOPCO, LP AND ITS DIRECT AND INDIRECT SUBSIDIARIES) ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTIES RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL BOOMI OR ITS AFFILIATES BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF, DAMAGE TO, OR CORRUPTION OF DATA OR INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT OR INFORMATION, EVEN IF PARTIES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Boomi makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions in its sole and absolute discretion at any time without notice. Boomi does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Boomi, LP

Attn: LEGAL Dept.

Legal-Notice@boomi.com

With a copy to:

Boomi, LP - Legal Department, 1400 Liberty Ridge Drive, Chesterbrook, PA 19087

Trademarks

Copyright © 2025 Boomi, LP. All rights reserved. Boomi, the Boomi 'b' logo or astronaut logo, AtomSphere, Atom, Molecule, and AtomSphere Integration Cloud are trademarks of Boomi, LP and/or its affiliates in the United States and/or other countries. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products.