


Directions:

Create a folder and install a process from the Process Library

1. Create a new subfolder under **Certification** in your AtomSphere training account and name it **Build from Scratch**.




2. Navigate to the Process Library, select **Education Services** as the publisher, type **Build** into the filter and install the **Build from Scratch** process. This process includes the connection components required to complete the certification exam.



Certification Exam Instructions

To finish your process and use it to answer the certification exam questions on the Boomi LMS, follow the steps below.


1. In **Test Mode**, retrieve the 9 XML files representing contact records from the **Boomi Certify FTP** connection (see below). If necessary, use filter options/wildcards to narrow down your results.




- a. Implement logic to route the contact records based on their **STATUS** field. Merge all records with an **INSTALLED** status into a single CSV flat file:
 - Without column headers
 - Comma-delimited
 - With a double quote text qualifier

In the merged CSV flat file, include all the data from the original contact files with the status "Installed."

- b. Send the CSV flat file as an email message to an email address that you have access to. To avoid configuring your personal email service, use the **Boomi Certify - Mail** connection (see below). The sent message date and time must be included in the message subject. The CSV flat file should be attached to an email.




- The Mail Operation's **From** address must be one of the following:
boomcertprocess@gmail.com or boomitrain@gmail.com.
- c. Write records with a **New** status to the **NEW_CONTACTS** database table (see Table Layout later in the document). Use the **FTP to DB** connection (see below) to connect to this resource.



Validate the records before writing them to the database table.

- Check the **CONFIRM_CONTACTS** table (see Table Layout later in the document) for the record's ID. If it exists, locate the status field, and populate it within the document(s).
- Records with the **New** status field, without a record **ID** present in the **CONFIRM_CONTACTS** database table, must be routed out of the process flow (not written to an endpoint application).
- For documents with a record **ID**, create a unique **PROCESS_ID** field value containing a combination of the following fields:
 1. First two letters of the record's **FirstName** field value
 2. Last two letters of the record's **LastName** field value
 3. Last two characters of the **ID** field value.
- *Table layouts for both tables are at the end of this document.*
- d. Write records with a status other than **Installed** and **New** to the Atoms Work Directory. Use the **Work Directory** connection component (see below). Each document's filename should be the **Name** field value followed by the **Date**.



Beyond the guidelines provided above, you are free to use any other techniques you like to complete your process.

- *The database may contain columns not represented in the XML documents. You only need to map to the fields that correspond with the records in question.*

NEW_CONTACTS Table Layout:

<u>Name</u>	<u>Datatype</u>	<u>Length</u>
ID	VARCHAR	50
NAME	VARCHAR	50
PHONE	VARCHAR	50
COMPANY	VARCHAR	50
ACTIVE	VARCHAR	50
STATUS	VARCHAR	50
PROCESS_ID	VARCHAR	6

CONFIRM_CONTACTS Table Layout:

<u>Name</u>	<u>Datatype</u>	<u>Length</u>
COMPANY_KEY	VARCHAR	50
FIRST_NAME	VARCHAR	50
LAST_NAME	VARCHAR	50
ID	VARCHAR	50
PHONE	VARCHAR	50
FAX	VARCHAR	50
MAIL_ADDR1	VARCHAR	50
MAIL_ADDR2	VARCHAR	50
MAIL_ADDR3	VARCHAR	50
MAIL_CITY	VARCHAR	50
MAIL_STATE	VARCHAR	50
MAIL_ZIP	VARCHAR	50
MAIL_COUNTRY	VARCHAR	50
STATUS	VARCHAR	255