

⇒ Leetcode 91324

- constraints:
- $2 \leq n \leq 100$
 - $1 \leq \text{edges length} \leq n*(n-1)/2$
 - $\text{edges}[i].\text{length} == 3$
 - $0 \leq \text{from}_i, \text{to}_i < n$
 - $1 \leq \text{weight}_i, \text{distanceThreshold} \leq 10^4$
 - All pairs $(\text{from}_i, \text{to}_i)$ are distinct.

```
#define INF 1000000
```

```
int findTheCity(int n, int** edges, int edgeSize, int* edgeColSize,
                int distanceThreshold){
```

```
    int dist[100][100];
```

```
    for (int i = 0; i < n; i++){
```

```
        for (int j = 0; j < n; j++){
```

```
            if (i == j) dist[i][j] = 0;
```

```
            else dist[i][j] = INF;
```

```
        }
```

```
    }
```

```
    for (int i = 0; i < edgeSize; i++){
```

```
        int u = edges[i][0];
```

```
        int v = edges[i][1];
```

```
        int w = edges[i][2];
```

```

    dist[u][v] = w;
    dist[v][u] = w;
}
for (int k=0; k<n; k++) {
    for (int i=0; i<n; i++) {
        for (int j=0; j<n; j++) {
            if (dist[i][k] + dist[k][j] < dist[i][j]) {
                dist[i][j] = dist[i][k] + dist[k][j];
            }
        }
    }
}

```

```

int minCount = INF;
int resultCity = -1;
for (int i=0; i<n; i++) {
    int count = 0;
    for (int j=0; j<n; j++) {
        if (i != j && dist[i][j] <= distanceThreshold) {
            count++;
        }
    }
    if (count <= minCount) {
        minCount = count;
        resultCity = i;
    }
}

```


return result City;

}