BondFlex A120 | Technical Data Sheet

General product information

Product name: BondFlex A120

Product code: BFA-120

Manufacturer: Example Materials Lab (fictional)

Category: Two-component industrial adhesive

Product description

BondFlex A120 is a fictional adhesive for demonstration purposes.

Intended for rigid assembly where bond strength and working time matter.

Values below represent sample lab readings, not a commercial specification.

Selected technical properties (narrative format)

Viscosity: 12500 mPa.s; Test method: ISO 2555; Conditions: 25 C; Substrate: n/a

Density: 1.08 g/cm3; Test method: ISO 2811-1; Conditions: 23 C; Substrate: n/a

Lap shear strength: 15 MPa; Test method: ISO 4587; Conditions: 7 d; Substrate: aluminium

Important

These selected values have explicit names, units, methods and test conditions.

Other information uses tables or plots on later pages.

Additional technical performance results

Values and units appear together. Methods and substrate differ by test.

Parameter	Reported	Test method	Conditions	Substrate
Open time	12 min	Internal OT-01	23 C, 50% RH	n/a
Working life	18 min	Internal WL-02	23 C	n/a
Tensile strength	21 MPa	ISO 527	7 d after mix	moulded sample
Peak exotherm	68 C	Internal TC-03	100 g mix	n/a

Note: Different parameter labels may require review by material scientists.

Viscosity refers here to dynamic viscosity measured with a rotational instrument.

Lap shear strength during cure



The curve is plotted as a picture; exact point values are not listed in a table.

Any numerical values read from the plot are visual estimates.

Interpretation and data governance

Do not compare measurements unless the physical quantity is the same.

Test method, material condition and substrate affect comparability.

Unit conversions should only be done for physically equivalent properties.

Unclear synonyms should be reviewed and approved by a domain expert.

Use and handling (illustrative only)

Store in a dry environment, away from direct sunlight.

Refer to actual supplier documentation for any real-world application.

All numbers and products in this sheet are fabricated for demonstration.