Overview

Authentication

<!-- ReDoc-Inject: <security-definitions> - →

Paths

POST /api/login_check

Responses

| Code | Description | Description | | |
|------|--|-------------|--------|--|
| 200 | Token JWT | Token JWT | | |
| | Content application/json Properties Name Description Schema | | | |
| | | | | |
| | token optional | read only | string | |

GET /api/products Consulter la liste des produits

Consulter la liste des produits

Parameters

| Туре | Name | Description | Schema |
|-------|----------------------|----------------------------|---------|
| query | page optional | The collection page number | integer |

Responses

| Code | Description | | | | Links |
|------|--|-----------------|-------------------------------|--------|-------|
| 200 | Product collection Content application/l Properties | No Links | | | |
| | Name | Description | S | chema | |
| | hydra:me
mber
required | | < P
Si
r
d
d
e | | |
| | hydra:tot
alItems
optional | Minimum: 0 | i | nteger | |
| | <. Name <.<!Description</th <th></th> | | | | |
| | <. Schema</td <td></td> | | | | |
| | <. @id option</td <td></td> | | | | |
| | <. <.<!string</td <td></td> | | | | |
| | <. @type <i opt | | | | |
| | <. <.<!string</td <th></th> <td></td> <th></th> <td></td> | | | | |
| | <. hydra:firs</td <th>t optional</th> <td></td> <th></th> <td></td> | t optional | | | |
| | <. <.<!string</td <th>(iri-reference)</th> <td></td> <th></th> <td></td> | (iri-reference) | | | |
| | <. hydra:last</td <td></td> | | | | |
| | <. <.<!string</td <th></th> <td></td> | | | | |
| | <. hydra:pre</td <th></th> <td></td> | | | | |
| | <. <.<!string</td <th></th> <td></td> | | | | |
| | <. hydra:nex</td <th></th> <td></td> | | | | |
| | <. <.<!string</td <td></td> | | | | |
| | object | | | | |
| | | | | | |

| Туре | Name | Scopes |
|--------|------------|--------|
| аріКеу | bearerAuth | |

GET /api/products/{id} Consulter le détail d'un produit

Consulter le détail d'un produit

Parameters

| Type | Name | Description | Schema |
|------|----------|---------------------|--------|
| path | id | Resource identifier | string |
| | required | | |

Responses

| Code | Description | Links |
|------|---------------------------|----------|
| 200 | Product resource No Links | |
| | Content | |
| | application/ld+json | |
| | application/json | |
| | text/html | |
| 404 | Resource not found | No Links |

| Туре | Name | Scopes |
|--------|------------|--------|
| аріКеу | bearerAuth | |

GET /api/users Consulter la liste des utilisateurs inscrits liés à un client sur le site web

Consulter la liste des utilisateurs inscrits liés à un client sur le site web

Parameters

| Туре | Name | Description | Schema |
|-------|-------------------------|----------------------------|---------|
| query | page
optional | The collection page number | integer |

Responses

| Code | Description | Description | | | Links |
|------|--|-------------|--|--|-------|
| 200 | User collection Content application/le Properties | No Links | | | |
| | Name | Description | | Schema | |
| | hydra:me
mber
required | | | User.jsonld-read.users.collection >array | |
| | hydra:tot
alItems
optional | Minimum: 0 | | integer | |
| | <. Name</td <td></td> | | | | |
| | <. Descriptio</td <td></td> | | | | |
| | <. Schema</td <td></td> | | | | |
| | <. @id option</td <td></td> | | | | |
| | <. <.<!string</td <td></td> | | | | |
| | <. @type <i opt | | | | |
| | <. <.<!string</td <td></td> | | | | |
| | <. hydra:firs</td <td></td> | | | | |
| | <. <.<!string</td <td></td> | | | | |
| | <. hydra:last</td <td></td> | | | | |
| | <. <.<!string</td <td></td> | | | | |
| | <. hydra:pre</td <td></td> | | | | |
| | <. <.<!string</td <td></td> <td></td> | | | | |
| | <. hydra:nex</td <td></td> | | | | |
| | <. <.<!string</td <td></td> | | | | |
| | object | | | | |
| | | | | | |

| Туре | Name | Scopes |
|--------|------------|--------|
| аріКеу | bearerAuth | |

POST /api/users Ajouter un nouvel utilisateur lié à un client ;

Ajouter un nouvel utilisateur lié à un client ;

Responses

| Code | Description | Links |
|------|-----------------------|------------------------|
| 201 | User resource created | GetUserItem Operation |
| | Content | getUserItem |
| | application/ld+json | Parameters { |
| | application/json | "id": |
| | text/html | "\$response.body#/ |
| | | id"
} |
| 400 | Invalid input | No Links |
| 422 | Unprocessable entity | No Links |

| Type | Name | Scopes |
|--------|------------|--------|
| apiKey | bearerAuth | |

GET /api/users/{id} Consulter le détail d'un utilisateur inscrit lié à un client

Consulter le détail d'un utilisateur inscrit lié à un client

Parameters

| Туре | Name | Description | Schema |
|------|-----------------------|---------------------|--------|
| path | id
required | Resource identifier | string |

Responses

| Code | Description | Links |
|------|---------------------|----------|
| 200 | User resource | No Links |
| | Content | |
| | application/ld+json | |
| | application/json | |
| | text/html | |
| 404 | Resource not found | No Links |

| Туре | Name | Scopes |
|--------|------------|--------|
| аріКеу | bearerAuth | |

DELETE /api/users/{id} Supprimer un utilisateur ajouté par un client.

Supprimer un utilisateur ajouté par un client.

Parameters

| Туре | Name | Description | Schema |
|------|----------|---------------------|--------|
| path | id | Resource identifier | string |
| | required | | |

Responses

| Code | Description | Links |
|------|-----------------------|----------|
| 204 | User resource deleted | No Links |
| 404 | Resource not found | No Links |

| Туре | Name | Scopes |
|--------|------------|--------|
| аріКеу | bearerAuth | |

Components

Schemas

Brand-read.products.item

| Name | Description | Schema |
|---------------|-------------------|---------|
| id optional | read only | integer |
| name required | Minimum Length: 2 | string |

Brand.jsonld-read.products.item

Properties

| Name | Description | Schema |
|-------------------|-------------------|---------|
| @context optional | read only | |
| @id optional | read only | string |
| @type optional | read only | string |
| id optional | read only | integer |
| name required | Minimum Length: 2 | string |

Customer

| Name | Description | Schema |
|----------------------------|---|------------------------|
| id optional | read only | integer |
| email required | | string (email) |
| roles optional | | < string > array |
| password required | The hashed password | string |
| firstName required | Maximum Length: 255
Minimum Length: 3 | string |
| lastName required | Maximum Length: 255
Minimum Length: 3 | string |
| company optional | | string |
| createdAt optional | | string (date-
time) |
| users optional | | < string > array |
| userIdentifier
optional | A visual identifier that represents this user. read only | string |
| username optional | read only | string |
| salt optional | Returning a salt is only needed, if you are not using a modern hashing algorithm (e.g. bcrypt or sodium) in your security.yaml. read only nullable | string |

$Customer-read.users.collection_read.users.item$

Properties

| Name | Description | Schema |
|---------------------|--|------------------------|
| id optional | read only | integer |
| email required | | string (email) |
| firstName required | Maximum Length: 255
Minimum Length: 3 | string |
| lastName required | Maximum Length: 255
Minimum Length: 3 | string |
| company
optional | | string |
| createdAt optional | | string (date-
time) |

Customer-read.users.item

Properties

| Name | Description | Schema |
|---------------------|--|------------------------|
| id optional | read only | integer |
| email required | | string (email) |
| firstName required | Maximum Length: 255
Minimum Length: 3 | string |
| lastName required | Maximum Length: 255
Minimum Length: 3 | string |
| company
optional | | string |
| createdAt optional | | string (date-
time) |

Customer.jsonld

| Name | Description | Schema |
|----------------------|-------------|--------------|
| @context
optional | read only | |
| @id optional | read only | string |
| @type optional | read only | string |
| id <i>optional</i> | read only | integer |
| email required | | string (emai |

| Name | Description | Schema |
|-------------------------|---|------------------------|
| roles optional | | < string > array |
| password required | The hashed password | string |
| firstName required | Maximum Length: 255
Minimum Length: 3 | string |
| lastName required | Maximum Length: 255
Minimum Length: 3 | string |
| company
optional | | string |
| createdAt optional | | string (date-
time) |
| users optional | | < string > array |
| userIdentifier optional | A visual identifier that represents this user. read only | string |
| username optional | read only | string |
| salt optional | Returning a salt is only needed, if you are not using a modern hashing algorithm (e.g. bcrypt or sodium) in your security.yaml. read only nullable | string |

${\bf Customer.jsonld-read.users.collection_read.users.item}$

| Name | Description | Schema |
|---------------------|--|----------------|
| @context optional | read only | |
| @id optional | read only | string |
| @type optional | read only | string |
| id optional | read only | integer |
| email required | | string (email) |
| firstName required | Maximum Length: 255
Minimum Length: 3 | string |
| lastName required | Maximum Length: 255
Minimum Length: 3 | string |
| company
optional | | string |

| Name | Description | Schema | |
|--------------------|-------------|-----------------|--------|
| createdAt optional | | string
time) | (date- |

Customer.jsonld-read.users.item

Properties

| Name | Description | Schema |
|---------------------|--|------------------------|
| @context optional | read only | |
| @id optional | read only | string |
| @type optional | read only | string |
| id optional | read only | integer |
| email required | | string (email) |
| firstName required | Maximum Length: 255
Minimum Length: 3 | string |
| lastName required | Maximum Length: 255
Minimum Length: 3 | string |
| company
optional | | string |
| createdAt optional | | string (date-
time) |

Feature-read.products.item

| Name | Description | Schema |
|---------------------|-------------|---------|
| memory optional | | integer |
| color optional | | string |
| bluetooth optional | | boolean |
| camera optional | | boolean |
| wifi optional | | boolean |
| video4k
optional | | boolean |

Feature. js onld-read. products. item

Properties

| Name | Description | Schema |
|---------------------|-------------|---------|
| @context optional | read only | |
| @id optional | read only | string |
| @type optional | read only | string |
| memory optional | | integer |
| color optional | | string |
| bluetooth optional | | boolean |
| camera optional | | boolean |
| wifi optional | | boolean |
| video4k
optional | | boolean |

${\bf Product\text{-}read.products.collection}$

Properties

| Name | Description | Schema |
|--------------------|---|---------|
| id <i>optional</i> | read only | integer |
| name required | Maximum Length: 50
Minimum Length: 3 | string |

Product-read.products.item

| Name | Description | Schema | |
|----------------------|---|-----------------|--------|
| id optional | read only | integer | |
| name required | Maximum Length: 50
Minimum Length: 3 | string | |
| description required | Maximum Length: 50
Minimum Length: 3 | string | |
| price required | | number | |
| createdAt optional | | string
time) | (date- |

| Name | Description | Schema |
|----------------------|-------------|--|
| brand optional | | Brand-
read.products.i
tem |
| features
optional | | < Feature-
read.products.i
tem > array |

Product.jsonld-read.products.collection

Properties

| Name | Description | Schema |
|----------------|---|---------|
| @id optional | read only | string |
| @type optional | read only | string |
| id optional | read only | integer |
| name required | Maximum Length: 50
Minimum Length: 3 | string |

${\bf Product.jsonld-read.products.item}$

| Name | Description | Schema |
|----------------------|---|---|
| @context optional | read only | |
| @id optional | read only | string |
| @type optional | read only | string |
| id optional | read only | integer |
| name required | Maximum Length: 50
Minimum Length: 3 | string |
| description required | Maximum Length: 50
Minimum Length: 3 | string |
| price required | | number |
| createdAt optional | | string (date-
time) |
| brand optional | | Brand.jsonld-
read.products.i
tem |

| Name | Description | Schema |
|----------|-------------|-----------------|
| features | | < |
| optional | | Feature.jsonld- |
| | | read.products.i |
| | | tem > array |

User

Properties

| Name | Description | Schema |
|--------------------|--|------------------------|
| id optional | read only | integer |
| firstName optional | Maximum Length: 255
Minimum Length: 3 | string |
| lastName optional | Maximum Length: 255
Minimum Length: 3 | string |
| email required | | string (email) |
| createdAt optional | | string (date-
time) |
| customer optional | | Customer |

User-read.users.collection

Properties

| Name | Description | Schema |
|--------------------|--|----------------|
| id optional | read only | integer |
| firstName optional | Maximum Length: 255
Minimum Length: 3 | string |
| lastName optional | Maximum Length: 255
Minimum Length: 3 | string |
| email required | | string (email) |

$User-read.users.collection_read.users.item\\$

| Name | Description | Schema |
|--------------------|--|---------|
| id optional | read only | integer |
| firstName optional | Maximum Length: 255
Minimum Length: 3 | string |

| Name | Description | Schema |
|--------------------|--|--|
| lastName optional | Maximum Length: 255
Minimum Length: 3 | string |
| email required | | string (email) |
| createdAt optional | | string (date-
time) |
| customer optional | | Customer-
read.users.coll
ection_read.us
ers.item |

User-read.users.item

Properties

| Name | Description | Schema |
|----------------------|---------------------------------------|----------------------------------|
| id optional | read only | integer |
| firstName optional | Maximum Length: 255 Minimum Length: 3 | string |
| lastName optional | Maximum Length: 255 Minimum Length: 3 | string |
| email required | | string (email) |
| createdAt optional | | string (date-
time) |
| customer
optional | | Customer-
read.users.ite
m |

User.jsonld

| Name | Description | Schema |
|--------------------|--|---------|
| @context optional | read only | |
| @id optional | read only | string |
| @type optional | read only | string |
| id optional | read only | integer |
| firstName optional | Maximum Length: 255
Minimum Length: 3 | string |
| lastName optional | Maximum Length: 255 Minimum Length: 3 | string |

| Name | Description | Schema |
|--------------------|-------------|------------------------|
| email required | | string (email) |
| createdAt optional | | string (date-
time) |
| customer optional | | Customer.jsonl |

User. js onld-read. users. collection

Properties

| Name | Description | Schema |
|--------------------|--|----------------|
| @id optional | read only | string |
| @type optional | read only | string |
| id optional | read only | integer |
| firstName optional | Maximum Length: 255
Minimum Length: 3 | string |
| lastName optional | Maximum Length: 255
Minimum Length: 3 | string |
| email required | | string (email) |

$User.js onld-read.users.collection_read.users.item\\$

| Name | Description | Schema |
|----------------------|--|------------------------|
| @context optional | read only | |
| @id optional | read only | string |
| @type optional | read only | string |
| id optional | read only | integer |
| firstName optional | Maximum Length: 255
Minimum Length: 3 | string |
| lastName
optional | Maximum Length: 255
Minimum Length: 3 | string |
| email required | | string (email) |
| createdAt optional | | string (date-
time) |

| Name | Description | Schema |
|-------------------|-------------|---|
| customer optional | | Customer.jsonl
d- |
| | | read.users.coll
ection_read.us
ers.item |

User.jsonld-read.users.item

| Name | Description | Schema |
|----------------------|---------------------------------------|---|
| @context optional | read only | |
| @id optional | read only | string |
| @type optional | read only | string |
| id optional | read only | integer |
| firstName optional | Maximum Length: 255 Minimum Length: 3 | string |
| lastName optional | Maximum Length: 255 Minimum Length: 3 | string |
| email required | | string (email) |
| createdAt optional | | string (date-
time) |
| customer
optional | | Customer.jsonl
d-
read.users.ite
m |