

Software Carpentry II: Programming Tools

Luís Pedro Coelho

Programming for Scientists

February 10, 2009



University of Pittsburgh

Carnegie Mellon

If your laptop exploded, how many hours of work would you lose?

Advantages

- Maintain project history.
- Sync between computers.
- Sync between project members.
- ...

Subversion: model

- 1 Repository
- 2 Checkout
- 3 Commit

Example

- 1 Create a repository
- 2 Create a checkout
- 3 Edit
- 4 Commit

Alternative: Simply Copying

I can do this with file copying, no?

Alternative: Simply Copying

I can do this with file copying, no?

- ❶ history
- ❷ diffing
- ❸ merging

Do You Keep Old Versions Around?

- `bacteria.py`
- `bacteria1.py`
- `bacteria2.py`
- `bacteria3.py`
- `bacteria4.py`
- `bacteria5.py`
- `bacteriaold.py`
- `bacteriaold2.py`
- `bacteria.py2`
- ...

Do you explain your changes in the code?

```
def function(x,y,z):  
    ...  
    # Added 2/4/92 by LPC  
    x = 0  
    # Added 3/3/93 by XYZ  
    x += 1  
    # Added 8/23/97 by XYZ  
    # Added 18/4/00 by MH  
    print x
```

Diff'ing

You have two versions of a file `bacteria.py` and `bacteria2.py`.

Find the changes.

Diffs & Patches

A diff is a patch.

hello.py (1)

```
print 'Hello World'
```

hello.py (2)

```
print 'Hello World'  
print 'How are you?'
```

diff (1)

```
--- hello.py      2009-02-05 17:40:51.000000000 -0500  
+++ hello2.py     2009-02-05 17:41:04.000000000 -0500  
@@ -1 +1,2 @@  
    print 'Hello World'  
+print 'How are you doing?'
```

hello.py (1)

```
print 'Hello World'
```

hello.py (2)

```
print 'Hello World'  
print 'How are you?'
```

diff (2)

```
--- hello2.py      2009-02-05 17:41:04.000000000 -0500  
+++ hello.py       2009-02-05 17:40:51.000000000 -0500  
@@ -1,2 +1 @@  
    print 'Hello World'  
-print 'How are you doing?'
```

hello.py (1)

```
print 'Hello World'
```

hello.py (2)

```
print 'Hello World'  
print 'How are you?'
```

diff (1)


```
--- hello.py      2009-02-05 17:40:51.000000000 -0500  
+++ hello2.py     2009-02-05 17:41:04.000000000 -0500  
@@ -1 +1,2 @@  
    print 'Hello World'  
+print 'How are you doing?'
```

Example

```
diff --git a/pyslic/preprocess/preprocesscollection.py
index f060b8a..a8cd9ec 100644
--- a/pyslic/preprocess/preprocesscollection.py
+++ b/pyslic/preprocess/preprocesscollection.py
@@ -120,7 +120,10 @@ class FixIllumination(object):
    @see see
    '''


    assert self.S is not None
-    self.S /= self.S.min()
+    Smin = self.S.min()
+    if Smin == 0:
+        Smin = 1
+    self.S /= Smin
    # float96 is not always very well supported a
    self.S = numpy.array(self.S, float)
```

Merging



(From the SVN Book — link on course webpage, under *Notes*)

Merging (II)



(From the SVN Book — link on course webpage, under *Notes*)

Version Control Etiquette

- Don't commit over my commit.
- Use the log.

Branches and Tags

- Tag: name for revision.
- Branch: multiple parallel tracks of development.