DOG

DANVEER SINGH YADAV
Assistant Professor
Livestock Production Management
College of Veterinary Science & A. H (NDVSU) MHOW



- Order – Carnivora
- Family – Canidae
- Genus – Canis
- Species – Familaris
- There are about 300 breeds of dogs out of which only 115 dogs are registered with kennel club of India(KCI)

1. Domestic dogs descend from “Northern dingo”

2. Polar dogs and Elsian descend from northern wolf”

3. Grey hump and German shephered desent from Indian barking wolf”

4. Pomeranian and Tessier are descendants of “second group of wild ancestor of Jackal”

On habitat basis, Dogs are of 3 types

1. Wild dogs : dingoes of Australia, wild dog of India

2. Feral dog : Domesticated breeds but returned to wild habitat and also regain their original habitat found in jungles of Asia /Africa.

3. Pet dogs: Mostly Pedigree dogs maintained under controlled management.

Classification of dogs

- Sporting dog
- Non-sporting dogs

Sporting breeds (Hunting dogs)

1. Grey houndes : faster speed, used for hunting: Afghan hound, Grey hound, Blood hound, Irish wolfhound.

2. Tracking dogs : Dachshund, Fox hound, Beagle, basset hound.

3. Gun dogs used for bird shooting sports : Cocker spaniel, Golden retriever, German pointer, Labrador retriever, Irish setter.

4. Terrier dogs Australian terrier, Bull terrier, Irish terrier, Scottish terrier

Non-sporting dogs

1. Utility : Bulldog, Dalmatian, Lhasa apso

2. Working : Alsatian, Boxer, Doberman, Greet Dane, Collies, Rot-weiller

3. Toy : Pomeranian, Pekinese, Pug

Biological data of Dog

- Age at puberty 6-12 months.
- Age at breeding 12-18 months.
- Length of estrous 6-13 days.
- Time of ovulation 48 – 60 hours.
- Gestation period 62 -63 days
- 39 pairs(78) of chromosomes.

- Age of weaning 4-6 weeks.
- Birth weight 65- 500 gm.
- Average pups born 4-5 pips.
- Breeding life 7-8 years.
- Life span 10-15 years (32)
- Breeding season – August-Sept, March-April
- Placenta types – Enothotheliochorial

- Normal temp : 101-102 F
- Whelping – Act of parturition in bitch
- Cubbing - Act of parturition in wild animals
- The primarily indication that bitch is approaching to whelping is nesting behavior.
- In stray bitches, variety of pups are produced b/c of mating with no. of females multimating

Breeding behavior of Dogs

1. Anestrous : in this period no sensual activity is seen.(125 days)

2. Proestrous : last for 9 days

3. Estrous 11-13 days is appropriate time for mating

4. Metestrous

Whelping

- For sub-sequent delivery 15 minuets for each pup.

- Whelping takes 12-36 hours

Pseudo(Fantom/Phantom) pregnancy

- The signs of pregnancy ay an appropriate time after estrous cycle in unmated bitch, usually in luteal phase of estrous cycle.
- This false pregnancy is mainly due to hormonal imbalance.
- The condition shows enlargement of abdomen due to slow deposition of fat, swelling of mammary gland, maternal behavior nearly after 60 days of ovulation. (05-40%)

Rearing of poppies

- First 2 weeks bitch milk is sufficient for pups.
- From 3rd week, puppies should be taught to milk from bowl or sakes, But it should be remembered their bitch's milk is as good as 3 times rich in protein and fat than cow's.
- Fostering
- Hand rearing

- Clipping of dew-claws : Around 4 days of age.
- Docking: During first week of life 12 days.
- Ear cropping : Cutting of dropping ears to make them straight.
- Teeth cutting : Permanent teeth start erupting at age of 12-15 weeks.

Selection of Dog (Breed choice)

- Object of dog keeping
- Eating habit of family
- Liking of pets
- Housing facilities

Choosing a pup

- Breed profile
- Pedigree
- Health and physical status

Thanks