

Muscle Week Campaign Report

This report analyzes **120** responses across **7** topics. Key findings:


Highlights

- **Age:** Split between "19" (21.7%) and "18" (18.3%).
- **Painful regions:** Split between "Back" (23.3%) and "Not Specified" (21.7%).
- **Main Complaints:** Top choice "Nonspecific Low Back Pain." with **36.7%**.
- **Posture Assessment:** Split between "Foeward Head" (21.7%) and "Right drop shoulder, Foeward Head" (17.5%).
- **Hand Grip:** Top choice "Not Specified" with **10.0%**.
- **Balance:** Majority (**95.0%**) selected "Normal".
- **BMI:** Top choice "Normal Weight" with **48.3%**.

TOTAL RESPONSES

120

Age




Response	Count	%
19	26	21.7%
18	22	18.3%
21	18	15.0%
20	17	14.2%
22	7	5.8%
23	6	5.0%
17	3	2.5%
25	3	2.5%
26	2	1.7%
33	2	1.7%
34	2	1.7%
43	2	1.7%
51	2	1.7%
24	1	0.8%
28	1	0.8%

30	1	0.8%
35	1	0.8%
39	1	0.8%
52	1	0.8%
53	1	0.8%
60	1	0.8%
Total	120	100%

Insight: Average Rating: 22.68 (out of 60) -

Painful regions




Response	Count	%
Back	28	23.3%
Not Specified	26	21.7%
Neck	18	15.0%
Neck, Back	9	7.5%
Shoulder	6	5.0%
Back, Knee	5	4.2%
Neck, Shoulder, Back	4	3.3%
Neck, Back, Knee	4	3.3%
Shoulder, Back	3	2.5%
Neck, Shoulder	3	2.5%
Knee	2	1.7%
Neck, Knee	2	1.7%
Neck, Shoulder, Back, Knee	2	1.7%
Shoulder, Back, Neck	1	0.8%
Neck, Shoulder, Knee	1	0.8%

Neck, Back, Shoulder	1	0.8%
Back, Shoulder, Neck	1	0.8%
Knee, Back	1	0.8%
Neck, Back, Knee, Ankle	1	0.8%
Shoulder, Wrist	1	0.8%
Back, Knee, Ankle	1	0.8%
Total	120	100%

Insight: Close Race: "Back" (23.3%) vs "Not Specified" (21.7%).

Main Complaints




Response	Count	%
Nonspecific Low Back Pain.	44	36.7%
Not Specified	37	30.8%
Neck Pain	15	12.5%
Rhomboid Trigger Point	8	6.7%
Nonspecific Low Back Pain, Neck Pain.	3	2.5%
Shoulder Pain	3	2.5%
Myalgia of the upper Trapezius muscle, Plantar foot pain exacerbated by plyometric activity (jumping), Nonspecific Low Back Pain.	1	0.8%
Knee pain	1	0.8%
Thoracic Back Pain	1	0.8%
Myalgia of the upper Trapezius muscle	1	0.8%
shoulder impingement	1	0.8%
Knee Pain	1	0.8%
Neck Stiffness	1	0.8%
Nonspecific Low Back Pain, Calcaneal Spure.	1	0.8%
Wrist Pain	1	0.8%

Scoliosis	1	0.8%
Total	120	100%

Insight: Key Finding: "Nonspecific Low Back Pain." top with **36.7%**, followed by "Not Specified" (30.8%).

Posture Assessment




Response	Count	%
Foeward Head	26	21.7%
Right drop shoulder, Foeward Head	21	17.5%
Left drop shoulder, Foeward Head	13	10.8%
Not Specified	12	10.0%
Right drop shoulder	10	8.3%
Left drop shoulder	6	5.0%
kyphosis, Foeward Head	3	2.5%
Foeward Head, Scapular Winging	2	1.7%
Rounded shoulder, Foeward Head	2	1.7%
kyphosis	2	1.7%
Rounded shoulder, Left drop shoulder, Po-leg	1	0.8%
Right drop shoulder, Po-leg, Flat foot	1	0.8%
Left drop shoulder, Foeward Head, Scapular Winging	1	0.8%
Left drop shoulder, Scapular Winging, Rounded shoulder	1	0.8%
Right drop shoulder, Rounded shoulder, Foeward Head, Scapular Winging	1	0.8%

Left drop shoulder, PO-Leg, Scapular Winging	1	0.8%
Right drop shoulder, Foeward Head, PO-Leg	1	0.8%
Rounded shoulder, Right drop shoulder, Foeward Head, Posterior Pelvic Tilt	1	0.8%
Right drop shoulder, Foeward Head, Scapular Winging	1	0.8%
Right drop shoulder, Posterior Pelvic Tilt, Foeward Head	1	0.8%
Rounded shoulder	1	0.8%
Foeward Head, kyphosis	1	0.8%
Scapular Winging, Right drop shoulder	1	0.8%
Posterior Pelvic Tilt	1	0.8%
Scapular Winging, Foeward Head	1	0.8%
Foeward Head, Rounded shoulder, kyphosis, Right drop shoulder	1	0.8%
Left drop shoulder, Foeward Head, Posterior Pelvic Tilt	1	0.8%
Left drop shoulder, Rounded shoulder, kyphosis	1	0.8%
Rounded shoulder, Scapular Winging	1	0.8%
Right drop shoulder, Foeward Head, Posterior Pelvic Tilt	1	0.8%
Right drop shoulder, Flat Foot, Foeward Head	1	0.8%
Foeward Head, Flat Foot	1	0.8%
kyphosis, Right drop shoulder, Foeward Head	1	0.8%
Total	120	100%

Insight: Close Race: "Foeward Head" (21.7%) vs "Right drop shoulder, Foeward Head" (17.5%).

Hand Grip



Response	Count	%
Not Specified	12	10.0%
(Right = 43), (Left = 41)	3	2.5%
(Right = 26), (Left = 25)	2	1.7%
(Right = 32), (Left = 33)	2	1.7%
(Right = 33), (Left = 32)	2	1.7%
(Right = 27), (Left = 24)	2	1.7%
(Right = 22), (Left = 18)	2	1.7%
(Right = 36), (Left = 38)	1	0.8%
(Right = 39), (Left = 36)	1	0.8%
(Right = 25), (Left = 21)	1	0.8%
(Right = 41), (Left = 43)	1	0.8%
(Right = 38), (Left = 36)	1	0.8%
(Right = 20), (Left = 23)	1	0.8%
(Right = 49), (Left = 47)	1	0.8%
(Right = 37), (Left = 35)	1	0.8%


(Right = 30), (Left = 34)	1	0.8%
(Right = 23), (Left = 20)	1	0.8%
(Right = 40), (Left = 41)	1	0.8%
(Right = 32), (Left = 32)	1	0.8%
(Right = 42), (Left = 35)	1	0.8%
(Right = 32), (Left = 48)	1	0.8%
(Right = 39), (Left = 31)	1	0.8%
(Right = 46), (Left = 46)	1	0.8%
(Right = 52), (Left = 43)	1	0.8%
(Right = 22), (Left = 22)	1	0.8%
(Right = 37), (Left = 41)	1	0.8%
(Right = 43), (Left = 51)	1	0.8%
(Right = 40), (Left = 33)	1	0.8%
(Right = 22), (Left = 21)	1	0.8%
(Right = 49), (Left = 49)	1	0.8%
(Right = 30), (Left = 22)	1	0.8%
(Right = 34), (Left = 32)	1	0.8%
(Right = 11), (Left = 14)	1	0.8%
(Right = 56), (Left = 59)	1	0.8%
(Right = 25), (Left = 24)	1	0.8%
(Right = 48), (Left = 47)	1	0.8%
(Right = 44), (Left = 45)	1	0.8%
(Right = 53), (Left = 59)	1	0.8%
(Right = 46), (Left = 42)	1	0.8%
(Right = 6), (Left = 8)	1	0.8%
(Right = 22), (Left = 17)	1	0.8%
(Right = 45), (Left = 41)	1	0.8%
(Right = 9), (Left = 22)	1	0.8%
(Right = 25), (Left = 19)	1	0.8%
(Right = 35), (Left = 30)	1	0.8%
(Right = 18), (Left = 14)	1	0.8%
(Right = 15), (Left = 14)	1	0.8%
(Right = 34), (Left = 38)	1	0.8%

(Right = 26), (Left = 16)	1	0.8%
(Right = 55), (Left = 48)	1	0.8%
(Right = 7.5), (Left = 5.6)	1	0.8%
(Right = 7.5), (Left = 5)	1	0.8%
(Right = 38.8), (Left = 38)	1	0.8%
(Right = 32), (Left = 25)	1	0.8%
(Right = 17), (Left = 14)	1	0.8%
(Right = 25), (Left = 25)	1	0.8%
(Right = 18), (Left = 28)	1	0.8%
(Right = 47), (Left = 55)	1	0.8%
(Right = 49), (Left = 51)	1	0.8%
(Right = 51), (Left = 57)	1	0.8%
(Right = 36.6), (Left = 27.4)	1	0.8%
(Right = 54.5), (Left = 52.7)	1	0.8%
(Right = 24), (Left = 23)	1	0.8%
(Right = 28.9), (Left = 21.7)	1	0.8%
(Right = 31.1), (Left = 28)	1	0.8%
(Right = 43), (Left = 38)	1	0.8%
(Right = 34), (Left = 36)	1	0.8%
(Right = 21), (Left = 19)	1	0.8%
(Right = 35.2), (Left = 33.4)	1	0.8%
(Right = 42.2), (Left = 39)	1	0.8%
(Right = 43), (Left = 44)	1	0.8%
(Right = 14), (Left = 15)	1	0.8%
(Right = 44), (Left = 41)	1	0.8%
(Right = 39.7), (Left = 38)	1	0.8%
(Right = 39), (Left = 38)	1	0.8%
(Right = 25), (Left = 23)	1	0.8%
(Right = 41), (Left = 36)	1	0.8%
(Right = 48), (Left = 46)	1	0.8%
(Right = 18), (Left = 15)	1	0.8%
(Right = 23), (Left = 18)	1	0.8%
(Right = 50), (Left = 50)	1	0.8%

(Right = 58), (Left = 59)	1	0.8%
(Right = 46), (Left = 36)	1	0.8%
(Right = 30), (Left = 29)	1	0.8%
(Right = 35), (Left = 33)	1	0.8%
(Right = 25), (Left = 17)	1	0.8%
(Right = 21), (Left = 20)	1	0.8%
(Right = 26), (Left = 27)	1	0.8%
(Right = 35), (Left = 36)	1	0.8%
(Right = 21), (Left = 26)	1	0.8%
(Right = 25), (Left = 20)	1	0.8%
(Right = 14.5), (Left = 17.1)	1	0.8%
(Right = 19), (Left = 11)	1	0.8%
(Right = 22), (Left = 19)	1	0.8%
(Right = 23), (Left = 22)	1	0.8%
(Right = 26), (Left = 20)	1	0.8%
(Right = 22), (Left = 23)	1	0.8%
(Right = 41), (Left = 35)	1	0.8%
(Right = 60), (Left = 52)	1	0.8%
(Right = 48), (Left = 40)	1	0.8%
(Right = 38), (Left = 40)	1	0.8%
(Right = 45), (Left = 39)	1	0.8%
(Right = 30), (Left = 31)	1	0.8%
Total	120	100%

Insight: Distributed: Top response "**Not Specified**" at only **10.0%**.


Balance



Response	Count	%
Normal	114	95.0%
Abnormal	6	5.0%
Total	120	100%

Insight: Clear Majority: "Normal" with 95.0% of responses.

BMI



Response	Count	%
Normal Weight	58	48.3%
Over Weight	29	24.2%
NULL	17	14.2%
Obese	11	9.2%
Under Weight	5	4.2%
Total	120	100%

Insight: Top 3: 86.7% chose: "Normal Weight", "Over Weight", "NULL".