



SCREENING INTEGRATIVE HEALTH REPORT FOR **HELIOPOLIS UNIVERSITY ACADEMICDS STAFF**

Integrative Health Center
2024 - 2025

Purpose:

Health screening programs are crucial tools to figure out persistent population health problems. It can be challenging for employees to maintain a healthy lifestyle for various reasons. These may include long days sitting in an office chair, repetitive physical movements causing strain on the body, or sustained stress leading to burnout and fatigue. A crucial first step in preserving a healthy workplace and promoting employee wellbeing is conducting corporate health screening. Businesses have a significant influence on reducing a variety of community health problems. Early identification of health risks results in reduced absenteeism, increased productivity, and earlier interventions as well as demonstrating concern for staff well-being.

Description:

The Integrative health screening program was designed to evaluate the health and well-being of different population with subsequent personalized recommendations that can be provided to help employees achieving better health. This service is offered regularly to all employees at SEKEM companies and HU departments.

Total number of staff members in different departments:

Faculty	Count
Faculty of Physiotherapy	16
Faculty of Business Administration	12
Faculty of Pharmacy	53
Faculty of Agriculture	14
Faculty of Engineering	16
Core	16
Total	127

Comment:

The data represents the participation of 127 academic staff in the health screening across various faculties, with the Faculty of Pharmacy having the highest participation (53 staff).

I. Demographic information:**1. Gender:**

Faculty	Female	Male
Faculty of Physiotherapy	87.50%	12.50%
Faculty of Business Administration	58.30%	41.70%

Faculty of Pharmacy	83.00%	17.00%
Faculty of Agriculture	71.40%	28.60%
Faculty of Engineering	62.50%	37.50%
Core	58.80%	41.20%




Figure 1

Comment:

The data shows that female participation is highest in **Faculty of Physiotherapy (87.5%)** and **Faculty of Pharmacy (83%)**, with **Faculty of Business Administration** and **Core** showing a more balanced gender distribution. **Faculty of Engineering** and **Faculty of Agriculture** have slightly more male participation.

2. Age range:

Age Range	Physiotherapy	Administration	Pharmacy	Agriculture	Engineering	Core
20–29	31.25%	41.67%	41.51%	21.43%	56.25%	35.29%
30–39	25.00%	33.33%	26.42%	28.57%	18.75%	29.41%
40–49	31.25%	16.67%	22.64%	14.29%	6.25%	35.29%

						%
50–59	6.25%	0.00%	7.55%	14.29%	12.50%	11.76%
>60	6.25%	8.33%	1.89%	21.43%	6.25%	5.88%




Figure 2

Comment:

Most faculties have a higher concentration of younger individuals, especially in the 20–29 age range. The Faculty of Agriculture stands out with a notable proportion of individuals aged >60. The Core category shows a more even age distribution.

3. Marital status:

Status	Physiotherapy	Business Administration	Pharmacy	Agriculture	Engineering	Core
Single	25.00%	41.67%	37.74%	42.86%	56.25%	52.94%
Engaged	6.25%	16.67%	1.89%	0.00%	0.00%	0.00%
Married	56.25%	33.33%	56.60%	57.14%	43.75%	47.06%
Divorced	12.50%	8.33%	1.89%	7.14%	0.00%	0.00%
Widowed	0.00%	0.00%	1.89%	0.00%	0.00%	0.00%




Figure 3

Comment:

Most individuals are **Married**, especially in **Pharmacy** and **Agriculture**. **Single** individuals are more common in **Business Administration** and **Core**, while **Engaged** and **Widowed** individuals represent a small portion across all faculties. **Divorced** individuals are mostly in **Physiotherapy**.

4. Travel Duration:

Duration	Physiotherapy	Business Administration	Pharmacy	Agriculture	Engineering	Core
<15 min	6.25%	0.00%	9.43%	14.29%	25.00%	23.53%
15–30 min	18.75%	58.33%	35.85%	14.29%	56.25%	17.65%
31–60 min	68.75%	25.00%	28.30%	42.86%	18.75%	17.65%
>1 hour	6.25%	16.67%	26.42%	42.86%	12.50%	41.18%




Figure 4

Comment:

Most students, especially in **Faculty of Physiotherapy**, spend **31–60 minutes** traveling to the university. **Faculty of Business Administration** has more students traveling **15–30 minutes**, while **Core** and **Faculty of Agriculture** show notable travel times of **over 1 hour**

5. How long have you been employed at Heliopolis University?

Employment Duration	Physiotherapy	Business Administration	Pharmacy	Agriculture	Engineering	Core
<1 yr	43.75%	41.67%	20.75%	21.43%	62.50%	17.65%
1–5 yrs	50.00%	50.00%	45.28%	35.71%	37.50%	52.94%
6–10 yrs	6.25%	8.33%	28.30%	35.71%	0.00%	11.76%
10+ yrs	0.00%	0.00%	5.66%	7.14%	0.00%	17.65%




Figure 5

Comment:

Most individuals in **Physiotherapy** and **Core** have 1–5 years of experience, while **Engineering** has the highest percentage in the <1 yr category. **Pharmacy** and **Agriculture** show a mix of experience, with fewer individuals in the 6–10 years or 10+ years range.

II.

Health information:

6. Body mass index (BMI):

N.B:

- under 18.5 – This is described as underweight.
- between 18.5 and 24.9 – This is described as the 'healthy range'.
- between 25 and 29.9 – This is described as overweight.
- between 30 and 39.9 – This is described as obesity.
- 40 or over – This is described as severe obesity.

Status	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Underweight	0%	0%	6%	0%	0%	0%

Normal	44%	42%	49%	50%	31%	53%
Overweight	31%	33%	25%	33%	50%	27%
Obese	25%	25%	21%	17%	19%	20%




Figure 6

Comment:

Overweight is most common, especially in Security and HR; normal weight prevails in Agriculture and IT.

7. Do you have any of the following medical condition/s?

Medical Conditions Distribution Among Physiotherapy Faculty




Figure 7a: Physiotherapy Staff

Distribution of Medical Conditions Among Faculty of Business Administration




Figure 7b: Business Administration Staff

Distribution of Medical Condit




Figure 7c: Pharmacy staff

Distribution of Medical Conditions in the Faculty of Agriculture




Figure 7d: Agriculture staff

Distribution of Individual Medical Conditions in the Faculty of Engineering




Figure 8e: Engineering staff

Percentage of Medical Conditions in the Core Department




Figure 8f: Core staff

8. Do you have a history of cancer?

History	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
yes	0.00%	0	1.89%	7.14%	0	0
no	100%	100%	98.11%	92.86%	100%	100%




Figure 9


Comment:

The survey shows that most respondents across all faculties have limited awareness of the history of cancer, with only a small percentage in Pharmacy acknowledging it.

9. Have you undergone any previous surgeries?

Surgery	physiotherapy	business	pharmacy	agriculture	engineering	core
appendectomy / bariatric	6.25%	33.33%	7.55%	28.57%	0%	0%
tonsillectomy	6.25%	8.33%	1.89%	0%	0%	0%
benign tumor removal	6.25%	0%	0%	0%	0%	0%
plastic / reconstructive	6.25%	0%	0%	0%	0%	0%
no surgery	37.50%	58.33%	71.70%	42.86%	81.25%	94.12%
knee surgery	6.25%	0%	0%	0%	0%	0%
ganglion cyst excision	6.25%	0%	0%	0%	0%	0%
gallbladder removal	6.25%	0%	1.89%	7.14%	0%	0%
eye surgery	12.50%	0%	3.77%	7.14%	0%	0%
CS	6.25%	0%	5.66%	0%	0%	0%
cystectomy	0%	0%	1.89%	0%	0%	0%
phlebectomy	0%	0%	1.89%	0%	0%	0%
sewing	0%	0%	1.89%	0%	0%	0%
labor	0%	0%	1.89%	0%	0%	0%
pacemaker	0%	0%	0%	7.14%	0%	0%
pilonidal sinus	0%	0%	0%	7.14%	0%	0%
laparoscopic	0%	0%	0%	0%	6.25%	0%
hemorrhoids	0%	0%	0%	0%	12.50%	0%
fistulectomy	0%	0%	0%	0%	0%	5.88%

12



Comment:

The data shows that "no

Figure 10

Core faculties.

Other surgeries, like appendectomy and gallbladder removal, are more common in Business and Agriculture. Certain surgeries have very low responses across all faculties.

10. Please list all the medications you are currently taking for chronic health conditions

Medication Category	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
blood pressure	11.76%	0%	5.66%	21.43%	12.50%	0%
anemia	5.88%	0%	1.89%	0%	0%	0%
gastrointestinal medications	11.76%	0%	5.66%	0%	0%	5.88%
no medications	64.71%	63.64%	60.38%	21.43%	62.50%	88.24%
anti-inflammatory	5.88%	9.09%	1.89%	14.29%	6.25%	0%
pain management	0%	9.09%	5.66%	14.29%	12.50%	0%
heart medications	0%	9.09%	0%	0%	0%	0%
others	0%	9.09%	11.32%	7.14%	0%	0%
antihistamines	0%	0%	1.89%	0%	0%	0%
thyroid meds	0%	0%	1.89%	7.14%	6.25%	0%
isotretinoin	0%	0%	1.89%	0%	0%	0%
cholesterol	0%	0%	1.89%	7.14%	0%	5.88%
diabetes	0%	0%	0%	7.14%	0%	0%




Figure 11

Comment:

Most faculties report high "no medications" usage, especially in Core (88.24%) and Physiotherapy (64.71%). Specific medications like blood pressure and gastrointestinal meds are more common in Physiotherapy and Agriculture. Other medications are used in smaller amounts across various faculties.

11. How many hours do you typically sleep each night

Hours of Sleep	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
< 5 hours	13.33%	16.67%	5.56%	20.00%	0%	4.00%
5–7 hours	80.00%	75.00%	79.63%	73.33%	82.35%	60.00%
8–9 hours	13.33%	8.33%	12.96%	0%	11.76%	4.00%




Figure 12

Comment:

Most respondents sleep 5-7 hours, with Engineering having the highest percentage. Sleep durations under 5 hours are most common in Physiotherapy and Agriculture, while few report 8-9 hours of sleep.

12. How many cigarettes do you smoke on an average day?

Cigarettes	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Don't smoke	93.75%	75.00%	98.11%	92.86%	100%	100%
Other	6.25%	0%	1.89%	7.14%	0%	0%
6-9 cigarettes	0%	25.00%	0%	0%	0%	0%




Figure 13

Comment:

Most respondents sleep 5-7 hours, with Engineering having the highest percentage. Sleep durations under 5 hours are most common in Physiotherapy and Agriculture, while few report 8-9 hours of sleep.

III. Dietary and lifestyle Habits

13. How often do you buy organic food?

Organic food	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Daily	12.50%	16.67%	0%	7.69%	25.00%	11.76%
Once a week	18.75%	33.33%	43.40%	23.08%	25.00%	29.41%
Rarely or never	43.75%	25.00%	39.62%	38.46%	25.00%	35.29%
Several times a week	25.00%	25.00%	16.98%	30.77%	25.00%	23.53%




Figure 14

Comment:

Most respondents consume organic food "rarely or never," especially in Pharmacy and Agriculture. "Once a week" consumption is higher in Business and Pharmacy, while daily consumption is low across all faculties.

14. How often do you eat vegetables per week?

Vegetable consumption	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Daily	56.25%	25.00%	45.28%	50.00%	75.00%	58.82%
Once a week	12.50%	8.33%	3.77%	0%	0%	0%
Several times a week	31.25%	58.33%	50.94%	50.00%	25.00%	41.18%
Rarely or never	0%	8.33%	0%	0%	0%	0%





Figure 16

Comment:

Vegetable consumption is highest "daily," particularly in Engineering (75%) and Physiotherapy (56.25%). "Several times a week" is common in Business and Pharmacy, with minimal "once a week" or "rarely/never" consumption.

15. How often do you eat fruits per week?

Fruits Consumption	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Daily	50.00%	16.67%	30.19%	28.57%	37.50%	17.65%
Once a week	12.50%	41.67%	5.66%	14.29%	12.50%	11.76%
Several times a week	31.25%	33.33%	60.38%	57.14%	50.00%	70.59%
Rarely or never	6.25%	8.33%	3.77%	0%	0%	0%



17

Figure 17

Comment:

Fruit consumption is highest "daily" in Physiotherapy (50%) and Engineering (37.5%).

"Several times a week" is most common in Core (70.59%) and Pharmacy (60.38%).

16. How often do you eat red meat per week?

Red Meat Consumption	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Daily	6.25%	0%	3.77%	0%	12.50%	5.88%
Once a week	62.50%	50.00%	32.08%	28.57%	31.25%	17.65%
Several times a week	25.00%	25.00%	60.38%	42.86%	50.00%	58.82%
Rarely or never	6.25%	25.00%	3.77%	28.57%	6.25%	17.65%




Figure 18

Comment:

Red meat consumption is highest "once a week" in Physiotherapy (62.5%) and "several times a week" in Pharmacy (60.38%) and Engineering (50%). "Rarely or never" is most common in Agriculture and Core.

17. How often do you eat poultry per week?

Poultry Consumption	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Daily	12.50%	16.67%	5.66%	0%	0%	5.88%
Once a week	31.25%	8.33%	22.64%	28.57%	25.00%	11.76%
Several times a week	50.00%	66.67%	71.70%	71.43%	75.00%	76.47%
Rarely or never	6.25%	8.33%	0%	0%	0%	5.88%




Figure 19

Comment:

Poultry consumption is highest "several times a week," especially in Engineering (75%) and Core (76.47%). "Once a week" consumption is notable in Physiotherapy (31.25%) and Pharmacy (22.64%). "Rarely or never" consumption is minimal across most faculties. Overall, poultry consumption is frequent, particularly in Engineering and Core.

18. How often do you eat fish per week?

Fish Consumption	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Daily	0%	0%	1.89%	0%	0%	0%
Once a week	81.25%	50.00%	67.92%	71.43%	50.00%	58.82%
Several times a week	0%	8.33%	1.89%	14.29%	12.50%	5.88%
Rarely or never	18.75%	41.67%	28.30%	14.29%	37.50%	35.29%

Eat processed/canned meat/fish	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Daily	0%	0%	1.89%	0%	0%	0%
Once a week	6.25%	25.00%	16.98%	21.43%	18.75%	5.88%
Several times a week	6.25%	0%	1.89%	0%	18.75%	5.88%
Rarely or never	87.50%	75.00%	79.25%	78.57%	62.50%	88.24%

Comment:

Fish is mostly consumed weekly, with high frequency in Agriculture and low intake in HR and Services.




Figure 20

19. How often do you eat processed/canned meat/fish per week?




Figure 21

Comment:

Processed/canned meat/fish consumption is mostly "rarely or never," with the highest in Physiotherapy (87.5%) and Core (88.24%). "Several times a week" is higher in Engineering (18.75%).

20. How often do you eat high-fat or fried foods?

High fat/fried food Consumption	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Daily	12.50%	0%	0%	0%	6.25%	29.41%
Once a week	25.00%	66.67%	47.17%	28.57%	25.00%	35.29%
Several times a week	37.50%	16.67%	30.19%	42.86%	31.25%	29.41%
Rarely or never	25.00%	16.67%	22.64%	28.57%	37.50%	5.88%




Figure 22

Comment:

High fat/fried food is most consumed "several times a week," especially in Agriculture (42.86%) and Engineering (31.25%). Business has the highest "once a week" consumption (66.67%), with minimal daily intake. "Rarely or never" is highest in Core (35.29%) and Physiotherapy (25%).

21. How often do you eat foods high in sugar/desserts?

Sugary food/desserts Consumption	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Daily	25.00%	8.33%	15.09%	14.29%	25.00%	23.53%
Once a week	31.25%	25.00%	41.51%	35.71%	6.25%	17.65%
Several times a week	25.00%	50.00%	26.42%	21.43%	37.50%	35.29%
Rarely or never	18.75%	16.67%	16.98%	28.57%	31.25%	23.53%




Figure 23

Comment:

Sugary food/dessert consumption is highest "once a week" in Pharmacy (41.51%) and Business (25%). "Several times a week" is common in Business (50%) and Engineering (37.5%), with daily consumption notable in Physiotherapy and Engineering (25%).

22. How often do you eat Baladi bread?

Baladi Bread Consumption	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Daily	50.00%	25.00%	39.62%	57.14%	50.00%	64.71%
Once a week	6.25%	25.00%	13.21%	14.29%	6.25%	11.76%
Several times a week	37.50%	33.33%	35.85%	28.57%	37.50%	11.76%
Rarely or never	6.25%	16.67%	11.32%	28.57%	6.25%	5.88%




Figure 24

Comment:

Baladi bread is most consumed "daily," especially in Core (64.71%) and Agriculture (57.14%). "Several times a week" consumption is notable in Physiotherapy and Engineering. "Rarely or never" consumption is low across faculties.

23. What type of fat do you always use in cooking?

Fats used in cooking	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Corn Oil	38%	10%	24%	13%	19%	15%
Natural Butter	38%	50%	40%	25%	50%	25%
Sunflower Oil	25%	20%	36%	38%	19%	20%
Olive Oil	0%	20%	6%	13%	13%	10%
Cottonseed Oil	0%	10%	0%	0%	0%	0%
Others	0%	10%	0%	0%	0%	30%




Figure 25

Comment:

Natural butter is most used in Business and Engineering, while sunflower oil is common in Pharmacy and Agriculture. Corn oil is popular in Physiotherapy, and olive oil is used the least across faculties.

24. At what level do you estimate your daily physical activity?

Physical activity level	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Low	31%	17%	21%	29%	6%	12%
Moderate	56%	83%	68%	57%	81%	82%
High	13%	0%	11%	14%	13%	6%




Figure 26

Comment:

Most respondents report "moderate" physical activity, especially in Business (83%) and Core (82%). "Low" activity is highest in Physiotherapy (31%) and Agriculture (29%), while "high" activity is least reported.

25. Do you have a regular fitness routine?

Regular fitness routine	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Gym exercises	13%	0%	8%	7%	13%	0%
Walking	44%	67%	34%	36%	56%	47%
None	44%	33%	57%	43%	25%	47%
Sports	0%	0%	2%	14%	6%	6%




Figure 27

Comment:

Walking is the most common fitness routine, especially in Business (67%) and Engineering (56%). Gym exercises are less common, and many, particularly in Pharmacy (57%) and Core (47%), report no regular fitness routine.

IV. Are your periods regular?

Period regularity	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Yes	81%	50%	68%	50%	19%	41%
No	0%	0%	11%	7%	31%	18%
Blank	19%	50%	21%	43%	50%	41%




Figure 28

Comment:

Most respondents report regular periods, especially in Physiotherapy (81%) and Pharmacy (68%). Blank responses are highest in Business (50%) and Engineering (50%).

V. Academics's self-evaluation information:

Question	Physiotherapy	Business	Pharmacy	Agriculture	Engineering	Core
Q1, I feel happy with my life						
Agree	88%	92%	89%	100%	94%	88%
Q1 Disagree	12%	8%	11%	0%	6%	12%
Q2, I feel calm and relaxed						
Agree	69%	33%	51%	69%	81%	44%
Q2 Disagree	31%	67%	49%	31%	19%	56%
Q3, I feel supported by family / community						
Agree	88%	100%	92%	86%	100%	88%
Q3 Disagree	12%	0%	8%	14%	0%	12%
Q4, I feel financially stable and secure						
Agree	56%	67%	43%	50%	81%	31%
Q4 Disagree	44%	33%	57%	50%	19%	69%
Q5 Purpose in life						
Agree	100%	100%	96%	93%	100%	94%

Q5 Disagree	0%	0%	4%	7%	0%	6%
Q6 Confidence in opinions Agree	88%	92%	92%	100%	100%	88%

Q6 Disagree	12%	8%	8%	0%	0%	12%
Q7 life is learning, changing, growth						
Agree	100%	100%	98%	100%	100%	100%
Q7 Disagree	0%	0%	2%	0%	0%	0%

a




Figure 28/a




Figure 28/B

