

Haramaya University
Software Engineering Department
Third Round Mock exam for 2024

Exam Date: May 29, 2024

Time allowed: 3:30 hrs

Instruction: Choose the best answer from a given alternatives

1. You want to add a new route to your windows server. Which of the following is the correct syntax to add a route to the routing table of the router?
 - A. Ratable add 12.0.0.0 255.0.0.0 11.0.0.254
 - B. Ratable add 12.0.0.0 MASK 255.0.0.0 11.0.0.254
 - C. Route add 12.0.0.0 MASK 255.0.0.0 11.0.0.254
 - D. Route add 12.0.0.0 255.0.0.0 11.0.0.254
2. What should you do with the wireless router to help hide the wireless network from unauthorized users?
 - A. Turn it off when it is not being used
 - B. Enable WEP
 - C. Disable SSID broadcasting
 - D. Unplug the network cable from the router
3. You are troubleshooting to determine why student X computer cannot connect to the Internet. What command would you type to view all of student X TCP/IP settings in a windows 10 command prompt?
 - A. IPCONFIG
 - B. IPCONFIG/ALL
 - C. IPCONFIG/SHOWALL
 - D. IPCONFIG/DISPLAYALL
4. You wish to encrypt traffic between the wireless client and the access point during your mixed network configurations, but you don't have a wireless router that supports WPA or WPA2. What would you do to secure the traffic?
 - A. Use a third party program to encrypt the traffic.
 - B. Use WPA on the client but WEP on the router
 - C. Use WPA2 on the client but WEP on the router

D. Use WEP on both the client and the router

5. _____ is used to rate the trustworthiness of routing information received on one router from its neighboring router.
- A. Metrics
 - B. Administrative distance**
 - C. RIP v1
 - D. All
6. What is the metrics for RIP v1 and RIP v2?
- A. Cost
 - B. Bandwidth
 - C. Hop count**
 - D. Delay
7. Which one is not true characteristics of the RIPv1 routing protocol?
- A. Uses hop count as a metric
 - B. Considers a metric of 16 as unreachable
 - C. Supports the use of VLSM**
 - D. Calculates metrics using the Bellman Ford algorithm
8. _____ is used to manage the router instead not used for packet forwarding.
- A. LAN interfaces
 - B. WAN interfaces
 - C. Telnet port**
 - D. All
9. What is a Router-ID?
- A. An IP address used to identify the router.**
 - B. A dotted decimal number that identifies the host portion of a router.
 - C. A number randomly generated to identify the router.
 - D. A number that is statically assigned to each router in order to identify its capabilities.
10. Among the following which one is the multicast IP address of OSPF that designated router (DR) uses to multicast to all OSPF routers?
- A. 224.0.0.6**

- B. 224.0.0.5
- C. 224.0.0.7
- D. 224.0.0.9

11. Which of the following are advantages of using LOC (lines of code) as a size-oriented metric?
- A. LOC is easily computed.
 - B. LOC is a language dependent measure.
 - C. LOC is a language independent measure.
 - D. LOC can be computed before a design is completed.
12. A COCOMO model is
- A. Common Cost Estimation Model.
 - B. Constructive Cost Estimation Model.
 - C. Complete Cost Estimation Model.
 - D. Comprehensive Cost Estimation Model.
13. The spiral model of software development
- A. Ends with the delivery of the software product
 - B. Is more chaotic than the incremental model
 - C. Includes project risks evaluation during each iteration
 - D. All of the above
14. The level at which the software uses scarce resources is
- A. reliability
 - B. efficiency
 - C. portability
 - D. all of the above
15. The model that assumes that effort and development time are functions of product size alone is
- A. Basic COCOMO model
 - B. Intermediate COCOMO model
 - C. Detailed COCOMO model
 - D. All the three COCOMO models
16. As the reliability increases, failure intensity
- A. decreases
 - B. increases
 - C. no effect
 - D. none of the above
17. A key concept of quality control is that all work products

- A. are delivered on time and under budget
- B. have complete documentation
- C. have measurable specification for process outputs
- D. are thoroughly tested before delivery to the customer

18. FP-based estimation techniques require problem decomposition based on

- A. information domain values
- B. project schedule
- C. software functions
- D. process activities

19. The following is the details of activities provided in table. Create an activity network using the details provided in the table. One of the following is the identified critical path:

- A. 1-2-5-8-9
- B. 1-4-5-6-9
- C. 1-2-5-6-9
- D. 1-4-5-8-9

Activity	Estimated duration (days)	Depends on
1) Feasibility study	1	-
2) Requirements for module A	12	1)
3) Requirements for module B	8	1)
4) Requirements for module C	4	1)
5) Check requirements specification	8	2), 3)
6) Design module A	10	5)
7) Design module B	5	4)
8) Design module C	12	5)
9) Code and integrate system	20	6), 7), 8)

20. Suppose you are given the dataset

$$x^{(1)} = [-1 \ 2], x^{(2)} = [1 \ 0], x^{(3)} = [1 \ 1], x^{(4)} = [-1 \ 0], x^{(5)} = [-1 \ -2], x^{(6)} = [1 \ -1],$$

and the corresponding labels

$$y_0^{(1)} = -1, y_0^{(2)} = 1, y_0^{(3)} = 1, y_0^{(4)} = -1, y_0^{(5)} = -1, y_0^{(6)} = 1,$$

and let the initial weight vector $w_0 = [0 \ 0]$, and $\eta = 1$, and no bias parameter, b.

The updated weight vector to get a new classifier that correctly classifies all the points is $w_4 = [3 \ 1]$.

A. True

B. False

21. Let h be a classifier defined by the weight vector $w = [2 \ -1]$, and offset or bias parameter, $b=1$, and $\eta=1$. Suppose you are given the dataset

$$x^{(1)} = [-1 \ 2], x^{(2)} = [1 \ 0], x^{(3)} = [1 \ 1], x^{(4)} = [-1 \ 0], x^{(5)} = [-1 \ -2], x^{(6)} = [1 \ -1],$$

and the corresponding labels

$$y_0^{(1)} = -1, y_0^{(2)} = 1, y_0^{(3)} = 1, y_0^{(4)} = -1, y_0^{(5)} = -1, y_0^{(6)} = 1, \text{ and}$$

The margin of the whole dataset is:

A. $\frac{-1}{\sqrt{5}}$

B. $\frac{-2}{\sqrt{5}}$

C. $\frac{-3}{\sqrt{5}}$

D. $\frac{-4}{\sqrt{5}}$

22. Which one of the following is limitation of DDBMS

A. Complexity C. Lack of Experience

B. Security D. All

23. The advantage of database replication is:

A. Increases Data Availability

C. Allows for parallel query requests.

B. Cause a lot of server overhead

D. A and C

24. Which distributed database storage allow us to split relations in to smaller pieces by rows

A. Horizontal Replication

C. Vertical Fragmentation

B. Vertical Replication

D. Horizontal Fragmentation

25. Which one of the following is reason for creation of Object Oriented Database

A. Need for more complex applications

B. Need for additional data model

C. Increased use of OOP features

D. All

26. While debiting money from account A to B, but unfortunately light is gone. When the light is come, there is no debited money from account A. Which transaction property is this?
- A. Isolation
 - B. Atomicity**
 - C. Durability
 - D. Consistency
27. Which transaction property will be violated if system allows interference of transaction which leads for database state difference?
- A. Isolation**
 - C. Durability
 - B. Atomicity
 - D. Consistency
28. Which of the following systems is responsible for ensuring isolation?
- A. Recovery system
 - B. Concurrency control system**
 - C. Atomic system
 - D. Compiler System
29. Which of the following is not a transaction state?
- A. Active
 - C. Failed
 - B. Committed
 - D. Compensated**
30. Which of the following software process model is specifically known as risk-driven model?
- A. Waterfall model
 - B. Spiral model**
 - C. Prototyping model
 - D. RAD model
31. Software maintenance task involves
- A. Correcting errors in software operation.
 - B. Enhancing capabilities of a software to accommodate changes in software environment.
 - C. Adapting a software to work in a new environment.
 - D. All of the above.**
32. Which of the following primarily determines the degree of reusability of a software product?
- A. The deployment model.
 - B. The abstraction level.
 - C. Its modularity.**
 - D. The use of version control systems during development.
33. Which of the following statement is true about software engineering?

- A. It is the application of engineering principles and systematic approach to software development.
- B. Its goal is to produce high quality software that meets user needs.
- C. Its goal is to establish methods and technologies that can improve software development process.

D. All of the above.

- E. All except C.

34. Which of the following factors will be examined by the Change Control Board during the change request in requirements engineering?

- A. Risk to the project in implementing the change.
- B. Risk to the project in NOT implementing the change.
- C. Impact on the project in implementing the change (time, resources, finance, quality).

D. All of the above.

35. Which of the following Non-functional requirement is deals with product requirement?

A. Reliability Requirements

- B. Delivery Requirements
- C. Interoperability Requirements
- D. Standard Requirements

36. The control framework that governs the process of all requirements engineering is_____.

A. Requirements Management

- B. Requirements Elicitation
- C. Requirements Specification
- D. Requirements Validation

37. Which of the following is not among the category of evolutionary software process models?

- A. Spiral model
- B. Iterative model
- C. Incremental model

D. Waterfall model

38. Which development model is suggested when the clients do not exactly know what their requirements are and there is no manual process or existing system to help determine the requirements?

A. Waterfall model

C. Prototyping model

B. Spiral model

D. RAD model

39. Which of the following development process model requires all requirements to be specified upfront before the beginning of the development?

A. Waterfall

C. Incremental

B. Spiral

D. A and C

40. Requirements analysis is conducted to _____.

A. to form a clear understanding of the exact customer requirements

B. to weed out problems that frequently occur in requirements gathered from different sources

C. to identify scope of the system and a 'baseline' set of system requirements that are feasible

D. to prioritize requirements and resolve conflicting requirements through negotiation

E. All of the above

F. All except C

41. Which of the following is the measure of the degree of interdependence between the two or more modules?

A. Coupling

C. Abstraction

B. Cohesion

D. Refactoring

42. In requirements validation process, which of the following is a check conducted to ensure that the requirements are feasible to implement?

- A. Consistency check
- B. Completeness check
- C. Realism check
- D. Omission check

43. Project managers use requirement document to _____.

- A. To estimate the size of the software
- B. To estimate the time and effort required to develop the software
- C. To estimate the total cost of development
- D. To develop tests for the software

E. All except D

44. Which of the following is an advantage of adhering to coding standards?

- A. It gives a uniform appearance to the codes written by different engineers.
- B. It facilitates code readability, understanding and code reuse.
- C. It reduces complexity and increases efficiency of the programmers.
- D. All of the above.

45. In _____ operating system structure, the entire operating system runs as a single program in kernel mode.

- A. Microkernel
- B. Monolithic
- C. Layered
- D. Exokernel

46. Which CPU scheduling algorithm takes into account who the user of a process is when making scheduling decision?

- A. Fair share scheduling
- B. Guaranteed scheduling
- C. Priority scheduling
- D. None of the above.

47. Which of the following scheduling algorithm schedules processes based on the level of importance they are assigned?

A. Priority scheduling

B. Round Robin scheduling

C. Shortest Job First scheduling

D. First Come First Served scheduling

48. The operating system maintains important information about each process in _____.

A. Program counter

B. Stack

C. Process table

D. None of the above.

49. A process waiting for some event to occur, when that specific event happens it moves from waiting state to _____ state.

A. Ready

B. Running

C. Blocked

D. New

50. Which is a technique of loading a program into memory at any available location and adjusting the program's instructions that reference memory using base and limit registers accordingly during runtime?

A. Static relocation

B. Dynamic relocation

C. Swapping

D. None of the above

51. A space on a secondary memory where temporarily swapped out processes reside (are put) is known as _____.

A. Spool

B. Buffer

C. Backing store

D. Cache

52. Specifically what happens when memory blocks allocated to processes are larger than necessary, and the allocated space is not fully utilized resulting in unused wasted space within the partition?

A. Internal fragmentation

B. External fragmentation

C. Segmentation

D. Buffering

53. Which of the following page replacement algorithm selects a page that has not been referenced for the longest period of time for eviction?

A. Most Recently Used

B. Least Recently Used

C. FIFO

D. None of the above.

54. Which of the following is not true about software testing?

- A. It is always recommended to have the software tested by an independent testing team.
- B. A strategy for software testing must accommodate both low-level and high-level tests.
- C. Testing strategy should start at the system level and work towards the smallest component level.
- D. Invalid inputs and unexpected behavior have a high probability of finding an error.
- E. Testing is not just a single phase performed in Software Development Lifecycle.
- F. None of the above.

55. In Boundary Value Analysis testing, if we have three (3) input variables in a program module, how many test cases can be designed using Worst Case Testing method?

- A. 125
- B. 19
- C. 15
- D. 13

56. Which of the following identify and state key quality attributes of software and aspects of its use and maintenance that has to be defined in software requirement specification document?
- A. Test Plan Document
 - B. Test Design Specification Document
 - C. Quality Control
 - D. Quality Factors**
 - E. A and B
57. A maintenance activity conducted to enhance and improve existing and working software systems is known as
- A. Corrective Maintenance
 - B. Adaptive Maintenance
 - C. Perfective Maintenance**
 - D. All of the above
58. A well-documented set of inputs and expected results designed to test the functionality of a feature in a software system is known as _____.
- A. Test Case**
 - B. Test Ware
 - C. Test Oracle
 - D. None of the above.
59. Which of the following test is mainly conducted to assess and determine the effectiveness of the prepared test cases in detecting faults introduced in a program?
- A. Data flow testing
 - B. Regression testing
 - C. Mutation testing**
 - D. Basis path testing

60. Which of the following is not among the purpose of management review?
- A. To find defects and to identify discrepancies from specifications.
 - B. To monitor progress, determine the status of plans and schedules.
 - C. To evaluate the effectiveness of management approaches employed.
 - D. None of the above.

61. Which of the following is also known as fault-based testing?
- A. Control flow testing
 - B. Regression testing
 - C. Mutation testing
 - D. Basis path testing

62. Which of the following type of static testing is driven by checklist?
- A. Technical Review
 - B. Management Review
 - C. Walk-Through
 - D. Inspection

63. How do you insert a node at the beginning of the doubly linked list?

A)

```
void insertFirst() {  
    node *link = new node;  
    cin>>link->name;  
    if(head==NULL) {  
        last = link;  
    }  
    else {  
        head->prv = link;  
    }  
    link->nxt = head;  
    head = link;  
    head->prv=NULL;  
}
```

B)

```
void insertFirst() {  
    node *link = new node;
```

```

cin>>link->name;

if(head==NULL) {
    head = link;
} else {
    last->nxt = link;
    link->prv = last;
}
last = link;
last->nxt=NULL;
}
C) void insertFirst() {
    node *link = new node;
    cin>>link->name;
    if(last==NULL) {
        last = link;
    }
    else {
        last->nxt = link;
    }
    link->nxt = head;
    head = link;
    last->prv=NULL;
}

D) None

```

64. A sorted file contains 8 items. Using binary search algorithm, the maximum number of comparisons to search for an item in this file is_____?

- A) 7
- B) 4
- C) 3**
- D) 8

65. Which of the following algorithm properties are describe about the algorithms should be valid on all possible inputs?

- A) Completeness

- B) Effectiveness
- C) Feasibility
- D) Generality**

66. Which of the following is a running time complexity for the following pseudocode functions?

```
void A ( ){
    int i, j, k, n;
    for(i=n/2; i<=n; i++){
        for(j=1; j<=n/2; j=j+3){
            for(k=1; k<=n/2; k=k*5){
                cout<<"Exit Exam";
            }
        }
    }
}
```

- A) n^3
 - B) $O(\log \log_2^n)$
 - C) $O(n^2 \log n)$**
 - D) $O(2^n)$
67. Which of the following is tightest bound possible of Big-Oh notation for the function, $f(N)$
 $= N^2 (\log N^3 - \log N) + N^2$ given?

- A) $O(N^2 \log N)$**
- B) $O(N^2)$
- C) $O(N^2 \log N^3)$
- D) None

68. Which of the following model construction training of data is good for prediction?

- A. High bias, low variance
- B. Low bias, high variance
- C. High bias, high variance
- D. Low bias, low variance
- E. None

69. Which of the following is TRUE?

- A. In a training set the target variable is unknown.
- B. In the classification problem the target variables are assumed to be an infinite number of classes.
- C. As technologies increasing for the future, we will get more and more human created data rather than non-human created data for development of machine learning systems or projects
- D. KNN algorithm is an example of lazy learning
- E. All

70. Among the following, which one is FALSE based on the methods of Choosing the Right Algorithm?

- A. Spend more time to know the data
- B. Finding the best algorithm is an iterative process of trial and error.
- C. If you are trying to forecast a target value, then you need to look into supervised learning.
- D. You need to consider your goal at first stage
- E. None

71. Which of the following is an importance of linear regression?

- A. To get the relationship between two variables
- B. To know the strong relationship between variables
- C. To identify which variable has more contribution in target prediction
- D. All
- E. None

72. Which of the following is FALSE about properties K-Nearest Neighbors algorithm?

- A. It is computationally expensive
- B. It has high accuracy
- C. It is sensitive to outliers
- D. It requires a lot of memory
- E. None

73. Android's filesystem is based on Linux and supports mode-based permissions. You can access this filesystem in several ways. Point out wrong statement.

- A. You can create and read files from within applications, you can access raw resource files, and you can work with specially compiled custom XML files.
- B. In addition to creating files from within your application, you can push and pull files to the platform using the adb tool,
- C. Keep in mind that outside of development-related use, you won't usually push and pull files. Rather, you'll create and read files from within the application or work with files included with an application as a raw resource.
- D. When you place a file in the res/raw location, but it's not compiled by the platform, it is available as a raw resource, you can use it

74. What is the life cycle of services in Android?

- A. onCreate() -> onStartCommand() -> onDestroy()
- B. onReceive()
- C. final()
- D. Service life cycle is the same as the activity life cycle.

75. Which permissions are required to get location in Android?

- A. ACCESS_FINE and ACCESS_COARSE
- B. GPRS permission
- C. Internet permission
- D. WIFI permission

76. This provides a level of abstraction between the device hardware and it contains all the essential hardware drivers like camera, keypad, display etc.

A. Kernal

B. Library

C. Android runtime

D. Application

77. If you want to share simple application data from one Activity to another, use a SharedPreferences object. You can save and retrieve data, and also choose whether to make preferences private to your application or accessible to other applications on the same device. What is the best description for this scenario?

A. Android content providers are used to manage and share application data between applications. This is different from the default approach where applications cannot access data and files of other applications. However, with proper permissions and context knowledge, this can be achieved.

B. An Intent is a messaging object you can use to request an action from another app component.

C. Although intents facilitate communication between components.

D. A ContentProvider in Android allows for data sharing between applications, allowing them to access and modify data with prior knowledge of paths, resources, or content providers.

78. Developers sign their applications by using their own certificate protected by a private key what is the main purpose for certification in this scenario from privacy and security perspectives.

A. This certificate can provide a chain of authenticity that ties an application developer to the applications that developer has built and released.

B. It must be noted that while a development certificate for Android can be signed by a recognized certificate authority, most developers do not opt to utilize these services, and self-sign their certificates.

- C. The main purpose for certificates is to differentiate between different developers and applications
- D. Android uses this information to assist with enforcement of delegation of permissions between applications and components running within the Android OS.

79. When the system receives an implicit intent to start an activity, it searches for the best activity for the intent by comparing it to intent filters based on media type is?.

- A. Action.
- B. Data.
- C. Category.
- D. View

80. Application components are the essential building blocks of an Android application.

These components are loosely coupled by the application manifest file *AndroidManifest.xml* that describes each component of the application and how they interact. Point out wrong statement.

- A. An activity represents a single screen with a user interface, in-short Activity performs actions on the screen.
- B. If an application has more than one activity, then one of them should be marked as the activity that is presented when the application is launched.
- C. A service is a component that runs only in the background to perform long-running operations.
- D. Broadcast Receivers simply respond to broadcast messages from other applications or from the system.

81. What is the best choice of Competitive Advantage attribute for an apps that will be distributed in an Enterprise: How will this app work in a mobile form factor?

- A. Infrastructure Integration
- B. Value
- C. Form/Mobility
- D. Usability

82. Which one of the following statements is not correct about HTML?
- A. Comment statements are notes in the HTML code that explain the important features of the code. The comments do not appear on the Web page itself but are a useful reference to the author of the page and other programmers.
 - B. If you give a group of radio buttons the same name, the user will only be able to select one button at a time.
 - C. In HTML <head> tag provides the information about the document and contains the metadata about the webpage and the tags which are enclosed by head tag like <link>, <meta>, <style>, <script>, etc. are displayed on the web page.
 - D. There can be only 1 <head> and body element tag in the entire Html document.
83. Which of the following attribute specifies if the user can edit the element's content or not?
- A. Content
 - B. Editable
 - C. Contenteditable
 - D. Contextmenu
84. What is the correct syntax of the doctype declaration in HTML5?
- A. </doctype html>
 - B. <doctype html>
 - C. <doctype html!>
 - D. <!doctype html>
85. The following pair are the most significant difference between form Method(GET and POST). Select paired wrong statement.
- A. GET: Appends the form data to the URL, in name/value pairs, while POST Appends the form data inside the body of the HTTP request (the submitted form data is not shown in the URL)
 - B. GET: The length of a URL is limited (2048 characters), POST has no size limitations, and can be used to send large amounts of data.
 - C. POST Useful for form submissions where a user wants to bookmark the result, GET Form submissions with cannot be bookmarked

D. GET is good for non-secure data, like query strings in Google, we can encrypt and send POST data

86. What are the correct extensions for saving an HTML file?

A. HTML

B. HML

C. HTM

D. XML

E. A and C

87. What are the new tags in Media Elements in HTML5 of the following program? Which statement explain different between <source> , <embed> and <track> correctly.

```
<html>
```

```
.....
```

```
<label> Video: </label>
```

```
  <video width="320" height="240" controls>
```

```
    <source src="video.mp4" type="video/mp4">
```

```
    <track src="subtitles.vtt" kind="subtitles" srclang="en" label="English">
```

```
  </video> <br>
```

```
<label>Embed: </label>
```

```
  <embed type="video/webm" src="https://www.youtube.com/embed/MpoE6s2psCw"
width="400" height="300"> <br>
```

```
....
```

```
</html>
```

A. YouTube also declares video embedding by providing the code to use to embed every video on other websites.

B. <source> - Used for multiple media resources in media elements only for video.

C. <embed> - Used for an external application or embedded content without any restriction.

D. <track> - Used for subtitles in the media elements for video English audio track.

88. Which one is not a semantic html5 element?

- A. <article>
- B. <mark>
- C. <section>
- D.

89. JavaScript has many built-in objects that you can use to perform different activities.

Which one of the following is not true about javascript object and event?

- A. Every time you load a page into web browser, the JavaScript interpreter creates certain Objects based on how the HTML is written or Events are occurrences generated by the browser, such as loading a document, or by the user, such as moving the mouse.
- B. This minimal Object set is comprised of the navigator, window, document, location, and history Objects.
- C. Depending on what's contained in the page, there can obviously be other Objects that are also generated by the interpreter.
- D. There are several more events that we can capture with JavaScript, however, we cannot respond dynamically with a scripting language to user and browser activities.

90. The REST architecture is designed in such a way that the client state is not maintained on the server. with the concept of statelessness in REST API why?

- A. The session on the server is identified by the session identifier sent by the client.
- B. it is possible to maintain sessions in REST on the server-side
- C. Must-revalidate : directives belonging to the Cache-Control header of HTTP response provide information to the server that the resources have to be revalidated if max-age has crossed.
- D. No-cache/no-store: directive of the Cache-control header in the HTTP Response tells that the resource cannot be cached?

E. The context is provided by the client to the server using which the server processes the client's request.

91. What are the steps to create a new database using MySQL and PHP?

- 1, The connection is validated. If the connection is successful, then you can write a sample query to verify.
- 2, A connection establishment is done to the MySQL server using the PHP script.
- 3, Queries that create the database are input and later stored into a string variable.
- 4, Then, the created queries will be executed one after the other

What are the correct main steps used to create a new MySQL database in PHP are given below:

A. 2,1,3,4

B. 1,2,3,4

C. 3,2,1,4

D. 4,1,3,2

92. PHP is a Loosely Typed Language means.

- A. In PHP, a variable does not need to be declared before adding a value to it.
- B. PHP automatically converts the variable to the correct data type, depending on its value.
- C. In PHP, the variable is declared automatically when you use it.

D. All.

93. JavaScript is a client-side programming language, whereas PHP is a server-side scripting language. Which one of the following is not true about PHP.

- A. PHP has the ability to generate JavaScript variables, and this can be executed easily in the browser
- B. PHP scripting language especially suited for creating dynamic websites and mobile APIs.
- C. PHP supports many databases like MySQL, Solid, PostgreSQL, Oracle, Sybase, generic ODBC, etc. PHP code is embedded within HTML.
- D. It is used to manage dynamic content, session tracking, databases, and also to build an entire e-commerce site.

E. By default, most of the web browser support PHP and thus it contributes to cost-effectiveness.

94. There are three ways to add JavaScript commands to your Web Pages. If you want to run the same JavaScript on several pages, you can write a JavaScript in?
- A. Embedding code
 - B. Inline code
 - C. External file
 - D. All
95. _____concerned with developing an object-oriented model of an Application domain?
- A. Object oriented analysis
 - B. Object oriented methods
 - C. Object oriented design
 - D. Object oriented programming
96. Remote procedure call architectures refers that
- A. Components are distributed across multiple computers on a network
 - B. Components are distributed on a single system
 - C. Operates on a single network
 - D. None of the mentioned above
97. The Caesar cipher is a _____cipher that has a key of 3.
- A. Transposition
 - B. Additive
 - C. Shift
 - D. None of the above
98. AWT provides classes that are supportive to avoid all listener interface methods to be implemented so that only the needed methods are focused at the time. Which of the following class can be one of the AWT feature for these functionality alone?
- A. Component
 - B. Listener
 - C. Adapter
 - D. Window
99. Which container use a border layout as their default layout in Swing?
- A. Frame
 - B. Panel

- C. JMenuBar
- D. JMenu

100. Which of the following features of Java allows a thread to execute in a predictable manner?

- A. Synchronization
- B. Garbage Collection
- C. Exception Handling
- D. Polymorphism