

| Product | | | |
|------------|--------------------|------------|-------|
| Product_id | Product_Name | Category | Price |
| P01 | Samsung Galaxy S20 | Smartphone | 3299 |
| P02 | ASUS Notebook | PC | 4599 |

| Customer | | |
|-------------|---------------|--------------|
| Customer_id | Customer_Name | Customer_Tel |
| C01 | ALI | 71321009 |
| C02 | ASMA | 77345823 |

| Orders | | | | |
|-------------|------------|------------|----------|--------------|
| Customer_id | Product_id | OrderDate | Quantity | Total_amount |
| C01 | P02 | NULL | 2 | 9198 |
| C02 | P01 | 28/05/2020 | 1 | 3299 |

Data Manipulation language :

Customer table:

```
INSERT INTO Customer (Customer_Id, Customer_Name, Customer_Tel)
```

```
VALUES ('C01','ALI','71321009')
```

```
INSERT INTO Customer (Customer_Id, Customer_Name, Customer_Tel)
```

```
VALUES ('C02','ASMA','71345823')
```

Product table:

```
INSERT INTO Product (Product_Id, Product_Name, Category, Price)
```

```
VALUES ('P01','Samsung Galaxy S20','Smartphone','3299')
```

```
INSERT INTO Product (Product_Id, Product_Name, Category, Price)
```

```
VALUES ('P02','ASUS Notebook','PC','4599')
```

Orders table:

```
INSERT INTO Orders (Customer_Id) SELECT Customer_Id from Customer;
```

```
INSERT INTO Orders (Product_Id) SELECT Product_Id from Product;
```

```
INSERT INTO Orders (OrderDate, Quantity, Total_amount)
```

```
VALUES (NULL, 2, 9198);
```

```
INSERT INTO Orders (OrderDate, Quantity, Total_amount)
```

```
VALUES ("28/05/2020", 1, 3299);
```

```
UPDATE Orders SET Product_Id = "P02"
```

```
WHERE Customer_Id ="C01"
```

```
UPDATE Orders SET Product_Id = "P01"
```

```
WHERE Customer_Id = "C02"
```