PHARMACIE DE NUIT MARWEN ABBES
44 AVENUE BEB JDID
Tunis 1008

Tel.: 0
Mat. F. : 1816387/B/P/C/000
Identif CNAM : 1/29600/15

Date : 26/05/2026

Patient(e)

Code	Libelle	Qte	Prix U.	Total	
000000	CONNETTIVINA PLUS CREME DER	1	20 772	20 772	
000000	BACTIGRAS TULLE GRAS 10*10	1	35 934	35 934	
301606	ALGESIC 1000MG B/8 CP	2	2 605	5 210	

Total : 61 916

Arréteé la presente à la somme de :
Soixante et Un Dinars Neuf Cent Seize Millimes

Merci de votre visite

Pharmacie de Nuit
Marwen Abbes
44 Rue Bab Jdid Tunis 1008
Tél: 71 240 994
Code CNAM: 1/29600/15

to dry out, if the secondary dressing needs to be changed, ... in place provided it is still

EN Smith+Nephew

BACTIGRAS®

Tulle gras dressing containing soft paraffin with 0.5% w/w chlorhexidine acetate

Description
BACTIGRAS® Dressings are a cotton gauze of leno weave impregnated with soft paraffin containing 0.5% w/w chlorhexidine acetate. They are presented sterile either as individual dressings in peel-apart pouches or as rolls in pouches which can be opened by means of a tear-notch.

Mode of action
BACTIGRAS Dressings are designed to protect the injury. BACTIGRAS Dressings act as a wound contact layer between the wound and a secondary dressing, allowing exudate to pass into an absorbent secondary dressing. BACTIGRAS Dressings contain chlorhexidine acetate, a broad-spectrum antiseptic, which minimises risk of bacterial colonisation in the wound. The chlorhexidine acetate antiseptic in BACTIGRAS Dressings gives long lasting action of up to 4 days anti-proliferation, demonstrated in vitro and in vivo, against Gram positive and Gram negative bacteria.

Indications
BACTIGRAS Dressings are for use as a topical treatment only. BACTIGRAS Dressings are indicated for a wide range of wounds where there is a risk of infection, or an already infected wounds in conjunction with systemic antibacterial agents. The range of wounds on which BACTIGRAS Dressings may be used include:
- minor burns and scalds
- lacerations, abrasions and other skin loss wounds
- donor and recipient graft sites.

Contraindications
- Do not use on more than 10% of the body surface area.
- Do not use in known cases of hypersensitivity or allergy to

AVANT USAGE, PRIERE DE LIRE ATTENTIVEMENT LES INFORMATIONS REPORTEES SUR LA NOTICE
Ce produit médicinal est à usage externe et peut être utilisé pour traiter des situations faciles, légères et transitoires.
Il doit être utilisé de façon appropriée pour assurer son efficacité et réduire le risque de tout effet indésirable.
- Consulter votre pharmacien pour toute information ou avis.
- Consulter votre médecin si l'affection persiste après une courte période de traitement.

CONNETTIVINA PLUS

0,2%+1% Crème dermique
2 mg + 40 mg Compresses imprégnées
Hyaluronate de sodium + Sulfadiazine argentique

COMPOSITION
CONNETTIVINA PLUS Crème 0,2 % + 1 %:
100 g de crème contiennent:
Principes actifs: Hyaluronate de sodium 0,20 g, sulfadiazine argentique 1 g.
Excipients: acide oléique 5 g, cire E 2,00 g, glycérol 1,50 g, macrogol 4000 10 g, sorbitol solution (70 per cent) 1,50 g, eau purifiée q.s.p.100 g.
CONNETTIVA PLUS 2 mg + 40 mg Compresses imprégnées
Chaque compresse de 10 X 10 cm est imprégnée de 4 g de crème dont la