






TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$

$\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$





$dt = 1.35e-04$ — $t = 0/4$ (0 iter) — résidu eq. = $0.00e+00$




TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.20e-04$ — $t = 0.0001/4$ (1 iter) — résidu eq. = $4.25e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 4.30e-04$ — $t = 0.0500512/4$ (161 iter) — résidu eq. = $7.04e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 5.16e-04$ — $t = 0.100445/4$ (273 iter) — résidu eq. = $5.59e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.66e-03$ — $t = 0.151581/4$ (330 iter) — résidu eq. = $8.09e-06$





TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.33e-03$ — $t = 0.200834/4$ (349 iter) — résidu eq. = $7.52e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.33e-03$ — $t = 0.250088/4$ (386 iter) — résidu eq. = $9.19e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.33e-03$ — $t = 0.300672/4$ (424 iter) — résidu eq. = $8.27e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1\text{e-}01$, schéma implicite, N = 60, dx = 0.2
dt = 3.22e-03 — t = 0.35158/4 (444 iter) — résidu eq. = 7.51e-06







TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 3.22e-03$ — $t = 0.403085/4$ (460 iter) — résidu eq. = $7.27e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 3.22e-03$ — $t = 0.45137/4$ (475 iter) — résidu eq. = $8.41e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 3.16e-03$ — $t = 0.502172/4$ (491 iter) — résidu eq. = $8.50e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 3.16e-03$ — $t = 0.552736/4$ (507 iter) — résidu eq. = $8.28e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 3.16e-03$ — $t = 0.600139/4$ (522 iter) — résidu eq. = $7.31e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 3.16e-03$ — $t = 0.650702/4$ (538 iter) — résidu eq. = $9.19e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 3.16e-03$ — $t = 0.701265/4$ (554 iter) — résidu eq. = $7.79e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 3.16e-03$ — $t = 0.751828/4$ (570 iter) — résidu eq. = $7.61e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 3.16e-03$ — $t = 0.802391/4$ (586 iter) — résidu eq. = $8.15e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 3.16e-03$ — $t = 0.852954/4$ (602 iter) — résidu eq. = $9.27e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 3.02e-03$ — $t = 0.901568/4$ (618 iter) — résidu eq. = $7.95e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 3.02e-03$ — $t = 0.952893/4$ (635 iter) — résidu eq. = $8.37e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, N = 60, dx = 0.2
dt = 3.02e-03 — t = 1.0012/4 (651 iter) — résidu eq. = 7.36e-06







TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 3.02e-03$ — $t = 1.05252/4$ (668 iter) — résidu eq. = $9.53e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, N = 60, dx = 0.2
dt = 3.02e-03 — t = 1.10083/4 (684 iter) — résidu eq. = 8.51e-06




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, N = 60, dx = 0.2
dt = 3.02e-03 — t = 1.15215/4 (701 iter) — résidu eq. = 7.51e-06







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1\text{e-}01$, schéma implicite, N = 60, dx = 0.2
dt = 3.02e-03 — t = 1.20046/4 (717 iter) — résidu eq. = 8.24e-06



TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.51e-03$ — $t = 1.25178/4$ (734 iter) — résidu eq. = $9.43e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.51e-03$ — $t = 1.30009/4$ (766 iter) — résidu eq. = $9.25e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01

$\varepsilon = 1\text{e-}01$, schéma implicite, $N = 60$, $dx = 0.2$





$dt = 9.06\text{e-}04$ — $t = 1.35081/4$ (802 iter) — résidu eq. = $9.42\text{e-}06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 9.06e-04$ — $t = 1.40062/4$ (857 iter) — résidu eq. = $9.04e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1\text{e-}01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 4.53\text{e-}04$ — $t = 1.45044/4$ (958 iter) — résidu eq. = $9.06\text{e-}06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1\text{e-}01$, schéma implicite, N = 60, dx = 0.2
dt = 4.53e-04 — t = 1.50025/4 (1068 iter) — résidu eq. = 4.79e-06







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 7.83e-04$ — $t = 1.55032/4$ (1159 iter) — résidu eq. = $7.55e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1\text{e-}01$, schéma implicite, N = 60, dx = 0.2
dt = 7.83e-04 — t = 1.60041/4 (1223 iter) — résidu eq. = 5.99e-06




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1\text{e-}01$, schéma implicite, N = 60, dx = 0.2
dt = 7.83e-04 — t = 1.65049/4 (1287 iter) — résidu eq. = 6.18e-06







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 7.83e-04$ — $t = 1.70057/4$ (1351 iter) — résidu eq. = $9.20e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 7.83e-04$ — $t = 1.75066/4$ (1415 iter) — résidu eq. = $7.52e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, N = 60, dx = 0.2
dt = 7.83e-04 — t = 1.80074/4 (1479 iter) — résidu eq. = 5.94e-06







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 7.83e-04$ — $t = 1.85004/4$ (1542 iter) — résidu eq. = $7.78e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 7.83e-04$ — $t = 1.90012/4$ (1606 iter) — résidu eq. = $9.93e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1\text{e-}01$, schéma implicite, N = 60, dx = 0.2
dt = 7.83e-04 — t = 1.9502/4 (1670 iter) — résidu eq. = 7.44e-06







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 7.83e-04$ — $t = 2.00029/4$ (1734 iter) — résidu eq. = $9.26e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, N = 60, dx = 0.2
dt = 7.83e-04 — t = 2.05037/4 (1798 iter) — résidu eq. = 6.82e-06







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 7.83e-04$ — t = 2.10045/4 (1862 iter) — résidu eq. = 8.35e-06




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 7.83e-04$ — $t = 2.15054/4$ (1926 iter) — résidu eq. = $6.07e-06$



TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 7.83e-04$ — $t = 2.20062/4$ (1990 iter) — résidu eq. = $7.33e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, N = 60, dx = 0.2
dt = 7.83e-04 — t = 2.2507/4 (2054 iter) — résidu eq. = 8.81e-06







TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$

$\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$


$dt = 7.83e-04$ — $t = 2.3/4$ (2117 iter) — résidu eq. = $6.32e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 7.83e-04$ — $t = 2.35009/4$ (2181 iter) — résidu eq. = $7.51e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 9.39e-04$ — $t = 2.40017/4$ (2241 iter) — résidu eq. = $7.61e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.13e-03$ — $t = 2.45106/4$ (2291 iter) — résidu eq. = $7.46e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1\text{e-}01$, schéma implicite, N = 60, dx = 0.2
dt = 1.35e-03 — t = 2.5002/4 (2330 iter) — résidu eq. = 7.18e-06







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.95e-03$ — $t = 2.55147/4$ (2362 iter) — résidu eq. = $8.82e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, N = 60, dx = 0.2
dt = 2.30e-03 — t = 2.60169/4 (2386 iter) — résidu eq. = 7.54e-06







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.28e-03$ — $t = 2.65197/4$ (2408 iter) — résidu eq. = $9.53e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.27e-03$ — $t = 2.70199/4$ (2430 iter) — résidu eq. = $8.58e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.26e-03$ — $t = 2.75176/4$ (2452 iter) — résidu eq. = $7.38e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.25e-03$ — $t = 2.8013/4$ (2474 iter) — résidu eq. = $5.76e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, N = 60, dx = 0.2
dt = 2.24e-03 — t = 2.8506/4 (2496 iter) — résidu eq. = 6.67e-07




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.22e-03$ — $t = 2.90188/4$ (2519 iter) — résidu eq. = $3.10e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1\text{e-}01$, schéma implicite, N = 60, dx = 0.2
dt = 2.21e-03 — t = 2.95071/4 (2541 iter) — résidu eq. = 5.52e-06







TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.20e-03$ — $t = 3.0015/4$ (2564 iter) — résidu eq. = $7.16e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.19e-03$ — $t = 3.05206/4$ (2587 iter) — résidu eq. = $8.17e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.18e-03$ — $t = 3.10019/4$ (2609 iter) — résidu eq. = $8.72e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.17e-03$ — $t = 3.15027/4$ (2632 iter) — résidu eq. = $9.00e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-01$
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.16e-03$ — $t = 3.20012/4$ (2655 iter) — résidu eq. = $9.09e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1\text{e-}01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.15\text{e-}03$ — $t = 3.25189/4$ (2679 iter) — résidu eq. = $9.04\text{e-}06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.14e-03$ — $t = 3.30127/4$ (2702 iter) — résidu eq. = $8.91e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.13e-03$ — $t = 3.35043/4$ (2725 iter) — résidu eq. = $8.72e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.12e-03$ — $t = 3.40149/4$ (2749 iter) — résidu eq. = $8.50e-06$







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, N = 60, dx = 0.2
dt = 2.11e-03 — t = 3.45019/4 (2772 iter) — résidu eq. = 8.27e-06




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.10e-03$ — $t = 3.50079/4$ (2796 iter) — résidu eq. = $8.02e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, N = 60, dx = 0.2
dt = 2.09e-03 — t = 3.55115/4 (2820 iter) — résidu eq. = 7.77e-06







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\epsilon = 1e-01$, schéma implicite, N = 60, dx = 0.2
dt = 2.08e-03 — t = 3.60128/4 (2844 iter) — résidu eq. = 7.52e-06







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\epsilon = 1e-01$, schéma implicite, N = 60, dx = 0.2
dt = 2.07e-03 — t = 3.65119/4 (2868 iter) — résidu eq. = 7.28e-06




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, N = 60, dx = 0.2
dt = 2.07e-03 — t = 3.70087/4 (2892 iter) — résidu eq. = 7.05e-06




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.06e-03$ — $t = 3.75034/4$ (2916 iter) — résidu eq. = $6.83e-06$




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, N = 60, dx = 0.2
dt = 2.05e-03 — t = 3.80164/4 (2941 iter) — résidu eq. = 6.60e-06







TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, N = 60, dx = 0.2
dt = 2.04e-03 — t = 3.85066/4 (2965 iter) — résidu eq. = 6.39e-06




TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, N = 60, dx = 0.2
dt = 2.03e-03 — t = 3.90151/4 (2990 iter) — résidu eq. = 6.19e-06



TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\epsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.02e-03$ — $t = 3.95011/4$ (3014 iter) — résidu eq. = $6.00e-06$



TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.01e-03$ — $t = 4.00051/4$ (3039 iter) — résidu eq. = $5.81e-06$



TEST-1_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-01
 $\varepsilon = 1e-01$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.01e-03$ — $t = 4.00051/4$ (3039 iter) — résidu eq. = $5.81e-06$

