


TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03

$\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$





$dt = 1.14e-04$ — $t = 0/4$ (0 iter) — résidu eq. = $0.00e+00$




TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$

$\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$


$dt = 1.20e-04$ — $t = 0.0001/4$ (1 iter) — résidu eq. = $1.93e-07$




TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.33e-03$ — $t = 0.0500843/4$ (41 iter) — résidu eq. = $7.80e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 0.100189/4$ (78 iter) — résidu eq. = $7.24e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 0.150028/4$ (104 iter) — résidu eq. = $8.83e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 0.201784/4$ (131 iter) — résidu eq. = $8.45e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 1.92e-03 — t = 0.251623/4 (157 iter) — résidu eq. = 9.96e-06




TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 0.301462/4$ (183 iter) — résidu eq. = $8.41e-06$







TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 0.351301/4$ (209 iter) — résidu eq. = $9.96e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 0.40114/4$ (235 iter) — résidu eq. = $8.93e-06$







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 1.92e-03 — t = 0.450978/4 (261 iter) — résidu eq. = 7.87e-06




TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 0.500817/4$ (287 iter) — résidu eq. = $8.00e-06$







TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 0.550656/4$ (313 iter) — résidu eq. = $6.92e-06$







TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 0.600495/4$ (339 iter) — résidu eq. = $8.58e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 0.650334/4$ (365 iter) — résidu eq. = $7.22e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 0.700173/4$ (391 iter) — résidu eq. = $8.04e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 0.750012/4$ (417 iter) — résidu eq. = $9.37e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 0.801768/4$ (444 iter) — résidu eq. = $9.35e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 0.851606/4$ (470 iter) — résidu eq. = $8.16e-06$







TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 0.901445/4$ (496 iter) — résidu eq. = $8.19e-06$







TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 0.951284/4$ (522 iter) — résidu eq. = $8.00e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 1.00112/4$ (548 iter) — résidu eq. = $9.24e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, N = 60, dx = 0.2
dt = 1.92e-03 — t = 1.05096/4 (574 iter) — résidu eq. = 9.41e-06




TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.92e-03$ — $t = 1.1008/4$ (600 iter) — résidu eq. = $7.27e-06$







TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 9.58e-04$ — $t = 1.15064/4$ (635 iter) — résidu eq. = $9.33e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 9.58e-04 — t = 1.20048/4 (687 iter) — résidu eq. = 9.85e-06




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 9.58e-04 — t = 1.25032/4 (739 iter) — résidu eq. = 8.36e-06







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 1.15e-03 — t = 1.30092/4 (791 iter) — résidu eq. = 9.91e-06







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 5.75e-04 — t = 1.35038/4 (864 iter) — résidu eq. = 9.84e-06




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 5.75e-04 — t = 1.40041/4 (951 iter) — résidu eq. = 7.83e-06







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 5.75\text{e-}04$ — $t = 1.45044/4$ (1038 iter) — résidu eq. = $8.49\text{e-}06$







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.47e-03$ — $t = 1.50075/4$ (1077 iter) — résidu eq. = $7.63e-06$







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.24e-03$ — $t = 1.5502/4$ (1109 iter) — résidu eq. = $8.76e-06$







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 1.24e-03 — t = 1.60089/4 (1150 iter) — résidu eq. = 8.41e-06







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 1.24e-03 — t = 1.65034/4 (1190 iter) — résidu eq. = 7.02e-06







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 1.24e-03 — t = 1.70103/4 (1231 iter) — résidu eq. = 8.43e-06




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 1.24e-03 — t = 1.75049/4 (1271 iter) — résidu eq. = 9.84e-06







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.24e-03$ — $t = 1.80117/4$ (1312 iter) — résidu eq. = $7.29e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 1.24e-03 — t = 1.85063/4 (1352 iter) — résidu eq. = 8.24e-06




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.24e-03$ — $t = 1.90008/4$ (1392 iter) — résidu eq. = $9.23e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 1.48e-03 — t = 1.95077/4 (1433 iter) — résidu eq. = 9.93e-06







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.78\text{e-}03$ — t = 2.00151/4 (1466 iter) — résidu eq. = 8.55e-06







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.14\text{e-}03$ — $t = 2.05172/4$ (1492 iter) — résidu eq. = $7.80\text{e-}06$







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.41e-03$ — $t = 2.10106/4$ (1513 iter) — résidu eq. = $8.73e-06$







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.40e-03$ — $t = 2.15154/4$ (1534 iter) — résidu eq. = $7.57e-06$







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.38\text{e-}03$ — t = 2.20176/4 (1555 iter) — résidu eq. = 9.30e-06




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.37\text{e-}03$ — t = 2.25172/4 (1576 iter) — résidu eq. = 6.92e-06







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.36e-03$ — $t = 2.30142/4$ (1597 iter) — résidu eq. = $2.13e-07$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.35e-03$ — $t = 2.35087/4$ (1618 iter) — résidu eq. = $4.82e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.34e-03$ — $t = 2.40007/4$ (1639 iter) — résidu eq. = $8.34e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.32e-03$ — $t = 2.45136/4$ (1661 iter) — résidu eq. = $7.41e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, N = 60, dx = 0.2
dt = 2.31e-03 — t = 2.50007/4 (1682 iter) — résidu eq. = 7.53e-06




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.30e-03$ — $t = 2.55085/4$ (1704 iter) — résidu eq. = $7.53e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.29e-03$ — $t = 2.60137/4$ (1726 iter) — résidu eq. = $7.70e-06$







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 2.28e-03 — t = 2.65163/4 (1748 iter) — résidu eq. = 7.74e-06







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.27\text{e-}03$ — $t = 2.70165/4$ (1770 iter) — résidu eq. = $7.68\text{e-}06$







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.26\text{e-}03$ — t = 2.75143/4 (1792 iter) — résidu eq. = 7.55e-06




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.25e-03$ — $t = 2.80097/4$ (1814 iter) — résidu eq. = $7.37e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.24e-03$ — $t = 2.85026/4$ (1836 iter) — résidu eq. = $9.96e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.22\text{e-}03$ — $t = 2.90155/4$ (1859 iter) — résidu eq. = $7.42\text{e-}06$







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 2.21e-03 — t = 2.95038/4 (1881 iter) — résidu eq. = 7.67e-06







TEST-3_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-03$
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.20e-03$ — $t = 3.00118/4$ (1904 iter) — résidu eq. = $9.73e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 2.19e-03 — t = 3.05173/4 (1927 iter) — résidu eq. = 7.34e-06




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 2.18e-03 — t = 3.10205/4 (1950 iter) — résidu eq. = 9.46e-06




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.17\text{e-}03$ — $t = 3.15212/4$ (1973 iter) — résidu eq. = $9.33\text{e-}06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 2.16e-03 — t = 3.20196/4 (1996 iter) — résidu eq. = 9.89e-06







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.15\text{e-}03$ — $t = 3.25157/4$ (2019 iter) — résidu eq. = $9.63\text{e-}06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.14e-03$ — $t = 3.30096/4$ (2042 iter) — résidu eq. = $9.32e-06$







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.13\text{e-}03$ — $t = 3.35011/4$ (2065 iter) — résidu eq. = $9.01\text{e-}06$







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.12\text{e-}03$ — $t = 3.40117/4$ (2089 iter) — résidu eq. = $8.69\text{e-}06$







TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.11e-03$ — $t = 3.45199/4$ (2113 iter) — résidu eq. = $8.38e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.10e-03$ — $t = 3.50047/4$ (2136 iter) — résidu eq. = $8.11e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.09e-03$ — $t = 3.55084/4$ (2160 iter) — résidu eq. = $7.83e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\epsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.08e-03$ — $t = 3.60097/4$ (2184 iter) — résidu eq. = $7.56e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 2.07e-03 — t = 3.65088/4 (2208 iter) — résidu eq. = 7.31e-06




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, N = 60, dx = 0.2
dt = 2.07e-03 — t = 3.70057/4 (2232 iter) — résidu eq. = 7.07e-06




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, N = 60, dx = 0.2
dt = 2.06e-03 — t = 3.75003/4 (2256 iter) — résidu eq. = 6.84e-06




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, N = 60, dx = 0.2
dt = 2.05e-03 — t = 3.80133/4 (2281 iter) — résidu eq. = 6.61e-06




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.04e-03$ — $t = 3.85036/4$ (2305 iter) — résidu eq. = $6.40e-06$




TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 2.03e-03 — t = 3.90121/4 (2330 iter) — résidu eq. = 6.19e-06



TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1\text{e-}03$, schéma implicite, N = 60, dx = 0.2
dt = 2.02e-03 — t = 3.95183/4 (2355 iter) — résidu eq. = 5.99e-06



TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, N = 60, dx = 0.2
dt = 2.01e-03 — t = 4.00021/4 (2379 iter) — résidu eq. = 5.81e-06



TEST-3_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-03
 $\varepsilon = 1e-03$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.01e-03$ — $t = 4.00021/4$ (2379 iter) — résidu eq. = $5.81e-06$

