


TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$

$\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$


$dt = 1.13e-04$ — $t = 0/4$ (0 iter) — résidu eq. = $0.00e+00$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$

$\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$


$dt = 1.20e-04$ — $t = 0.0001/4$ (1 iter) — résidu eq. = $5.94e-07$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.11e-03$ — $t = 0.0505281/4$ (46 iter) — résidu eq. = $9.74e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.38e-03$ — $t = 0.101048/4$ (116 iter) — résidu eq. = $9.40e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 6.90e-04$ — $t = 0.150043/4$ (154 iter) — résidu eq. = $6.91e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 6.90e-04$ — $t = 0.200419/4$ (227 iter) — résidu eq. = $9.89e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 6.90e-04$ — $t = 0.250104/4$ (299 iter) — résidu eq. = $6.25e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 6.90e-04$ — $t = 0.30048/4$ (372 iter) — résidu eq. = $7.36e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.24e-03$ — $t = 0.35046/4$ (435 iter) — résidu eq. = $7.10e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.56e-03$ — $t = 0.401461/4$ (462 iter) — résidu eq. = $7.89e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 6.41e-04$ — $t = 0.45017/4$ (509 iter) — résidu eq. = $7.32e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.91e-03$ — $t = 0.501719/4$ (556 iter) — résidu eq. = $7.65e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 5.74e-04$ — $t = 0.550233/4$ (611 iter) — résidu eq. = $6.52e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.71e-03$ — $t = 0.601114/4$ (662 iter) — résidu eq. = $7.10e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 6.17e-04$ — $t = 0.650487/4$ (718 iter) — résidu eq. = $7.37e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.84e-03$ — $t = 0.701137/4$ (766 iter) — résidu eq. = $4.21e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 6.63e-04$ — $t = 0.75058/4$ (820 iter) — résidu eq. = $7.83e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.98e-03$ — $t = 0.8019/4$ (865 iter) — résidu eq. = $2.64e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 7.13e-04$ — $t = 0.850434/4$ (915 iter) — résidu eq. = $8.13e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 1.77e-03$ — $t = 0.90013/4$ (959 iter) — résidu eq. = $6.66e-06$





TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 7.67e-04$ — $t = 0.950389/4$ (1008 iter) — résidu eq. = $8.38e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 1.91e-03 — t = 1.00024/4 (1050 iter) — résidu eq. = 8.09e-06







TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 8.24e-04$ — $t = 1.05002/4$ (1097 iter) — résidu eq. = $8.47e-06$







TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.46e-03$ — $t = 1.1018/4$ (1137 iter) — résidu eq. = $8.02e-06$







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 8.86e-04 — t = 1.15015/4 (1177 iter) — résidu eq. = 7.81e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 1.53e-03 — t = 1.20044/4 (1220 iter) — résidu eq. = 8.73e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 7.65e-04 — t = 1.25019/4 (1270 iter) — résidu eq. = 8.80e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 7.65e-04 — t = 1.3007/4 (1336 iter) — résidu eq. = 7.72e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 1.32e-03 — t = 1.35012/4 (1381 iter) — résidu eq. = 9.48e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 1.32e-03 — t = 1.40038/4 (1419 iter) — résidu eq. = 7.93e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 1.32e-03 — t = 1.45063/4 (1457 iter) — résidu eq. = 8.00e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 1.32e-03 — t = 1.50089/4 (1495 iter) — résidu eq. = 8.29e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 1.32e-03 — t = 1.55115/4 (1533 iter) — résidu eq. = 8.97e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 1.32e-03 — t = 1.60008/4 (1570 iter) — résidu eq. = 6.63e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 1.32e-03 — t = 1.65034/4 (1608 iter) — résidu eq. = 7.52e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 1.32e-03 — t = 1.70059/4 (1646 iter) — résidu eq. = 8.61e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 1.32e-03 — t = 1.75085/4 (1684 iter) — résidu eq. = 9.91e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 1.32e-03 — t = 1.80111/4 (1722 iter) — résidu eq. = 7.57e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 1.32e-03 — t = 1.85004/4 (1759 iter) — résidu eq. = 8.94e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 1.32e-03 — t = 1.9003/4 (1797 iter) — résidu eq. = 6.88e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 1.59e-03 — t = 1.95135/4 (1830 iter) — résidu eq. = 7.32e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 1.90e-03 — t = 2.00181/4 (1858 iter) — résidu eq. = 7.80e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.29e-03 — t = 2.05209/4 (1882 iter) — résidu eq. = 8.33e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.41e-03 — t = 2.10085/4 (1903 iter) — résidu eq. = 7.44e-06







TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.40e-03$ — $t = 2.15134/4$ (1924 iter) — résidu eq. = $8.70e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.38e-03 — t = 2.20155/4 (1945 iter) — résidu eq. = 7.45e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.37e-03 — t = 2.25151/4 (1966 iter) — résidu eq. = 8.90e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.36e-03 — t = 2.30122/4 (1987 iter) — résidu eq. = 7.64e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.35e-03 — t = 2.35067/4 (2008 iter) — résidu eq. = 9.89e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.34e-03 — t = 2.40221/4 (2030 iter) — résidu eq. = 8.85e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.32e-03 — t = 2.45116/4 (2051 iter) — résidu eq. = 7.99e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.31e-03 — t = 2.50218/4 (2073 iter) — résidu eq. = 7.44e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.30e-03 — t = 2.55065/4 (2094 iter) — résidu eq. = 9.62e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.29e-03 — t = 2.60117/4 (2116 iter) — résidu eq. = 9.83e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.28e-03 — t = 2.65144/4 (2138 iter) — résidu eq. = 9.29e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.27e-03 — t = 2.70146/4 (2160 iter) — résidu eq. = 8.78e-06







TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.26e-03$ — $t = 2.75123/4$ (2182 iter) — résidu eq. = $8.32e-06$







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.25e-03 — t = 2.80077/4 (2204 iter) — résidu eq. = 7.91e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.24e-03 — t = 2.85007/4 (2226 iter) — résidu eq. = 7.54e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.22e-03 — t = 2.90136/4 (2249 iter) — résidu eq. = 7.40e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.21e-03 — t = 2.95018/4 (2271 iter) — résidu eq. = 7.67e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.20e-03 — t = 3.00099/4 (2294 iter) — résidu eq. = 9.87e-06




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.19e-03$ — $t = 3.05154/4$ (2317 iter) — résidu eq. = $9.98e-06$







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.18e-03 — t = 3.10186/4 (2340 iter) — résidu eq. = 9.84e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.17e-03 — t = 3.15193/4 (2363 iter) — résidu eq. = 1.00e-05




TEST-8_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-08$
 $\epsilon = 1e-08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.16e-03$ — $t = 3.20178/4$ (2386 iter) — résidu eq. = $9.92e-06$




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\epsilon = 1\text{e-}08$, schéma implicite, $N = 60$, $dx = 0.2$
 $dt = 2.15\text{e-}03$ — $t = 3.25139/4$ (2409 iter) — résidu eq. = $9.66\text{e-}06$




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.14e-03 — t = 3.30077/4 (2432 iter) — résidu eq. = 9.34e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.13e-03 — t = 3.35206/4 (2456 iter) — résidu eq. = 9.01e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.12e-03 — t = 3.40099/4 (2479 iter) — résidu eq. = 8.70e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.11e-03 — t = 3.45181/4 (2503 iter) — résidu eq. = 8.39e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.10e-03 — t = 3.50029/4 (2526 iter) — résidu eq. = 8.11e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.09e-03 — t = 3.55066/4 (2550 iter) — résidu eq. = 7.83e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\epsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.08e-03 — t = 3.60079/4 (2574 iter) — résidu eq. = 7.56e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\epsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.07e-03 — t = 3.6507/4 (2598 iter) — résidu eq. = 7.31e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.07e-03 — t = 3.70039/4 (2622 iter) — résidu eq. = 7.07e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.06e-03 — t = 3.75191/4 (2647 iter) — résidu eq. = 6.83e-06







TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.05e-03 — t = 3.80115/4 (2671 iter) — résidu eq. = 6.61e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.04e-03 — t = 3.85018/4 (2695 iter) — résidu eq. = 6.40e-06




TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.03e-03 — t = 3.90103/4 (2720 iter) — résidu eq. = 6.19e-06



TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.02e-03 — t = 3.95165/4 (2745 iter) — résidu eq. = 6.00e-06



TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.01e-03 — t = 4.00004/4 (2769 iter) — résidu eq. = 5.81e-06



TEST-8_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-08
 $\varepsilon = 1\text{e-}08$, schéma implicite, N = 60, dx = 0.2
dt = 2.01e-03 — t = 4.00004/4 (2769 iter) — résidu eq. = 5.81e-06

