





TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$

$\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$





$dt = 4.79e-05$ — $t = 0/4$ (0 iter) — résidu eq. = $0.00e+00$





TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$

$\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$





$dt = 1.20e-04$ — $t = 0.0001/4$ (1 iter) — résidu eq. = $6.46e-06$







TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.19e-04$ — $t = 0.0500486/4$ (112 iter) — résidu eq. = $8.54e-06$







TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.19e-04$ — $t = 0.100202/4$ (193 iter) — résidu eq. = $9.18e-06$







TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.19e-04$ — $t = 0.150355/4$ (274 iter) — résidu eq. = $6.89e-06$





TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 9.24e-04$ — $t = 0.200674/4$ (337 iter) — résidu eq. = $8.45e-06$







TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 9.58e-04$ — $t = 0.250875/4$ (391 iter) — résidu eq. = $9.47e-06$







TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.19e-03$ — $t = 0.300674/4$ (449 iter) — résidu eq. = $9.18e-06$







TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.48e-03$ — $t = 0.351211/4$ (501 iter) — résidu eq. = $9.95e-06$







TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.07e-03 — t = 0.400585/4 (542 iter) — résidu eq. = 7.55e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\epsilon = 1e-02$, schéma implicit, N = 60, dx = 0.1
dt = 1.11e-03 — t = 0.450949/4 (582 iter) — résidu eq. = 7.87e-06







TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.15e-03$ — $t = 0.500748/4$ (620 iter) — résidu eq. = $7.89e-06$




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1e-02$, schéma implicit, $N = 60$, $dx = 0.1$
 $dt = 1.18e-03$ — $t = 0.550307/4$ (657 iter) — résidu eq. = $9.85e-06$





TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.17e-03$ — $t = 0.600004/4$ (694 iter) — résidu eq. = $9.12e-06$




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 8.41e-04$ — $t = 0.650318/4$ (737 iter) — résidu eq. = $9.85e-06$




TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 8.41e-04$ — $t = 0.700772/4$ (797 iter) — résidu eq. = $9.25e-06$







TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 8.41e-04$ — $t = 0.750385/4$ (856 iter) — résidu eq. = $8.28e-06$







TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 8.41e-04$ — $t = 0.80084/4$ (916 iter) — résidu eq. = $8.30e-06$







TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicit, N = 60, dx = 0.1
dt = 8.41e-04 — t = 0.850453/4 (975 iter) — résidu eq. = 9.79e-06







TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 8.41e-04$ — $t = 0.900066/4$ (1034 iter) — résidu eq. = $8.00e-06$







TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.20e-04$ — $t = 0.9501/4$ (1105 iter) — résidu eq. = $6.72e-06$







TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 4.20e-04 — t = 1.00013/4 (1224 iter) — résidu eq. = 8.65e-06







TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.20e-04$ — $t = 1.05017/4$ (1343 iter) — résidu eq. = $9.62e-06$







TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.20e-04$ — $t = 1.1002/4$ (1462 iter) — résidu eq. = $6.50e-06$




TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicit, $N = 60$, $dx = 0.1$
 $dt = 4.20e-04$ — $t = 1.15023/4$ (1581 iter) — résidu eq. = $8.42e-06$







TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.20e-04$ — $t = 1.20027/4$ (1700 iter) — résidu eq. = $9.76e-06$







TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 4.20e-04 — t = 1.2503/4 (1819 iter) — résidu eq. = 9.95e-06




TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.52e-04$ — $t = 1.30017/4$ (1954 iter) — résidu eq. = $7.04e-06$




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.26e-04 — t = 1.35012/4 (2295 iter) — résidu eq. = 6.60e-06







TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 3.77e-04 — t = 1.40018/4 (2551 iter) — résidu eq. = 8.80e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.88\text{e-}04$ — $t = 1.45008/4$ (2793 iter) — résidu eq. = $7.44\text{e-}06$




TEST-2_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-02$
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.88e-04$ — $t = 1.50017/4$ (3059 iter) — résidu eq. = $5.93e-06$




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.88e-04 — t = 1.55008/4 (3324 iter) — résidu eq. = 8.23e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\epsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.88e-04 — t = 1.60017/4 (3590 iter) — résidu eq. = 5.90e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.88e-04 — t = 1.65007/4 (3855 iter) — résidu eq. = 7.80e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.88e-04$ — $t = 1.70017/4$ (4121 iter) — résidu eq. = $5.44e-06$




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.88e-04 — t = 1.75007/4 (4386 iter) — résidu eq. = 7.02e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.88\text{e-}04$ — $t = 1.80017/4$ (4652 iter) — résidu eq. = $8.95\text{e-}06$




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.88e-04 — t = 1.85007/4 (4917 iter) — résidu eq. = 6.09e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 2.26e-04 — t = 1.9002/4 (5152 iter) — résidu eq. = 6.28e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.71\text{e-}04$ — $t = 1.95014/4$ (5345 iter) — résidu eq. = $6.28\text{e-}06$




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.90\text{e-}04$ — $t = 2.00003/4$ (5500 iter) — résidu eq. = $8.66\text{e-}06$




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 4.69e-04 — t = 2.0504/4 (5622 iter) — résidu eq. = 7.94e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 5.62e-04 — t = 2.10007/4 (5717 iter) — résidu eq. = 7.09e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 8.10\text{e-}04$ — $t = 2.15062/4$ (5788 iter) — résidu eq. = $8.12\text{e-}06$




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.17e-03 — t = 2.2002/4 (5839 iter) — résidu eq. = 8.67e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.68e-03 — t = 2.25104/4 (5875 iter) — résidu eq. = 8.33e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.70e-03 — t = 2.3005/4 (5904 iter) — résidu eq. = 9.99e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.69e-03 — t = 2.35136/4 (5934 iter) — résidu eq. = 9.77e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.68e-03 — t = 2.40016/4 (5963 iter) — résidu eq. = 4.77e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.66e-03 — t = 2.45028/4 (5993 iter) — résidu eq. = 1.04e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.65e-03 — t = 2.50005/4 (6023 iter) — résidu eq. = 4.92e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.64e-03 — t = 2.55111/4 (6054 iter) — résidu eq. = 7.41e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.63e-03 — t = 2.60017/4 (6084 iter) — résidu eq. = 8.83e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.62\text{e-}03$ — $t = 2.65051/4$ (6115 iter) — résidu eq. = $9.64\text{e-}06$




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.61e-03 — t = 2.7005/4 (6146 iter) — résidu eq. = 9.38e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.60\text{e-}03$ — $t = 2.75014/4$ (6177 iter) — résidu eq. = $9.94\text{e-}06$







TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.58e-03 — t = 2.80103/4 (6209 iter) — résidu eq. = 9.98e-06







TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.57e-03 — t = 2.85157/4 (6241 iter) — résidu eq. = 9.82e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.56e-03 — t = 2.9002/4 (6272 iter) — résidu eq. = 9.58e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.55e-03 — t = 2.95006/4 (6304 iter) — résidu eq. = 9.30e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.54e-03 — t = 3.00114/4 (6337 iter) — résidu eq. = 8.99e-06







TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.53e-03 — t = 3.05033/4 (6369 iter) — résidu eq. = 8.69e-06







TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.52e-03 — t = 3.10073/4 (6402 iter) — résidu eq. = 8.39e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.51e-03 — t = 3.1508/4 (6435 iter) — résidu eq. = 8.09e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.50e-03 — t = 3.20055/4 (6468 iter) — résidu eq. = 7.80e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.49e-03 — t = 3.25146/4 (6502 iter) — résidu eq. = 7.52e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.48\text{e-}03$ — $t = 3.30056/4$ (6535 iter) — résidu eq. = $7.26\text{e-}06$




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.47\text{e-}03$ — $t = 3.35083/4$ (6569 iter) — résidu eq. = $7.00\text{e-}06$




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.46\text{e-}03$ — $t = 3.40078/4$ (6603 iter) — résidu eq. = $6.75\text{e-}06$







TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.46e-03 — t = 3.45041/4 (6637 iter) — résidu eq. = 6.52e-06







TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\epsilon = 1\text{e-}02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.45\text{e-}03$ — $t = 3.50118/4$ (6672 iter) — résidu eq. = $6.29\text{e-}06$







TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.44e-03 — t = 3.5502/4 (6706 iter) — résidu eq. = 6.08e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicit, N = 60, dx = 0.1
dt = 1.43e-03 — t = 3.60034/4 (6741 iter) — résidu eq. = 5.87e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.42\text{e-}03$ — $t = 3.65018/4$ (6776 iter) — résidu eq. = $5.68\text{e-}06$







TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicit, N = 60, dx = 0.1
dt = 1.41e-03 — t = 3.70112/4 (6812 iter) — résidu eq. = 5.49e-06







TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.40\text{e-}03$ — $t = 3.75035/4$ (6847 iter) — résidu eq. = $5.31\text{e-}06$




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.39\text{e-}03$ — $t = 3.80068/4$ (6883 iter) — résidu eq. = $5.13\text{e-}06$







TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1\text{e-}02$, schéma implicite, N = 60, dx = 0.1
dt = 1.39e-03 — t = 3.85071/4 (6919 iter) — résidu eq. = 4.97e-06




TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1e-02$, schéma implicit, N = 60, dx = 0.1
dt = 1.38e-03 — t = 3.90043/4 (6955 iter) — résidu eq. = 4.81e-06



TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\epsilon = 1e-02$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.37e-03$ — $t = 3.95124/4$ (6992 iter) — résidu eq. = $4.66e-06$



TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1e-02$, schéma implicite, N = 60, dx = 0.1
dt = 1.36e-03 — t = 4.00038/4 (7028 iter) — résidu eq. = 4.51e-06



TEST-2_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-02
 $\varepsilon = 1e-02$, schéma implicite, N = 60, dx = 0.1
dt = 1.36e-03 — t = 4.00038/4 (7028 iter) — résidu eq. = 4.51e-06

