





TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$

$\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$





$dt = 6.87e-05$ — $t = 0/4$ (0 iter) — résidu eq. = $0.00e+00$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$

$\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$





$dt = 1.00e-04$ — $t = 0.0001/4$ (1 iter) — résidu eq. = $3.49e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.44e-04$ — $t = 0.05002/4$ (456 iter) — résidu eq. = $8.09e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.73e-04$ — $t = 0.100046/4$ (783 iter) — résidu eq. = $4.58e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.49e-04$ — $t = 0.150019/4$ (1027 iter) — résidu eq. = $6.78e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.79e-04$ — $t = 0.200129/4$ (1282 iter) — résidu eq. = $4.38e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.23e-04$ — $t = 0.250042/4$ (1525 iter) — résidu eq. = $6.49e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.31e-04$ — $t = 0.30002/4$ (1756 iter) — résidu eq. = $8.32e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.40e-04$ — $t = 0.350067/4$ (1975 iter) — résidu eq. = $2.69e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.48e-04$ — $t = 0.400042/4$ (2199 iter) — résidu eq. = $3.66e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.55e-04$ — $t = 0.450021/4$ (2389 iter) — résidu eq. = $2.98e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.92e-04$ — $t = 0.50003/4$ (2587 iter) — résidu eq. = $6.59e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.44e-04$ — $t = 0.550337/4$ (2792 iter) — résidu eq. = $5.99e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.57e-04$ — $t = 0.600295/4$ (2964 iter) — résidu eq. = $7.29e-06$




TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.70e-04$ — $t = 0.650313/4$ (3130 iter) — résidu eq. = $6.32e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.32e-04$ — $t = 0.700245/4$ (3296 iter) — résidu eq. = $7.82e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.13e-04$ — $t = 0.750365/4$ (3443 iter) — résidu eq. = $6.20e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.28e-04$ — $t = 0.800113/4$ (3587 iter) — résidu eq. = $7.17e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.60e-04$ — $t = 0.850438/4$ (3733 iter) — résidu eq. = $8.73e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.94e-04$ — $t = 0.900256/4$ (3875 iter) — résidu eq. = $9.71e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.43e-04$ — $t = 0.950114/4$ (4017 iter) — résidu eq. = $8.54e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1e-05$, schéma implicite, N = 60, dx = 0.1
dt = 5.71e-04 — t = 1.00006/4 (4153 iter) — résidu eq. = 6.61e-06




TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.55e-04$ — $t = 1.05/4$ (4284 iter) — résidu eq. = $6.67e-06$




TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.18e-04$ — $t = 1.1001/4$ (4421 iter) — résidu eq. = $6.70e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1e-05$, schéma implicite, N = 60, dx = 0.1
dt = 1.38e-04 — t = 1.15008/4 (4544 iter) — résidu eq. = 2.64e-06







TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 4.93e-04 — t = 1.20044/4 (4687 iter) — résidu eq. = 5.79e-06







TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 4.41e-04 — t = 1.25016/4 (4855 iter) — résidu eq. = 9.07e-06







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.75e-04$ — $t = 1.30027/4$ (5016 iter) — résidu eq. = $9.16e-06$




TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.25e-04$ — $t = 1.35012/4$ (5175 iter) — résidu eq. = $9.66e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.81e-04$ — $t = 1.40007/4$ (5332 iter) — résidu eq. = $2.28e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1e-05$, schéma implicite, N = 60, dx = 0.1
dt = 3.29e-04 — t = 1.45019/4 (5488 iter) — résidu eq. = 7.38e-06







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.09e-04$ — $t = 1.50025/4$ (5633 iter) — résidu eq. = $6.21e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.24e-04$ — $t = 1.55013/4$ (5771 iter) — résidu eq. = $6.46e-06$




TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.56e-04$ — $t = 1.60003/4$ (5908 iter) — résidu eq. = $8.26e-06$




TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.97e-04$ — $t = 1.65006/4$ (6040 iter) — résidu eq. = $2.23e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 1.47e-04 — t = 1.70013/4 (6137 iter) — résidu eq. = 8.85e-06







TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\epsilon = 1e-05$, schéma implicite, N = 60, dx = 0.1
dt = 3.16e-04 — t = 1.75008/4 (6241 iter) — résidu eq. = 4.39e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.80e-04$ — $t = 1.80029/4$ (6344 iter) — résidu eq. = $4.44e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.39e-04$ — $t = 1.85009/4$ (6471 iter) — résidu eq. = $7.72e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.89e-04$ — $t = 1.90012/4$ (6591 iter) — résidu eq. = $8.39e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.54e-04$ — $t = 1.95043/4$ (6716 iter) — résidu eq. = $7.57e-06$




TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 5.06e-04$ — $t = 2.0004/4$ (6836 iter) — résidu eq. = $3.34e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.70e-04$ — $t = 2.05003/4$ (6957 iter) — résidu eq. = $5.98e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.36e-04$ — $t = 2.10009/4$ (7081 iter) — résidu eq. = $7.16e-06$



TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 8.11e-04$ — $t = 2.15027/4$ (7196 iter) — résidu eq. = $9.85e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 8.72e-04$ — $t = 2.20011/4$ (7293 iter) — résidu eq. = $7.75e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$

$\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$





$dt = 8.09e-04$ — $t = 2.2505/4$ (7393 iter) — résidu eq. = $9.61e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 8.70e-04$ — $t = 2.30081/4$ (7492 iter) — résidu eq. = $8.30e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 8.08e-04$ — $t = 2.35062/4$ (7593 iter) — résidu eq. = $8.51e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 7.24e-04$ — $t = 2.40006/4$ (7694 iter) — résidu eq. = $9.15e-06$







TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 7.78e-04$ — $t = 2.45034/4$ (7803 iter) — résidu eq. = $9.48e-06$




TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.97e-04$ — $t = 2.5006/4$ (7908 iter) — résidu eq. = $8.61e-06$




TEST-5_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-05$
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 7.49e-04$ — $t = 2.5505/4$ (8020 iter) — résidu eq. = $7.66e-06$




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1e-05$, schéma implicite, N = 60, dx = 0.1
dt = 3.88e-04 — t = 2.6002/4 (8127 iter) — résidu eq. = 6.79e-06







TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1e-05$, schéma implicite, N = 60, dx = 0.1
dt = 3.48e-04 — t = 2.65015/4 (8239 iter) — résidu eq. = 7.39e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.16\text{e-}04$ — $t = 2.70006/4$ (8346 iter) — résidu eq. = $9.67\text{e-}06$







TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 2.16e-04 — t = 2.75007/4 (8577 iter) — résidu eq. = 9.05e-06







TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 4.49e-04 — t = 2.80026/4 (8742 iter) — résidu eq. = 9.09e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.49e-04$ — $t = 2.85009/4$ (8853 iter) — résidu eq. = $9.71e-06$




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 4.49e-04 — t = 2.90036/4 (8965 iter) — résidu eq. = 9.15e-06







TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\epsilon = 1e-05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.49e-04$ — $t = 2.95019/4$ (9076 iter) — résidu eq. = $9.68e-06$




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.49\text{e-}04$ — $t = 3.00001/4$ (9187 iter) — résidu eq. = $6.84\text{e-}06$







TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 4.49e-04 — t = 3.05028/4 (9299 iter) — résidu eq. = 7.37e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 4.49e-04 — t = 3.10011/4 (9410 iter) — résidu eq. = 7.98e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 4.49e-04 — t = 3.15038/4 (9522 iter) — résidu eq. = 8.64e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 5.39e-04 — t = 3.20039/4 (9629 iter) — résidu eq. = 8.46e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 6.46e-04 — t = 3.25048/4 (9716 iter) — résidu eq. = 8.22e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1e-05$, schéma implicite, N = 60, dx = 0.1
dt = 7.76e-04 — t = 3.30025/4 (9786 iter) — résidu eq. = 7.96e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1e-05$, schéma implicite, N = 60, dx = 0.1
dt = 9.31e-04 — t = 3.35052/4 (9843 iter) — résidu eq. = 7.69e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1e-05$, schéma implicite, N = 60, dx = 0.1
dt = 1.34e-03 — t = 3.4003/4 (9888 iter) — résidu eq. = 9.62e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1e-05$, schéma implicite, N = 60, dx = 0.1
dt = 1.61e-03 — t = 3.4515/4 (9925 iter) — résidu eq. = 9.45e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 1.78e-03 — t = 3.50079/4 (9955 iter) — résidu eq. = 8.63e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 1.77e-03 — t = 3.55049/4 (9983 iter) — résidu eq. = 9.12e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 1.75e-03 — t = 3.60152/4 (10012 iter) — résidu eq. = 9.78e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 1.74e-03 — t = 3.65042/4 (10040 iter) — résidu eq. = 8.20e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 1.73e-03 — t = 3.70069/4 (10069 iter) — résidu eq. = 9.65e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 1.71e-03 — t = 3.75058/4 (10098 iter) — résidu eq. = 8.52e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 1.70e-03 — t = 3.80011/4 (10127 iter) — résidu eq. = 9.94e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 1.69e-03 — t = 3.85097/4 (10157 iter) — résidu eq. = 9.98e-06




TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.68\text{e-}03$ — $t = 3.90145/4$ (10187 iter) — résidu eq. = $9.49\text{e-}06$



TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 1.66e-03 — t = 3.95157/4 (10217 iter) — résidu eq. = 8.90e-06



TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, N = 60, dx = 0.1
dt = 1.65e-03 — t = 4.00132/4 (10247 iter) — résidu eq. = 8.40e-06



TEST-5_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-05
 $\varepsilon = 1\text{e-}05$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.65\text{e-}03$ — $t = 4.00132/4$ (10247 iter) — résidu eq. = $8.40\text{e-}06$

