





TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06

$\varepsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$





$dt = 6.87e-05$ — $t = 0/4$ (0 iter) — résidu eq. = $0.00e+00$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$

$\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$





$dt = 1.00e-04$ — $t = 0.0001/4$ (1 iter) — résidu eq. = $4.31e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.44e-04$ — $t = 0.050108/4$ (397 iter) — résidu eq. = $7.84e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.73e-04$ — $t = 0.100134/4$ (721 iter) — résidu eq. = $4.38e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.79e-04$ — $t = 0.150035/4$ (1014 iter) — résidu eq. = $6.90e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.86e-04$ — $t = 0.200028/4$ (1289 iter) — résidu eq. = $4.61e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.93e-04$ — $t = 0.250132/4$ (1562 iter) — résidu eq. = $6.53e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.40e-04$ — $t = 0.300044/4$ (1796 iter) — résidu eq. = $6.86e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.48e-04$ — $t = 0.350041/4$ (2023 iter) — résidu eq. = $3.18e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.58e-04$ — $t = 0.400028/4$ (2244 iter) — résidu eq. = $6.34e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.34e-04$ — $t = 0.450086/4$ (2470 iter) — résidu eq. = $3.19e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.66e-04$ — $t = 0.500038/4$ (2694 iter) — résidu eq. = $7.80e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.98e-04$ — $t = 0.550019/4$ (2902 iter) — résidu eq. = $8.95e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.09e-04$ — $t = 0.600029/4$ (3100 iter) — résidu eq. = $8.38e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.20e-04$ — $t = 0.65002/4$ (3283 iter) — résidu eq. = $6.76e-06$




TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.44e-04$ — $t = 0.700005/4$ (3464 iter) — résidu eq. = $6.52e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.70e-04$ — $t = 0.750035/4$ (3619 iter) — résidu eq. = $5.73e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.77e-04$ — $t = 0.800408/4$ (3771 iter) — résidu eq. = $6.74e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.56e-04$ — $t = 0.850093/4$ (3932 iter) — résidu eq. = $6.23e-06$




TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.83e-04$ — $t = 0.900194/4$ (4097 iter) — résidu eq. = $7.06e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.94e-04$ — $t = 0.950453/4$ (4253 iter) — résidu eq. = $8.36e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 4.42e-04 — t = 1.00037/4 (4399 iter) — résidu eq. = 9.52e-06




TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.30e-04$ — $t = 1.05027/4$ (4555 iter) — résidu eq. = $6.77e-06$




TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.96e-04$ — $t = 1.10014/4$ (4691 iter) — résidu eq. = $6.16e-06$




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.65e-04$ — $t = 1.15008/4$ (4825 iter) — résidu eq. = $7.04e-06$




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 2.75e-04 — t = 1.20009/4 (4956 iter) — résidu eq. = 7.06e-06







TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.92\text{e-}04$ — $t = 1.25036/4$ (5113 iter) — résidu eq. = $6.95\text{e-}06$




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 4.41e-04 — t = 1.30018/4 (5276 iter) — résidu eq. = 8.22e-06







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.74e-04$ — $t = 1.35038/4$ (5447 iter) — résidu eq. = $6.48e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.24e-04$ — $t = 1.40008/4$ (5601 iter) — résidu eq. = $6.69e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.80e-04$ — $t = 1.45008/4$ (5754 iter) — résidu eq. = $8.52e-06$







TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 4.09e-04 — t = 1.50029/4 (5900 iter) — résidu eq. = 8.15e-06




TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.39e-04$ — $t = 1.55012/4$ (6049 iter) — résidu eq. = $9.17e-06$




TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.72e-04$ — $t = 1.60002/4$ (6192 iter) — résidu eq. = $7.04e-06$




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 6.09e-04 — t = 1.65015/4 (6330 iter) — résidu eq. = 9.95e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.52e-04$ — $t = 1.7001/4$ (6441 iter) — résidu eq. = $4.62e-06$




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.64e-04$ — $t = 1.75007/4$ (6535 iter) — résidu eq. = $8.46e-06$




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1e-06$, schéma implicite, N = 60, dx = 0.1
dt = 3.52e-04 — t = 1.80023/4 (6632 iter) — résidu eq. = 4.54e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 3.92e-04 — t = 1.8502/4 (6772 iter) — résidu eq. = 7.11e-06







TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 4.37e-04 — t = 1.90024/4 (6908 iter) — résidu eq. = 8.87e-06







TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\epsilon = 1\text{e-}06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.06\text{e-}04$ — $t = 1.95015/4$ (7047 iter) — résidu eq. = $9.80\text{e-}06$




TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 7.54e-04$ — $t = 2.00025/4$ (7163 iter) — résidu eq. = $9.58e-06$




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.20e-04$ — $t = 2.05004/4$ (7289 iter) — résidu eq. = $1.11e-06$




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1e-06$, schéma implicite, N = 60, dx = 0.1
dt = 7.81e-04 — t = 2.10001/4 (7411 iter) — résidu eq. = 8.60e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 7.25e-04$ — $t = 2.15064/4$ (7524 iter) — résidu eq. = $9.51e-06$




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1e-06$, schéma implicite, N = 60, dx = 0.1
dt = 8.08e-04 — t = 2.20036/4 (7634 iter) — résidu eq. = 9.91e-06







TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 7.51e-04 — t = 2.2505/4 (7747 iter) — résidu eq. = 7.27e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 8.37e-04 — t = 2.30009/4 (7858 iter) — résidu eq. = 7.97e-06




TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 7.77e-04$ — $t = 2.35064/4$ (7971 iter) — résidu eq. = $9.16e-06$




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 8.66\text{e-}04$ — $t = 2.40016/4$ (8084 iter) — résidu eq. = $7.96\text{e-}06$




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 8.04e-04 — t = 2.45079/4 (8198 iter) — résidu eq. = 7.81e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 7.47e-04 — t = 2.50057/4 (8313 iter) — résidu eq. = 8.81e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\epsilon = 1e-06$, schéma implicite, N = 60, dx = 0.1
dt = 8.32e-04 — t = 2.55009/4 (8430 iter) — résidu eq. = 9.04e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 7.73e-04 — t = 2.60014/4 (8546 iter) — résidu eq. = 5.41e-06







TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 4.16e-04 — t = 2.65013/4 (8663 iter) — résidu eq. = 6.50e-06







TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 3.22e-04 — t = 2.7002/4 (8779 iter) — résidu eq. = 7.73e-06




TEST-6_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-06$
 $\epsilon = 1e-06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.00e-04$ — $t = 2.75005/4$ (8898 iter) — résidu eq. = $7.27e-06$




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 4.15e-04 — t = 2.80014/4 (9077 iter) — résidu eq. = 7.00e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 4.15e-04 — t = 2.85034/4 (9198 iter) — résidu eq. = 7.99e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 4.15e-04 — t = 2.90013/4 (9318 iter) — résidu eq. = 7.80e-06







TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.15\text{e-}04$ — $t = 2.95033/4$ (9439 iter) — résidu eq. = $8.38\text{e-}06$




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 4.15e-04 — t = 3.00011/4 (9559 iter) — résidu eq. = 9.19e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 4.15e-04 — t = 3.05031/4 (9680 iter) — résidu eq. = 9.97e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 4.15e-04 — t = 3.10009/4 (9800 iter) — résidu eq. = 7.12e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 4.15e-04 — t = 3.15029/4 (9921 iter) — résidu eq. = 7.82e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 4.98e-04 — t = 3.20033/4 (10032 iter) — résidu eq. = 7.72e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 5.97e-04 — t = 3.25021/4 (10122 iter) — résidu eq. = 7.54e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 7.17e-04 — t = 3.30027/4 (10195 iter) — résidu eq. = 7.32e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.03\text{e-}03$ — $t = 3.3508/4$ (10253 iter) — résidu eq. = $9.29\text{e-}06$




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 1.24e-03 — t = 3.40097/4 (10299 iter) — résidu eq. = 8.99e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.49\text{e-}03$ — $t = 3.45052/4$ (10336 iter) — résidu eq. = $8.86\text{e-}06$




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 1.78e-03 — t = 3.50107/4 (10367 iter) — résidu eq. = 8.89e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 1.77e-03 — t = 3.55081/4 (10395 iter) — résidu eq. = 9.34e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 1.75e-03 — t = 3.60008/4 (10423 iter) — résidu eq. = 9.92e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 1.74e-03 — t = 3.65073/4 (10452 iter) — résidu eq. = 8.32e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 1.73e-03 — t = 3.701/4 (10481 iter) — résidu eq. = 9.74e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 1.71e-03 — t = 3.75089/4 (10510 iter) — résidu eq. = 8.59e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 1.70e-03 — t = 3.80041/4 (10539 iter) — résidu eq. = 9.96e-06




TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 1.69e-03 — t = 3.85127/4 (10569 iter) — résidu eq. = 9.51e-06







TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 1.68e-03 — t = 3.90007/4 (10598 iter) — résidu eq. = 9.53e-06



TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 1.66e-03 — t = 3.9502/4 (10628 iter) — résidu eq. = 8.94e-06



TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 1.65e-03 — t = 4.00162/4 (10659 iter) — résidu eq. = 8.41e-06



TEST-6_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-06
 $\varepsilon = 1\text{e-}06$, schéma implicite, N = 60, dx = 0.1
dt = 1.65e-03 — t = 4.00162/4 (10659 iter) — résidu eq. = 8.41e-06

