





TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04

$\varepsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$





$dt = 6.87e-05$ — $t = 0/4$ (0 iter) — résidu eq. = $0.00e+00$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$

$\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$





$dt = 1.20e-04$ — $t = 0.0001/4$ (1 iter) — résidu eq. = $7.75e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.07e-04$ — $t = 0.0501026/4$ (301 iter) — résidu eq. = $4.79e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.07e-04$ — $t = 0.100076/4$ (542 iter) — résidu eq. = $9.98e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 2.99e-04$ — $t = 0.150108/4$ (740 iter) — résidu eq. = $9.15e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.58e-04$ — $t = 0.200034/4$ (905 iter) — résidu eq. = $8.50e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.58e-04$ — $t = 0.250198/4$ (1045 iter) — résidu eq. = $6.25e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.58e-04$ — $t = 0.300005/4$ (1184 iter) — résidu eq. = $8.59e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 5.16e-04$ — $t = 0.350341/4$ (1312 iter) — résidu eq. = $9.03e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.10e-04$ — $t = 0.400236/4$ (1437 iter) — résidu eq. = $9.29e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.46e-04$ — $t = 0.450216/4$ (1575 iter) — résidu eq. = $7.08e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.46e-04$ — $t = 0.500146/4$ (1687 iter) — résidu eq. = $7.15e-06$





TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.46e-04$ — $t = 0.550076/4$ (1799 iter) — résidu eq. = $8.70e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 4.46e-04$ — $t = 0.600006/4$ (1911 iter) — résidu eq. = $6.52e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 5.35e-04$ — $t = 0.650382/4$ (2018 iter) — résidu eq. = $9.27e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 5.35e-04$ — $t = 0.700134/4$ (2111 iter) — résidu eq. = $6.59e-06$




TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 5.35e-04$ — $t = 0.750421/4$ (2205 iter) — résidu eq. = $7.16e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 5.35e-04$ — $t = 0.800173/4$ (2298 iter) — résidu eq. = $7.98e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, N = 60, dx = 0.1
dt = 5.35e-04 — t = 0.85046/4 (2392 iter) — résidu eq. = 9.33e-06




TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 5.35e-04$ — $t = 0.900211/4$ (2485 iter) — résidu eq. = $6.37e-06$



TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 5.35e-04$ — $t = 0.950498/4$ (2579 iter) — résidu eq. = $9.39e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicite, N = 60, dx = 0.1
dt = 5.35e-04 — t = 1.00025/4 (2672 iter) — résidu eq. = 7.79e-06







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$

$\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$


$dt = 5.35e-04$ — $t = 1.05/4$ (2765 iter) — résidu eq. = $9.43e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, N = 60, dx = 0.1
dt = 5.35e-04 — t = 1.10029/4 (2859 iter) — résidu eq. = 8.27e-06







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, N = 60, dx = 0.1
dt = 6.42e-04 — t = 1.15047/4 (2943 iter) — résidu eq. = 7.45e-06







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.42e-04$ — $t = 1.20054/4$ (3021 iter) — résidu eq. = $7.58e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.42e-04$ — $t = 1.25061/4$ (3099 iter) — résidu eq. = $7.78e-06$




TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.42e-04$ — $t = 1.30005/4$ (3176 iter) — résidu eq. = $7.58e-06$




TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.42e-04$ — $t = 1.35012/4$ (3254 iter) — résidu eq. = $8.45e-06$




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, N = 60, dx = 0.1
dt = 6.42e-04 — t = 1.40019/4 (3332 iter) — résidu eq. = 6.55e-06







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.42e-04$ — $t = 1.45026/4$ (3410 iter) — résidu eq. = $3.19e-06$




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, N = 60, dx = 0.1
dt = 6.42e-04 — t = 1.50034/4 (3488 iter) — résidu eq. = 3.76e-06




TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.42e-04$ — $t = 1.55041/4$ (3566 iter) — résidu eq. = $5.36e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, N = 60, dx = 0.1
dt = 6.42e-04 — t = 1.60048/4 (3644 iter) — résidu eq. = 6.82e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, N = 60, dx = 0.1
dt = 6.42e-04 — t = 1.65055/4 (3722 iter) — résidu eq. = 4.60e-06




TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.42e-04$ — $t = 1.70063/4$ (3800 iter) — résidu eq. = $9.24e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, N = 60, dx = 0.1
dt = 6.42e-04 — t = 1.75006/4 (3877 iter) — résidu eq. = 7.92e-06







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicite, N = 60, dx = 0.1
dt = 6.42e-04 — t = 1.80013/4 (3955 iter) — résidu eq. = 8.47e-06







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, N = 60, dx = 0.1
dt = 6.42e-04 — t = 1.8502/4 (4033 iter) — résidu eq. = 7.11e-06







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.42e-04$ — $t = 1.90028/4$ (4111 iter) — résidu eq. = $6.89e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.42e-04$ — $t = 1.95035/4$ (4189 iter) — résidu eq. = $7.01e-06$




TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.42e-04$ — $t = 2.00042/4$ (4267 iter) — résidu eq. = $8.19e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, N = 60, dx = 0.1
 dt = 6.42e-04 — t = 2.0505/4 (4345 iter) — résidu eq. = 4.23e-06







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, N = 60, dx = 0.1
dt = 6.42e-04 — t = 2.10057/4 (4423 iter) — résidu eq. = 8.04e-06







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.42e-04$ — $t = 2.15064/4$ (4501 iter) — résidu eq. = $9.23e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.42e-04$ — $t = 2.20007/4$ (4578 iter) — résidu eq. = $8.35e-06$




TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.42e-04$ — $t = 2.25014/4$ (4656 iter) — résidu eq. = $5.98e-06$




TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.42e-04$ — $t = 2.30022/4$ (4734 iter) — résidu eq. = $5.09e-06$




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicit, N = 60, dx = 0.1
dt = 6.42e-04 — t = 2.35029/4 (4812 iter) — résidu eq. = 3.78e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicite, N = 60, dx = 0.1
dt = 6.42e-04 — t = 2.40036/4 (4890 iter) — résidu eq. = 2.08e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.42e-04$ — $t = 2.45044/4$ (4968 iter) — résidu eq. = $1.30e-06$




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, N = 60, dx = 0.1
dt = 6.42e-04 — t = 2.50051/4 (5046 iter) — résidu eq. = 7.58e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, N = 60, dx = 0.1
dt = 6.42e-04 — t = 2.55058/4 (5124 iter) — résidu eq. = 6.46e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicite, N = 60, dx = 0.1
dt = 6.42e-04 — t = 2.60001/4 (5201 iter) — résidu eq. = 7.82e-06







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 6.42e-04$ — $t = 2.65009/4$ (5279 iter) — résidu eq. = $7.60e-06$




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.21e-04$ — $t = 2.70016/4$ (5363 iter) — résidu eq. = $7.80e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicit, N = 60, dx = 0.1
dt = 3.21e-04 — t = 2.75023/4 (5519 iter) — résidu eq. = 6.19e-06







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, N = 60, dx = 0.1
dt = 3.85e-04 — t = 2.80018/4 (5658 iter) — résidu eq. = 7.06e-06







TEST-4_MG_TW : Validation TW | Travelling Wave ($c=-2.0$) | $\epsilon=1e-04$
 $\epsilon = 1e-04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 3.85e-04$ — $t = 2.85025/4$ (5788 iter) — résidu eq. = $8.09e-06$







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicite, N = 60, dx = 0.1
dt = 3.85e-04 — t = 2.90032/4 (5918 iter) — résidu eq. = 8.84e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicit, N = 60, dx = 0.1
dt = 3.85e-04 — t = 2.95001/4 (6047 iter) — résidu eq. = 7.18e-06







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicit, N = 60, dx = 0.1
dt = 4.62e-04 — t = 3.00008/4 (6161 iter) — résidu eq. = 6.77e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicit, N = 60, dx = 0.1
dt = 6.66e-04 — t = 3.05035/4 (6252 iter) — résidu eq. = 9.15e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicit, N = 60, dx = 0.1
dt = 7.99e-04 — t = 3.10027/4 (6325 iter) — résidu eq. = 9.03e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicit, N = 60, dx = 0.1
dt = 9.58e-04 — t = 3.15059/4 (6385 iter) — résidu eq. = 8.89e-06







TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicit, N = 60, dx = 0.1
dt = 1.15e-03 — t = 3.20081/4 (6434 iter) — résidu eq. = 8.81e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicite, N = 60, dx = 0.1
dt = 1.38e-03 — t = 3.2505/4 (6474 iter) — résidu eq. = 8.85e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicite, N = 60, dx = 0.1
dt = 1.66e-03 — t = 3.30129/4 (6508 iter) — résidu eq. = 9.01e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicite, N = 60, dx = 0.1
dt = 1.83e-03 — t = 3.35102/4 (6537 iter) — résidu eq. = 8.41e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicite, N = 60, dx = 0.1
dt = 1.81e-03 — t = 3.40007/4 (6564 iter) — résidu eq. = 9.17e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicite, N = 60, dx = 0.1
dt = 1.79e-03 — t = 3.4505/4 (6592 iter) — résidu eq. = 9.69e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicit, N = 60, dx = 0.1
dt = 1.78e-03 — t = 3.50053/4 (6620 iter) — résidu eq. = 8.68e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicit, N = 60, dx = 0.1
dt = 1.77e-03 — t = 3.55019/4 (6648 iter) — résidu eq. = 9.99e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicit, N = 60, dx = 0.1
dt = 1.75e-03 — t = 3.60122/4 (6677 iter) — résidu eq. = 9.35e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicit, N = 60, dx = 0.1
dt = 1.74e-03 — t = 3.65012/4 (6705 iter) — résidu eq. = 8.50e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicit, N = 60, dx = 0.1
dt = 1.73e-03 — t = 3.70039/4 (6734 iter) — résidu eq. = 8.13e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicite, N = 60, dx = 0.1
dt = 1.71e-03 — t = 3.75029/4 (6763 iter) — résidu eq. = 8.19e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicite, N = 60, dx = 0.1
dt = 1.70e-03 — t = 3.80152/4 (6793 iter) — résidu eq. = 9.92e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicite, N = 60, dx = 0.1
dt = 1.69e-03 — t = 3.85068/4 (6822 iter) — résidu eq. = 9.51e-06




TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicit, N = 60, dx = 0.1
dt = 1.68e-03 — t = 3.90116/4 (6852 iter) — résidu eq. = 9.03e-06



TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1e-04$, schéma implicit, N = 60, dx = 0.1
dt = 1.66e-03 — t = 3.95128/4 (6882 iter) — résidu eq. = 8.59e-06



TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicite, $N = 60$, $dx = 0.1$
 $dt = 1.65\text{e-}03$ — $t = 4.00104/4$ (6912 iter) — résidu eq. = $8.19\text{e-}06$



TEST-4_MG_TW : Validation TW | Travelling Wave (c=-2.0) | eps=1e-04
 $\varepsilon = 1\text{e-}04$, schéma implicite, N = 60, dx = 0.1
dt = 1.65e-03 — t = 4.00104/4 (6912 iter) — résidu eq. = 8.19e-06

