



**clif®** WIRING ACCESSORIES



BRITISH STANDARD RANGE

**clif®**

SWITCH ON TO A MORE ELEGANT LIFESTYLE



clif® Switches & Sockets

**alf<sup>®</sup> switches and sockets are also available in European standard sizes**



**alf<sup>®</sup> switches and sockets are also available in wide variety of colors**



**alf<sup>®</sup>** Choose the Leader

Catalogue ref. no.: AP 01619-rev 5

Toll Free: 800 124 1333  
[www.alfelectric.com](http://www.alfelectric.com)

## Service Policy

alf has a comprehensive service policy offered for its products geared to providing its customers great value.

Our objective is to help our customers to select the right product, to provide technical support, and get the best price. In addition, alf takes care of its customers after the purchase is made by visiting the customer to make sure that he is happy and completely satisfied.

alf's customer service department receives many customer inquiries or requests for help throughout the year and we make sure each and every customer request is solved to the customer's satisfaction, absolutely FREE.

alf's website is designed to serve you . You can order online any alf catalogue or request for a wide variety of services. .

To make clear its commitment of backing its products, alf offers its customers a Total Satisfaction Guaranty policy. This gives alf customers the right to return any defective item to us or a total refund of the money.


**NO QUESTIONS ASKED.**

For further information please contact

our toll free no. **800 124 1333**

Or visit our website

[www.alfelectric.com](http://www.alfelectric.com)



alf products are approved by the Ministry of Education ( Boys & Girls ) , Ministry of Health , Ministry of Interior , Ministry of Higher Education , Ministry of Technical Education, Border Guards, The Islamic University besides several other governmental authorities.

## FUTURISTIC DESIGN



### Bio-Design

A generation ahead of mundane square shapes, alf is a Bio-Design. Its aesthetically pleasing shapes incorporate continuous curves to convey warmth and harmony. The mounting screw can be hidden with a screw cap.



### Revolutionary Technology

The terminals are constructed as single pieces without joints or rivets thanks to revolutionary sheet metal technology. This accommodates more wires than conventional brass turned terminals.



### Smart

The rocker design has been ergonomically sized and shaped only after receiving inputs from prestigious consultants and hundreds of actual users.

### PAINT GUARD



#### Paint Guard

This plastic guard protects the accessories while painting the wall.

### Cool

A silver overlay, placed over the entire surface of the moving contact, keeps the switch cool even when it is loaded with fluorescent lamps at maximum current.

### Superior Quality

alf products are made of high gloss polycarbonate material that is tough, impact-resistant, flame-retardant and built to last.

### Universal

alf sockets are designed to accept various standard plugs from the Far East right across to the Americas.



### Easy Installation

Angular design of the housing keeps the brass terminal screws at an angle. This allows easy



accessibility by a screw driver even on a 4 gang switch.

### Room for Error

Any misalignment of the switch box on the wall can be corrected because of an elongated fixing hole on the cover plate.

### Durable

alf products are type tested to relevant IEC and BS standards to offer a minimum lifespan of 25 years.

### Freedom of Choice

You have the freedom to choose and interchange modules on cover plate.



M01 - 10A SWITCH 1 WAY  
M02 - 10A SWITCH 2 WAY



M03 - 10A BELL PUSH



M04 - 20A DP SWITCH W/NEON



M17 - 20A INTERMEDIATE SWITCH  
M18 - 20A SWITCH 2 WAY



M15 - 10A 2PIN SOCKET  
M16 - 16A 2PIN SOCKET



L21 - SCHUKO SOCKET W/SHUTTER  
L22 - SCHUKO SOCKET W/O SHUTTER



M05 - BRITISH TEL. JACK MASTER  
M14 - BRIT. TEL. JACK SECONDARY



M06 - AMERICAN TEL. JACK



M07 - DATA SOCKET Cat.5



M37 - DATA SOCKET Cat.6



M09A - ANGULAR TV SOCKET



M10A - ANGULAR SATELLITE SOCKET



M12 - CORD GROMMET



M08 - BLANK PLUG



M13 - NEON MODULE



M142 - 13A FUSE UNIT 250V



M141 - BUZZER 220V (15) VA  
M140 - BUZZER 110V (30) VA



M31 LIGHT DIMMER 60 - 500W / 200 - 240V  
//40 - 250W / 110 - 127V 1 WAY  
ROTARY ON TYPE

M32 LIGHT DIMMER 60 - 500W / 200 - 240V  
//40 - 250W / 110 - 127V 2 WAY  
PUSH TO ON TYPE



L24 LIGHT DIMMER 100 - 500W / 127V  
2 WAY PUSH TO ON TYPE  
L26 LIGHT DIMMER 150 - 1000W / 240V  
2 WAY PUSH TO ON TYPE

**FLUSH SWITCHES**  
10 AMP to BSEN 60669-1



B 101 / B 102



B 2401 / B 2402



B 201 / B 202



B 2601 / B 2602



B 301 / B 302



B 2801 / B 2802



B 401 / B 402

**B 2401**  
2 gang size 4 gang 1 way

**B 2402**  
2 gang size 4 gang 2 way

**B 2601**  
2 gang size 6 gang 1 way

**B 2602**  
2 gang size 6 gang 2 way

**B 2801**  
2 gang size 8 gang 1 way

**B 2802**  
2 gang size 8 gang 2 way

**B 101**  
1 gang 1 way

**B 102**  
1 gang 2 way

**B 201**  
2 gang 1 way

**B 202**  
2 gang 2 way

**B 301**  
3 gang 1 way

**B 302**  
3 gang 2 way

**B 401**  
4 gang 1 way

**B 402**  
4 gang 2 way

**B 103**  
1 gang with Bell Symbol

**B 2 / 01 / 13**  
2 gang 1 way with Neon

**B 117 / B 118**  
1 gang 20A Intermediate  
1 gang 20A 2 way

**B 217 / B 218**  
2 gang 20A Intermediate  
2 gang 20A 2 way


**B 104**  
1 gang 20A Double Pole  
Switch with Neon

**B-104 - PR01**  
1 gang 20A Double Pole  
Switch with Neon and  
marked "Water Heater"

**FLUSH SWITCHES**  
10 AMP to BSEN 60669-1



B 103



B 2 / 01 / 13



B 117 / B 118



B 217 / B 218



B 104

Water  
Heater

**B 104**  
1 gang 20A Double Pole  
Switch with Neon

**B-104 - PR01**  
1 gang 20A Double Pole  
Switch with Neon and  
marked "Water Heater"

**FLUSH SWITCHES**  
45 AMP to BSEN 60669-1



N 17



N 17 - PRO2



N 18

**LIGHTING  
CONTROL DIMMER**  
BSEN 60669-2-1



B 131 / B 132



BL 224/BL 226



N 49

**SOCKET OUTLETS**  
13 AMP to BS 1363



N 14



N 23



N 12

**SOCKET OUTLETS**

13 AMP to BS 1363  
13 AMP to BS 7288  
16 AMP to BS 5733  
IEC 60884 where applicable



N 13



N 51



N 11



BL 2421 / BL 2422

**N 17**  
1 gang 45A Double Pole  
Switch with Neon

**N 17 - PRO2**  
1 gang 45A Double Pole  
Switch with Neon and  
marked "Air Conditioner"

**N 18**  
2 gang size 45A Double Pole  
Switch with Neon

**N 18 - PRO2**  
2 gang size 45A Double Pole  
Switch with Neon and  
marked "Air Conditioner"

**B 131**  
1 gang 60 - 500W 200 - 240V  
40 - 250W 110 - 127V  
1 way rotary ON type

**B 132**  
1 gang 60 - 500W 200 - 240V  
40 - 250W 110 - 127V  
2 way push to ON type

**BL 224**  
1 gang 100 - 500W 127V  
2 way push to ON type

**BL 226**  
1 gang 150 - 1000W 240V  
2 way push to ON type

**N 49**  
2 gang size 1500W 127V/3000W 240V  
1 way rotary ON type

**N 14**  
1 gang 13A Socket

**N 12**  
1 gang 13A Double Pole  
Switched Socket

**N 23**  
1 gang 13A Double Pole  
Switched Socket with Neon

**N 13**  
2 gang 13A Double Pole  
Switched Socket 7 x 14

**N 51**  
2 gang 16A Double Pole  
7x14 Switched Socket  
with RCD 30mA release current

**N 11**  
2 gang 16A Universal Socket 7 x 14

**BL 2421 / BL 2422**  
2 gang 16A Schuko Socket with Shutter 7 x 14  
2 gang 16A Schuko Socket without Shutter 7 x 14



**SOCKET OUTLETS**

15 AMP to BS 546

**SOCKET OUTLETS**

16 AMP to BS 5733

IEC 60884 where applicable

**COMMUNICATIONS  
SOCKET OUTLETS**

BS 5733 where applicable



N 24



N 26



B 105 / B 114



N 35



N 216



N 52



BL 221 / BL 222



B 107



B 137



B 237



B 106 / B 119

**N 24**1 gang 15A Double Pole  
Switched Socket with Neon**N 35**special A/C Switched Socket  
with Neon. Tested to 32A  
marked "A/C"**N 52**special A/C Switched Socket  
with Neon. Tested to 32A  
marked "A/C"

plus 32A tested Plug

**N 26**1 gang 16A Universal Socket  
with Voltage Indicator  
( Smart Socket "Zaky" )**N 216**

2 gang 16A 2 pin Socket

**BL 221**1 gang 16A Schuko Socket  
with Shutter**BL 222**1 gang 16A Schuko Socket  
without Shutter**B 105**1 gang British Telephone  
Master Socket**B 114**1 gang British telephone  
Secondary Socket**BL 228/08**1 gang AVAYA type data socket  
adapter and blank plug**BL 228**2 gang AVAYA type data socket  
adapter**B 107**1 gang 8 way 8 contact  
CAT5 - RJ45**B 137**1 gang 8 way 8 contact  
CAT6 - RJ45**B 237**2 gang 8 way 8 contact  
CAT6 - RJ45**B 106**1 gang telephone Jack  
6P 6C RJ11  
(American Type)**B 119**1 gang Telephone Jack  
6P 4C RJ11  
(American Type)

Certificate Number: 34039

**TV / FM OUTLET**  
**SATELLITE OUTLET**  
BS 3041 where applicable



B 109A



B 209A



B 110A



B 210A

**BUZZER FUSE UNIT**  
BS 5733  
**SHAVER SOCKET**  
BSEN 61558-2-5



B 141 / B 140



B 142



N 53

**CABLE OUTLETS**  
**BLANK PLATE**  
BS 5733 where applicable  
**CARD SWITCH**  
BSEN 60669-2-1



B 112



N 19



N 08



BW2N 56

**WEATHERPROOF ENCLOSURES IP 56**  
**PLUG TOP**



N 33



N 34



N 39



N 40

**B 109A**  
1 gang angular TV Socket  
75 ohms

**B 209A**  
2 gang angular TV Socket  
75 ohms

**B 110A**  
1 gang angular F-Connector  
75 ohms Screw Fitting

**B 210A**  
2 gang angular F-Connector  
75 ohms Screw Fitting

**B 140**  
1 gang Buzzer 110V (30) VA

**B 141**  
1 gang Buzzer 230V (15) VA

**B 142**  
1 gang fuse unit 13A 250V

**N 53**  
2 gang size Shaver socket  
Dual Voltage (115)/(230)V

**B 112**  
1 gang 20A Cord Grommet

**N 19**  
1 gang 45A Cooker  
Connecting Unit

**N 08**  
Blank plate

**BW2N 56**  
16A Card Switch 250V  
Time off delay 45 seconds

**N 33**  
15A 3 rounded pins plug top  
Tested to 32A  
(BS 546)

**N 34**  
13A 3 rectangular pins plug top  
with 13A fuse and transparent base  
(BS 1363)

**N 39**  
IP 56 weatherproof socket  
enclosure

**N 40**  
IP 56 weatherproof switch  
enclosure

**NOTE :**

\* 4 years warranty for Dimmers, Buzzer and Card Switch

\* 2 years warranty for Plugs

\* 10 years warranty for Weatherproof enclosures