## Device Discovery API

1.	Version	n1:			
	1.1.	Base domain name:			
	A)	Primary: api.domainName/v1/			
	B)	Secondary: domainName/api/v1/			
	1.2.	]	Parts:		
	A)	Dev	Devices:		
		I	I List of devices:		
		;	a UI	RL:	
			•	ApiBaseDomainName/devices/list/	
		1	b Mo	ethods:	
			•	GET	
		•	c Pe	rmissions:	
			•	Everyone has permission to GET data	
		II :	II Specific device details:		
		;	a UI	RL:	
			•	ApiBaseDomainName/devices/ <string:slug>/</string:slug>	
		1	b Mo	ethods:	
			•	GET	
		(	c Permissions:		
			<ul> <li>Everyone has permission to GET data</li> </ul>		
		III Add devices:			
		;	a UI	RL:	
			•	ApiBaseDomainName/devices/add/	
		1	b Mo	ethods:	
			•	POST	
		c Permissions:			
			•	Admins	
			•	SuperUsers	

IV Edit devices:

		a	URL:
			• ApiBaseDomainName/devices/ <string:slug>/edit/</string:slug>
		b	Methods:
			• PATCH
		c	Permissions:
			• admins
			• SuperUsers
	V	De	lete devices:
		a	URL:
			• ApiBaseDomainName/devices/ <string:slug>/delete/</string:slug>
		b	Methods:
			• DELETE
		c	Permissions:
			• admins
			• SuperUsers
	VI	Ch	eck devices:
		a	URL:
			• ApiBaseDomainName/devices/ <string:slug>/check/</string:slug>
		b	Method:
			• PATCH
		c	Permissions:
			• Validators
			• SuperUsers
В	) Blo	gs:	
	I	Lis	et of blogs:
		a	URL:
			<ul> <li>ApiBaseDomainName/blogs/list/</li> </ul>
		b	Method:
			• GET
		c	Permissions:
			• Everyone has permission to GET data
	II	Spe	ecific blogs details:

a	URL:
	<ul> <li>ApiBaseDomainName/blogs/<string:slug>/</string:slug></li> </ul>
b	Method:
	• GET
c	Permissions:
	• Everyone has permissions to GET data
III Ad	ld blog:
a	URL:
	<ul> <li>ApiBaseDomainName/blogs/add/</li> </ul>
b	Method:
	• POST
c	Permissions:
	• admins
	• superUsers
IV Ed	lit blog:
a	URL:
	• ApiBaseDomainName/blogs/ <string:slug>/edit/</string:slug>
b	Method:
	• PATCH
c	Permissions:
	• admins
	• superUsers
V De	elete blog:
a	URL:
	• ApiBaseDomainName/blogs/ <string:slug>/delete/</string:slug>
b	Method:
	• DELETE
c	Permissions:
	• admins
	• users
VI Ch	neck blogs:
a	URL:
	• ApiBaseDomainName/blogs/ <string:slug>/check/</string:slug>

1	Method:	
	• PATCH	
	Permissions:	
	<ul> <li>validators</li> </ul>	
	• superusers	
C) Rev	ws:	
I	st of reviews:	
;	URL:	
	<ul> <li>ApiBaseDomainName/reviews/list/</li> </ul>	
1	Method:	
	• GET	
•	Permissions:	
	<ul> <li>Everyone has access to GET data</li> </ul>	
II :	pecific review's data:	
;	URL:	
	<ul> <li>ApiBaseDomainName/reviews/<string:slug>/</string:slug></li> </ul>	
1	Method:	
	• GET	
•	Permissions:	
	<ul> <li>Everyone has access to GET data</li> </ul>	
III :	add review:	
:	URL:	
	<ul> <li>ApiBaseDomainName/reviews/add/</li> </ul>	
1	Method:	
	• POST	
•	Permissions:	
	• Admins	
	• Superusers	
IV (	lit review:	
:	URL:	
	• ApiBaseDomainName/reviews/ <string:slug>/edit/</string:slug>	
1	Method:	
	• PATCH	

	c	Permissions:		
		• admins		
		• superusers		
V	del	ete review:		
	a	URL:		
		• ApiBaseDomainName/reviews/ <string:slug>/delete/</string:slug>		
	b	Method:		
		• DELETE		
	c	Permissions:		
		• admins		
		• superusers		
VI	che	ck review:		
	a	URL:		
		<ul> <li>ApiBaseDomainName/reviews/<string:slug>/check</string:slug></li> </ul>		
	b	Method:		
		• PATCH		
	c	Permissions:		
		• validators		
		• superusers		
D) User Interactions:				
I Compare devices:		mpare devices:		
	a	URL:		
		• ApiBaseDomainName/interactions/Compare/ <string:slug1>/<string:slug2></string:slug2></string:slug1>		
	b	Method:		
		• GET		
	c	Permissions:		
		Everyone except guest users		
II		mmenting:		
	a	URL:		
		<ul> <li>ApiBaseDomainName/interactions/comment/</li> </ul>		
	b	Methods:		
		• POST		
	c	Permissions:		

		Everyone except guest users can POST data		
	III Reporting system:			
		a URL:		
		<ul> <li>ApiBaseDomainName/interactions/reports/</li> </ul>		
		b Method:		
		• POST		
		c Permissions:		
		Everyone except guest users		
	IV	List of all names except blogs, and reviews:		
		a URL:		
		<ul> <li>ApiBaseDomainName/interactions/names/</li> </ul>		
		b Method:		
		• GET		
		c Permissions:		
		• Everyone has access to GET data		
E)	Use	ers:		
	I	Profile:		
		a URL:		
		• ApiBaseDomainName/accounts/profile/ <string:username>/</string:username>		
		b Methods:		
		• GET		
		• PUT		
		c Permissions:		
		• All logged in users can see profile(GET, and PUT data)		
	II	sign-up:		
		a URL:		
		<ul> <li>ApiBaseDomainName/accounts/sign-up/</li> </ul>		
		b Method:		
		• POST		
		c Permissions:		
		• Everyone can sign-up in website		
	III	login:		
		a URL:		

	c	Permissions:
		• Everyone can login to website
IV	log	out:
	a	URL:
		• ApiBaseDomainName/accounts/logout/
	b	Method:
		• POST
	c	Permissions:
		<ul> <li>Only logged in users can logout website</li> </ul>
V	del	ete account:
	a	URL:
		• ApiBaseDomainName/accounts/delete-account/
	b	Method:
		• POST
	c	Permissions:
		Only logged in users can delete their account
VI	Ch	ange password:
	a	URL:
		• ApiBaseDomainName/accounts/change-password/
	b	Method:
		• POST
	c	Permissions:
		• All logged in users
VII	[ Pa	ssword recovery:
	a	URL:
		• ApiBaseDomainName/accounts/password-recovery/
	b	Method:
		• POST
	c	Permissions:
		• Everyone can recover their password

• ApiBaseDomainName/accounts/login/

b Method:

• POST

## VIII Password recovery verification:

- a URL:
  - ApiBaseDomainName/accounts/password-recovery/<string:email>/
     <int:code>/
- b Method:
  - POST
- c Permissions:
  - Everyone