Device Discovery API

1.	Version	n1:		
	1.1.	Base domain name:		
	A)	Primary: api.domainName/v1/		
	B)	Secondary: domainName/api/v1/		
	1.2.	Parts:		
	A)	Devices:		
		I	I List of devices:	
		;	a UI	RL:
			•	ApiBaseDomainName/devices/list/
		1	b Methods:	
			•	GET
		c Permissions:		rmissions:
			•	Everyone has permission to GET data
		II :	Specific device details:	
		;	a UI	RL:
			•	ApiBaseDomainName/devices/ <string:slug>/</string:slug>
		1	b Mo	ethods:
			•	GET
		(c Permissions:	
			 Everyone has permission to GET data 	
		III Add devices:		
		a URL:		RL:
			•	ApiBaseDomainName/devices/add/
		1	b Mo	ethods:
			•	POST
		(c Pe	rmissions:
		• Admins		Admins
			•	SuperUsers

IV Edit devices:

		a	URL:
			• ApiBaseDomainName/devices/ <string:slug>/edit/</string:slug>
		b	Methods:
			• PATCH
		c	Permissions:
			• admins
			• SuperUsers
	V	De	lete devices:
		a	URL:
			• ApiBaseDomainName/devices/ <string:slug>/delete/</string:slug>
		b	Methods:
			• DELETE
		c	Permissions:
			• admins
			• SuperUsers
	VI	Ch	eck devices:
		a	URL:
			• ApiBaseDomainName/devices/ <string:slug>/check/</string:slug>
		b	Method:
			• PATCH
		c	Permissions:
			• Validators
			• SuperUsers
В) Blo	gs:	
	I	Lis	et of blogs:
		a	URL:
			 ApiBaseDomainName/blogs/list/
		b	Method:
			• GET
		c	Permissions:
			• Everyone has permission to GET data
	II	Spe	ecific blogs details:

a	URL:
	 ApiBaseDomainName/blogs/<string:slug>/</string:slug>
b	Method:
	• GET
c	Permissions:
	• Everyone has permissions to GET data
III Ad	ld blog:
a	URL:
	 ApiBaseDomainName/blogs/add/
b	Method:
	• POST
c	Permissions:
	• admins
	• superUsers
IV Ed	lit blog:
a	URL:
	• ApiBaseDomainName/blogs/ <string:slug>/edit/</string:slug>
b	Method:
	• PATCH
c	Permissions:
	• admins
	• superUsers
V De	elete blog:
a	URL:
	• ApiBaseDomainName/blogs/ <string:slug>/delete/</string:slug>
b	Method:
	• DELETE
c	Permissions:
	• admins
	• users
VI Ch	neck blogs:
a	URL:
	• ApiBaseDomainName/blogs/ <string:slug>/check/</string:slug>

1	Method:
	• PATCH
	Permissions:
	 validators
	• superusers
C) Rev	ws:
I	st of reviews:
;	URL:
	 ApiBaseDomainName/reviews/list/
1	Method:
	• GET
•	Permissions:
	 Everyone has access to GET data
II :	pecific review's data:
;	URL:
	 ApiBaseDomainName/reviews/<string:slug>/</string:slug>
1	Method:
	• GET
•	Permissions:
	 Everyone has access to GET data
III :	ld review:
:	URL:
	 ApiBaseDomainName/reviews/add/
1	Method:
	• POST
•	Permissions:
	• Admins
	• Superusers
IV (lit review:
:	URL:
	• ApiBaseDomainName/reviews/ <string:slug>/edit/</string:slug>
1	Method:
	• PATCH

	c Permissions:
	• admins
	• superusers
V	delete review:
	a URL:
	 ApiBaseDomainName/reviews/<string:slug>/delete/</string:slug>
	b Method:
	• DELETE
	c Permissions:
	• admins
	• superusers
VI	check review:
	a URL:
	 ApiBaseDomainName/reviews/<string:slug>/check</string:slug>
	b Method:
	• PATCH
	c Permissions:
	• validators
	• superusers
D) Us	er Interactions:
I	Get list of unchecked data:
	a URL:
	 ApiBaseDomainName/interactions/unchecked-data
	b Method:
	• GET
	c Permissions:
	• validators
	• superusers
II	Compare devices:
	a URL:
	 ApiBaseDomainName/interactions/Compare/<string:slug1>/<string:slug2></string:slug2></string:slug1>
	b Method:
	• GET

	c	Permissions:	
		Everyone except guest users	
III	III Commenting:		
	a	URL:	
		• ApiBaseDomainName/interactions/comments	
	b	Methods:	
		• GET	
		• POST	
	c	Permissions:	
		Only superusers can GET data	
		• Everyone except guest users can POST data	
IV	Re	eporting system:	
	a	URL:	
		 ApiBaseDomainName/interactions/reports 	
	b	Method:	
		• POST	
	c	Permissions:	
		• Everyone except guest users	
E) Us	ers:		
I	Pro	ofile:	
	a	URL:	
		• ApiBaseDomainName/accounts/profile/ <string:username></string:username>	
	b	Methods:	
		• GET	
	c	Permissions:	
		• All logged in users can see their profile(GET data)	
II	sig	gn-up:	
	a	URL:	
		 ApiBaseDomainName/accounts/sign-up/ 	

c Permissions:

b Method:

• POST

• Everyone can sign-up in website

III login:

- a URL:
 - ApiBaseDomainName/accounts/login/
- b Method:
 - POST
- c Permissions:
 - Everyone can login to website

IV logout:

- a URL:
 - ApiBaseDomainName/accounts/logout/
- b Method:
 - POST
- c Permissions:
 - Only logged in users can logout website

V delete account:

- a URL:
 - ApiBaseDomainName/accounts/delete-account/
- b Method:
 - POST
- c Permissions:
 - Only logged in users can delete their account