## Device Discovery API

## 1. Version1:

- 1.1. Base domain name:
  - A) Primary: api.domainName/v1/
  - B) Secondary: domainName/api/v1/
- 1.2. Parts:
  - A) Devices:
    - I List of devices:
      - a URL:
        - ApiBaseDomainName/devices
      - b Methods:
        - GET
      - c Permissions:
        - Everyone have permission to GET data
    - II Specific device details:
      - a URL:
        - ApiBaseDomainName/devices/<string:slug>
      - b Methods:
        - GET
      - c Permissions:
        - Everyone have permission to GET data
    - III Add devices:
      - a URL:
        - ApiBaseDomainName/devices/add/
      - b Methods:
        - POST
      - c Permissions:
        - Admins
        - SuperUsers
    - IV Edit devices:
      - a URL:
        - ApiBaseDomainName/devices/<string:slug>/edit/
      - b Methods:
        - PATCH
      - c Permissions:
        - admins
        - SuperUsers
    - V Delete devices:
      - a URL:
        - ApiBaseDomainName/devices/<string:slug>/delete

- b Methods:
  - DELETE
- c Permissions:
  - admins
  - SuperUsers
- VI Check devices:
  - a URL:
    - ApiBaseDomainName/devices/<string:slug>/check
  - b Method:
    - PATCH
  - c Permissions:
    - Validators
    - SuperUsers
- B) Blogs:
  - I List:
  - II Specific blogs details:
  - III Add blog:
  - IV Edit blog:
  - V Delete blog:
  - VI Check blogs:
- C) Reviews:
- D) Users: