The Market Reads the News First: A Pre-Registered, Blinded Test of AI Decision Models on Stock-Price Reactions*

Amir Dehkordi†
Independent Researcher
London, United Kingdom
amir.dehkordi98@gmail.com

Alireza Kargarzadeh
TailState Intelligence Ltd
London, United Kingdom
alireza.kargarzadeh@tailstate.ai

Nariman Khaledian
Independent Researcher
Antibes, France
nariman.khaledian@gmail.com

Navid Parvini
Zanista AI Ltd
London, United Kingdom
navid.parvini@zanista.ai

Sid Ghatak
Increase Alpha, LLC
Miami, United States
s.ghatak@increasealpha.com

Arman Khaledian
Zanista AI Ltd
London, United Kingdom
arman.khaledian@zanista.ai

November 2026

Abstract

Large language models (LLMs) read company news at scale, and backtests suggest that their readings predict stock returns. We ask how much of that predictability survives a test that rules out look-ahead, memorization and selection. We propose OLIVIA, a protocol for such tests: point-in-time inputs with company identities masked, selection on validation data only, an analysis plan frozen by cryptographic hash, and a test period unblinded once through a logged lock. We apply it to AI decision models, non-generative language models that return probabilities for typed questions, reading news about S&P 500 stocks: an open-weights model we fine-tuned on 2024–2025 data, three commercial models and standard baselines. The fine-tuned model's signal replicated on two validation quarters (daily information coefficient 0.065, $t = 3.6$) but fell to 0.020 ($t = 1.7$) on the blinded January–July 2026 test. The commercial models' readings line up with the overnight move to the open (information coefficient 0.074 to 0.077) but not with the move after it, so the news is priced by the time a trader can act on it at the open. No model can tell over- from under-reaction, and no pre-registered strategy survives costs and a deflated Sharpe ratio. Commercial models identify masked companies in 62% to 74% of cases against a 28% baseline: masking hides names, not companies. The market reads the news first.

Keywords: large language models (LLMs); financial news; stock return prediction; look-ahead bias; memorization; pre-registration; overnight returns; market efficiency.

JEL codes: G14, G12, C45, C52, C12.

*Code availability: https://github.com/AmirDehkordi/NewsAction. The data are private and are not redistributed (Appendix F).

†Corresponding author.

1 Introduction

Much company news is published before the stock market opens. Two questions follow. Can a model that reads that news anticipate how the price will react? And once part of the reaction is visible, can it tell whether the market moved too far or not far enough? Both are old questions in empirical finance. Prices react to firm news within minutes (Patell and Wolfson, 1984; Busse and Green, 2002), media tone predicts short-horizon returns (Tetlock, 2007), and moves that come with news tend to drift while moves without news tend to reverse (Chan, 2003). Large language models (LLMs) now read news at scale, and several studies find that their readings predict returns (Lopez-Lira and Tang, 2026; Chen et al., 2022). We ask whether such predictability survives a test built to rule out the usual ways a backtest misleads: look-ahead in the data, memorization in the model and selection over many variants.

We study *AI decision models*. A decision model is a non-generative model that takes a *state* (text plus structured context) and a set of typed questions (a choice among options, a score on an ordered scale, or a yes-or-no question) and returns probabilities over the answers instead of generating text (Zhu et al., 2026). Decision models are close relatives of LLM-based classifiers and of probabilistic forecasting with language models (Kadavath et al., 2022; Halawi et al., 2024; Schoenegger et al., 2024), and their vendors describe the probabilities as calibrated. They suit finance because they return the quantities a forecaster needs, such as a distribution over the size of the coming move, at a cost of a few cents per thousand decisions, and because open-weights versions can be fine-tuned.

Language models also bring a specific threat. A model trained on text published after the period on which it is tested may know how events turned out, and even a model with an earlier training cutoff can recognize a company from the content of its news (Glasserman and Lin, 2024; Sarkar and Vafa, 2024; Lopez-Lira et al., 2025). A backtest of a language-model signal on historical news therefore mixes the model's ability to read news with its memory of what followed. A second threat is older: when many signals, filters and horizons are tried, the best backtest overstates what a strategy will earn (Harvey et al., 2016; Bailey and López de Prado, 2014). Pre-registration, fixing the analysis before the data are seen, is the standard remedy in other sciences and is still rare in empirical finance (Harvey, 2017; Olken, 2015).

We combine these elements in OLIVIA, a protocol for testing language-model signals on financial news without look-ahead (Table 1), and apply it to the point-in-time S&P 500 from July 2024 to July 2026 (Figure 1). For each company and trading session we build the news state as of 09:15 ET and mask company names, tickers, people, dates and every mention of a price move. Before the open, each model gives a *pre-open reading*: how the stock will perform once the news is absorbed. At 10:00 and after the close it gives a *post-reaction reading*: was the reaction so far too small or too large for the news? The primary instrument, Laya-Fin, is an open-weights decision model that we fine-tuned on 2024–2025 news and returns; we compare it with three commercial decision models, the untuned Laya model and standard baselines. Every hypothesis and selection rule was fixed before any outcome was computed, selection used two validation quarters of 2025, and the analysis plan was frozen by hash before the 2026 test outcomes were unblinded, once.

Key findings.

(1) **Pre-open news is priced at the open.** The commercial models' readings line up with the overnight move from the previous close to the open (daily information coefficient, IC, 0.074 to 0.077) but not with the move after the open (about zero). No model predicts the move after the open, which is the part a trader who reads the news before the open can still earn. The untuned Laya model, which barely recognizes masked companies, shows the same split.

(2) **A validated signal did not survive the blinded test.** Laya-Fin's IC with the day's move was 0.065 ($t = 3.6$) in the final validation quarter and 0.020 ($t = 1.7$) on the test. Every model whose validation IC was positive fell, none of the five primary hypotheses is supported, and no pre-registered strategy survives costs and a deflated Sharpe ratio. In exploratory analyses, the signal that remained sat on earnings days, and conditions selected on two validation quarters, with in-sample Sharpe ratios up to 6.8, failed on the test.

(3) **The models cannot judge the reaction.** In the pre-registered over/under regression the news coefficient is not positive (Laya-Fin $b = -0.044$, $p = 0.62$), and the moves the models call underreactions never catch up. Out of sample, same-day news explains 0.25% (Laya-Fin) to 0.82% (d1-ultra) of a stock's own daily variance, and the commercial models' stated probabilities overstate their accuracy.

(4) **Masking is not anonymity.** Given masked news, the commercial models pick the company out of four same-sector candidates in 62% to 74% of cases, against a matched baseline of 28%; the open-weights Laya model does so in 32%.

Contributions. First, we give OLIVIA, a protocol of six safeguards (one-time unblinding, look-ahead-free states, identity masking, validation-only selection, an immutable plan and an audit trail), which Table 1 lists as a checklist that other studies can adopt. Second, we give a test of whether a language-model news signal can be traded: splitting each day's move at the open shows that the predictable part of pre-open news is already in the opening price. Third, we add two measurement tools for language models in finance: a matched-distractor test of whether a model recognizes masked companies, and a firm-level version of the explanation ladder of Kelly et al. (2026), which measures how much of a stock's own daily move its news explains.

Section 2 reviews related work and Section 3 describes the data and the design. Sections 4 to 9 report the pre-registered results, nulls included. Section 10 reports exploratory analyses, labelled post hoc, and Section 11 the limitations and a pre-registered forward test on news published after the models' release.

2 Related work

Language models and stock returns. Text has long been used to predict returns, from dictionary measures of the tone of news (Tetlock, 2007; Tetlock et al., 2008) to sentiment scores learned from returns (Ke et al., 2019). Large language models extend this line. Lopez-Lira and Tang (2026) find that ChatGPT's reading of headlines predicts the returns that follow. For headlines released before the open, it predicts both the move to the open, which they note cannot be traded, and a smaller drift from the open to the close, which they trade; our hypothesis H1b tests that open-to-close leg. Chen et al. (2022) find that LLM representations of news predict the cross-section of returns. Kelly et al. (2026) use generative AI to explain realized market returns with the reasons given in daily market summaries, revisiting Roll (1988), who found that market, industry and public

news explain only a small part of individual stock returns; we carry their explanation ladder to the firm level. Decision models are a newer interface (Zhu et al., 2026): the model returns probabilities for typed questions instead of text, so no free text needs parsing and every output is a forecast that can be scored.

Look-ahead bias and memorization. Glasserman and Lin (2024) test for look-ahead bias in GPT's sentiment readings of news by anonymizing the companies; Sarkar and Vafa (2024) analyze look-ahead bias in pretrained language models used for prediction; Lopez-Lira et al. (2025) show that LLMs recall economic and financial data from their training period, so forecasting tests inside that period are not out of sample; He et al. (2026) train language models only on text available at each date; and Ludwig et al. (2026) argue that a language model can be used for prediction only if its training data exclude the evaluation sample, which undisclosed training data rarely allow a researcher to verify. In machine learning, memorization and benchmark contamination are documented and measured directly (Carlini et al., 2023; Golchin and Surdeanu, 2024; Sainz et al., 2023). Every decision model we use was released after our sample ended, so none can be assumed ignorant of it. We therefore mask the states, measure how often a model still identifies the company, and pre-register a forward test on news published after the models' release.

News, attention and price reactions. Prices incorporate firm news quickly (Patell and Wolfson, 1984; Busse and Green, 2002) but not always completely. Earnings news drifts (Bernard and Thomas, 1989); price moves that come with news continue while moves without identifiable news reverse (Chan, 2003; Savor, 2012); high-frequency evidence points to underreaction to news (Jiang et al., 2021); and identifying the relevant news sharpens the link between information and volatility (Boudoukh et al., 2019). Stale or recombined news is mispriced (Tetlock, 2011; Fedyk and Hodson, 2023), and distracted or inattentive investors underreact (Hirshleifer et al., 2009; DellaVigna and Pollet, 2009). Behavioral models explain both underreaction and overreaction (Barberis et al., 1998; Daniel et al., 1998), building on the overreaction evidence of De Bondt and Thaler (1985), while Fama (1998) argues that the two kinds of anomaly are about equally frequent and fragile to the choice of method. The split of a daily return into an overnight and an intraday part (Lou et al., 2019) is central here: we ask on which side of the open the news is priced. Much of the price discovery for news released outside regular hours happens in after-hours and pre-market trading (Barclay and Hendershott, 2003), and the overnight returns of stocks that attract attention partly reverse during the trading day (Berkman et al., 2012).

Selective prediction and calibration. A model that can abstain trades coverage for accuracy (Geifman and El-Yaniv, 2017), and whether its confidence is a useful guide depends on calibration, which modern neural networks often lack (Pakdaman Naeini et al., 2015; Guo et al., 2017). Language models are partly calibrated about what they know (Kadavath et al., 2022), and LLM forecasts can approach the accuracy of human forecasters (Halawi et al., 2024; Schoenegger et al., 2024). We measure calibration with the pre-registered expected calibration error and use selective prediction only in the exploratory section.

Pre-registration and replication in finance. Many published return predictors do not survive multiple-testing adjustments or replication (Harvey et al., 2016; Hou et al., 2020), although Jensen et al. (2023) find that most factors replicate once the evidence is aggregated properly, and the returns to published predictors fall out of sample and after publication (McLean and Pontiff, 2016). Harvey (2017) calls for pre-registration and other safeguards in financial economics, and Olken




Figure 1: The design: every choice was made on 2025 validation data, the 2026 test was sealed until the plan was frozen, and every model was released after the sample ended. (a) The calendar; the time axis changes scale at the break, from months to days. The test outcomes were released once, after the freeze. The forward test, pre-registered on 2026-10-29 and not yet run, uses news published from 2026-10-22 on. (b) One trading session. At D0 (09:15 ET) a model reads the news published since the previous close; at D1 (10:00) and D2 (after the close) it also sees the reaction so far. The overnight move z_{on} runs from the previous close to the open, so it includes after-hours and pre-market trading; the move after the open z_{id} runs from the open to the close; and y_2 runs from the next open to the close of $t+5$. The convergence ladder of Section 6.2 runs to C_{t+20}.

(2015) discusses the benefits and limits of pre-analysis plans in economics. For trading strategies, the deflated Sharpe ratio adjusts a backtest for the number of trials behind it (Bailey and López de Prado, 2014). We pre-register hypotheses, families and corrections, log every trial, and report every pre-registered result.

Our earlier work. Kargarzadeh et al. (2026) ask when news is priced in, using millions of news articles on about three thousand US stocks, each tagged by an LLM-distilled classifier with an event type and several attributes. They find that the reaction is concentrated before and on the day of publication, that markets underreact to numbers and overreact to stories, and that news carries width as well as direction. This paper extends that work in three ways. It replaces the event tags with decision models that read the masked news and forecast the move directly; it splits the reaction at the open and at fixed decision points, so that it can ask whether a reader of the news can trade on it; and it moves from a descriptive study to a pre-registered, blinded test with a single unblinding.

3 Data and design

The design implements the OLIVIA protocol (Table 1); Figure 1 sets out its calendar and one trading session. The pre-registration, its amendments and its deviations log are part of the replication package. Appendix A summarizes the material deviations, and Appendix Table A1 collects the notation.

Table 1: The OLIVIA protocol: six safeguards for testing language-model signals on financial news, what each guards against, how this study implements it and what a replication needs. The initials of the safeguards give the name.

Safeguard	Guards against	In this study	A replication needs
One-time unblinding	Repeated looks at the test period	The 2026 prices were sealed behind a lock that checks the frozen hash; it released the test outcomes once and logs every read	Sealed outcomes and a log of every access
Look-ahead-free states	Inputs that were not public at the decision	Every input carries the time it became known; the news ends at 09:15 ET, a rounded time stamp counts from the end of its hour or day, and rolling statistics end the day before	An availability time for every input
Identity masking	A model recalling what happened to a company it recognizes	Names, tickers, people, dates and price moves are removed; an independent scanner checks the result; a matched-distractor test measures recognition (Section 8)	A masker, a leak check and a recognition test
Validation-only selection	Choosing models, filters or thresholds on the test	Search and calibration on val-A; confirmation and the final selection on val-B	Two validation periods before the test
Immutable plan	Changing hypotheses or tests after seeing results	The pre-registration and the analysis code were frozen by a SHA-256 hash and a version-control tag before any test-period call; later changes go to a dated, append-only deviations log	A hash, a tag and a deviations log
Audit trail	Unreported variants	Append-only ledgers of every evaluated variant (their count sets the bar of the deflated Sharpe ratio), of API spend and of every access to test-period data	A trial ledger kept from the first analysis

3.1 Universe, sample periods and returns

The universe is the point-in-time membership of the S&P 500: a stock is in the sample on a session only if it was an index member on that session, and companies with several share classes count once. Each month the members are split into three size tiers by market capitalization at the previous month-end: the 100 largest, ranks 101–250 and ranks 251–500. The sample is split by time into a training period (2024-07-01 to 2025-06-30), two validation quarters and a test period. The first validation quarter, val-A (2025-07-01 to 2025-09-30), is used for search and for fitting calibration maps, temperatures and thresholds; the second, val-B (2025-10-01 to 2025-12-31), for confirmation and the final selection. The test period, 2026-01-02 to 2026-07-31, was blinded until the analysis plan was frozen and was then used once. A target enters an evaluation only if its whole horizon ends inside its period, and the first five sessions of each evaluation period are left out.

Daily prices are adjusted for splits, dividends and spin-offs, and the opening price is put on the same basis. For stock i on session t, the close-to-close return splits at the open into an overnight return, from the previous close to the open, and an intraday return, from the open to the close:

$$1 + r^{cc}_{i,t} = \big(1 + r^{on}_{i,t}\big)\big(1 + r^{id}_{i,t}\big), \qquad z^{k}_{i,t} = \frac{\mathrm{AR}^{k}_{i,t}}{\sigma^{k}_{i,t-1}}, \quad k \in \{cc, on, id\}. \tag{1}$$

In logs, the close-to-close move is the sum of the overnight move and the move after the open. Each part is made abnormal by removing the market and the stock's sector, $\mathrm{AR}^{k}_{i,t} = r^{k}_{i,t} - \beta^{m}_{i}\, r^{k}_{m,t} - \beta^{s}_{i}\,(r^{k}_{s,t} - r^{k}_{m,t})$, where r_m is the return of the S&P 500 ETF (SPY), r_s the equal-weighted return

of the other members of the stock's sector, and the betas come from the 252 sessions up to $t-1$. It is then divided by $\sigma^k_{i,t-1}$, a robust scale of the stock's abnormal returns over the 126 sessions up to $t-1$. A value of $z^k_{i,t}$ is therefore a move in units of the stock's typical daily move, scaled by information known before the session. Equation (1) defines what "priced at the open" means in this paper: news is priced at the open when a model's reading predicts z^{on} but not z^{id}. Where the indices are clear we write z_{cc}, z_{on} and z_{id}, as the tables and figures do. Multi-day targets add up abnormal returns over their window and divide by the window's ex-ante volatility; the main one, y_2, runs from the next open to the close of $t+5$.

3.2 News, events and decision points

The news comes from a commercial company-news feed (titles and snippets with publication times). An article is available at its time stamp, or at the end of the hour or day when the stamp is rounded to the hour or carries only a date. We drop items marked as non-news, price commentary and promotion, automatic institutional-holdings reports, non-English articles, near-duplicates, and two kinds of item whose time stamp precedes its content: explainers of a stock's move and running market stories updated in place. We fix three decision points per session t:

- **D0**, at 09:15 ET, before the open. The model reads the news published since the previous close; a trade enters at the official open.
- **D1**, at 10:00 ET, after the first 30-minute bar. The model also sees the move so far; a trade enters at the price at the end of that bar.
- **D2**, after the close. The model reads the day's news and the day's move; a trade enters at the next open.

The observed reaction G is the move up to the decision point in typical-move units: at D2 it is the day's z_{cc}, and at D1 the abnormal move from the previous close to 10:00, divided by its ex-ante volatility.

A learned importance filter, a logistic regression on sentence embeddings of the news (Xiao et al., 2024), selects the company-days that enter the analysis. Chosen on val-A by a pre-registered rule, it captures 43.5% of the company-days with a material price reaction at a budget of 30% of covered company-days. An *event* is a company-session with selected news: D0 events use the news up to 09:15, D2 events the news up to the close. The test period has 13,748 D0 events on 140 sessions and 17,188 D2 events.

Each event becomes a *state*, a JSON document with fixed keys: the company's context (sector, size tier, market sensitivity, volatility regime, recent abnormal performance, analyst-estimate revisions and whether an earnings report is scheduled), the market's context (the previous session's market move, the level and change of the VIX, rates, credit spreads, the dollar, oil and scheduled macroeconomic releases), attention (the number of articles against the stock's usual number) and up to six news items with their source type and timing. Every number passes through a codebook of words: a move of between one and two typical daily moves is "moderate", followed by its multiple of a typical day's move. A post-reaction state adds the reaction so far: the stock's move, the market's move over the same period and the volume against normal.

The two readings. The *pre-open reading* asks, among other questions, "Once investors fully absorb the news, how will the company's stock perform relative to the overall market and its sector over the next five trading days?" on nine levels, from a very large fall (more than three typical

daily moves) to a very large rise. With p_k the probability of level k and m_k the level's midpoint in typical daily moves, the *news-implied move* is the model's expected move,

$$\hat{N} = \sum_{k=1}^{9} p_k m_k, \qquad m = (-3.5,\ -2.5,\ -1.5,\ -0.75,\ 0,\ 0.75,\ 1.5,\ 2.5,\ 3.5).$$

The *news-implied value* V maps $\hat{N}$ to the realized five-day level move with an isotonic regression (Barlow et al., 1972) fitted on val-A for each model: it is the model's estimate of where the abnormal price settles once the news is absorbed. The *post-reaction reading* also asks whether the reaction so far is in the wrong direction, much too small, too small, about right, too large or much too large for what the news justifies, and whether the move will reverse, stall or continue over the next five days. Its judgment $J = P(\text{much too small}) + P(\text{too small}) - P(\text{too large}) - P(\text{much too large})$ is positive when the model calls the reaction an underreaction. A pre-registered check found that the post-reaction readings anchor on the move the model is shown, so $\hat{N}$ always comes from the pre-open reading.

Masking. The states hide the company. Names, aliases, tickers and cashtags become "the company"; person names become "an executive" or "a person"; dates, weekdays, years and fiscal-period labels become "recently" or "the latest quarter"; share-price levels and every percent price move of any security (the company's, other companies', indexes, commodities and currencies) are removed. Fundamental figures, such as earnings per share, revenue and guidance, are kept, because they are the news. An independent leak scanner, written without the masker's rules, checked the result; the residues that remain, below half a percent of states for names, tickers and dates, are disclosed in the deviations log. Masking cannot hide a company whose news is distinctive, and Section 8 measures how often the models still recognize it.

3.3 The models

Laya-Fin, the primary instrument. Laya is an open-weights decision model built on the ModernBERT-large encoder (Convai Innovations, 2026; Warner et al., 2025). We fine-tuned it on the training period's states with three heads: the nine-level move (labelled with the realized five-day move), a five-level magnitude head (the size of the same-day move) and, for the post-reaction reading, a three-class continuation head. It was trained once (one seed, one epoch) with AdamW (Loshchilov and Hutter, 2019) and early stopping on val-A, and one temperature per head was fitted on val-A; the pre-registered second and third seeds are robustness runs (Section 11).

Commercial decision models. Every eligible decision model in a public model router's catalogue, plus the local Laya models, entered a two-stage zero-shot tournament on val-A. The six with the highest first-stage IC then faced four pre-registered screens: company identification on masked states, the share of counterfactual edits (beat or miss, raise or cut, upgrade or downgrade) that move the reading the right way, the IC gain from unmasking, and a shuffled-news control. No model passed: all six recognized the masked company far more often than the screen allowed (Section 8), and five also failed the counterfactual screen. By a decision logged before the freeze, the three with the highest second-stage IC, d1-ultra, span-02 and drex-v2.0, were carried to the test as *screen-failing comparators*. We refer to them by short labels because the results concern the versions we tested; the replication package lists their catalogue identifiers and release dates. All three were released in October 2026, after the sample ended.

The untuned model, the anchor and the baselines. Laya zero-shot is the untuned Laya model answering the same questions. The anchor is the December 2024 ModernBERT-large checkpoint (Warner et al., 2025), fine-tuned with the same heads and recipe as Laya-Fin; it was meant to show what training adds to a model whose pretraining ended before the sample. After one epoch its outputs are nearly constant, so we report it as *uninformative*, not as a null, and make no claim about the effect of training. The clean baselines are a ridge regression (Hoerl and Kennard, 1970) on sentence embeddings of the news, a gradient-boosted model (Ke et al., 2017) on price, volume and size alone, and a generative LLM prompted for the same nine-level forecast on a 2,000-event subsample. A pre-registered rule chose the LLM among models whose stated knowledge cutoff (April 2024) precedes the sample, so unlike the decision models it cannot have seen the sample in training. Two more baselines, vendor sentiment and a gradient-boosted model on the vendor's topic tags, are built on labels the vendor produced after the fact; they are an upper bound that may carry look-ahead, not a benchmark.

3.4 Pre-registration, freeze and blinding

The pre-registration was written on 2026-10-24, before any panel, target or model output existed, and fixes the universe, the splits, the targets, the masking, the questions, every selection rule, the hypotheses with their families and corrections, the strategies and the inference. Three amendments were added the same day, before any data: convergence to the news-implied value, a wider question battery and the firm-level explanation analysis. Later changes went only into an append-only, dated deviations log. On 2026-10-28, before any 2026 model call, a SHA-256 hash over the pre-registration, every configuration file and the analysis code was recorded and tagged in version control. The lock on the 2026 prices checks that hash; it was opened after the freeze to build the post-reaction states (reactions only), and once, in a single logged sequence, to release the test outcomes.

3.5 Inference

The main statistic is the daily information coefficient,

$$\mathrm{IC}_t(\hat{N}, z) = \rho_S\big(\{\hat{N}_{i,t}\}_{i\in\mathcal{E}_t},\, \{z_{i,t}\}_{i\in\mathcal{E}_t}\big), \qquad \overline{\mathrm{IC}} = \frac{1}{T}\sum_{t=1}^{T} \mathrm{IC}_t(\hat{N}, z), \tag{2}$$

the Spearman rank correlation ρ_S between the readings and the moves across the events $\mathcal{E}_t$ of session t (sessions with at least five events), averaged over the T sessions of a period. Its t-statistic uses Newey–West standard errors with five lags (Newey and West, 1987). A positive IC means that the readings rank the day's moves in the right order on average; the IC is the usual measure of a cross-sectional signal. The hypotheses that news is priced at the open compare the IC with the overnight move and with the move after the open:

$$\text{H1: } \Delta = \frac{1}{T}\sum_t \Big[\mathrm{IC}_t(\hat{N}, z^{on}) - \mathrm{IC}_t(\hat{N}, z^{id})\Big] > 0, \qquad \text{H1b: } \frac{1}{T}\sum_t \mathrm{IC}_t(\hat{N}, z^{id}) > 0. \tag{3}$$

H1 says that the news is priced mostly at the open, H1b that it is not fully priced there, so that a position taken at the open can still earn. Both are tested one-sided with a stationary block bootstrap over sessions (Politis and Romano, 1994), with blocks of five sessions and 10,000 draws. H1b was added to the pre-registration before the freeze, because the pre-registered strategy that enters at the open needs it.

The five primary hypotheses (H1, H1b, H2, H3 and H4, defined where they are tested) form one family, corrected by Holm's method at 0.05 (Holm, 1979); the secondary hypotheses form families corrected by Benjamini–Hochberg at $q = 0.10$ (Benjamini and Hochberg, 1995). Regressions are pooled OLS with day-by-tier fixed effects and standard errors clustered by date and by firm (Cameron et al., 2011), with Driscoll–Kraay standard errors (Driscoll and Kraay, 1998) as a check. A primary result counts as a general claim only if it holds with the same sign and $p < 0.05$ for the primary instrument and for the anchor; if it holds for the primary instrument alone, it is model-specific. Because the anchor is uninformative and the commercial models failed the screens, no result in this paper can be more than model-specific: every result below is a statement about the models we tested, and we do not repeat the qualifier.

4 Clean validation did not survive the blinded test

Figure 2 compares each model's daily IC with the close-to-close move on val-B, the quarter used for the final selection, with its IC on the test period. Laya-Fin was selected as the primary instrument because its val-B IC, 0.065 ($t = 3.64$), was the highest among the candidates eligible for that role; on val-A, which it was not trained on, its IC had been 0.055. On the test it fell to 0.020 ($t = 1.67$), below the lower end of its val-B 95% interval (0.030). The fall is not specific to the fine-tuned model. Every model whose val-B IC was positive fell: the commercial models' ICs roughly halved (d1-ultra's from 0.097 to 0.039), and the generative LLM's fell from 0.052 to 0.001 on its subsample. The clean price-only and embedding benchmarks are near zero in both periods. The highest test ICs belong to the two baselines built on vendor labels (0.055 for the tag model); because the vendor produced those labels after the fact, we read them as an upper bound that may contain look-ahead, not as a benchmark. Appendix Table A2 lists every model. A validation that looked clean on two quarters was weak evidence of what the model would do next; an exploratory split (Section 10) locates the decline away from earnings days.

Table 2 reports the five primary hypotheses. None is supported for Laya-Fin (Holm-adjusted p from 0.269 to 0.853). H1 and H1b, whether the news is priced at the open, are the subject of Section 5 and Table 3, and H2, the over/under regression, of Section 6 and Table 4. H3 asks whether the post-reaction judgment J adds to price-only and news-only features in predicting y_2, the move from the next open to the close of $t + 5$; the gain in IC is 0.0038 ($p = 0.054$). H4 asks whether the readings of materiality, surprise and expected magnitude predict the size of the day's move, $|z_{cc}|$, beyond a heterogeneous autoregressive model of realized volatility (Corsi, 2009), an earnings-day flag and the size tier; they add 0.0012 to the out-of-sample R^2 ($p = 0.216$). Laya-Fin's magnitude head ranks the size of the move (an AUC of 0.60 for moves of at least one typical day), so the models know which stocks will move a lot, but no better than the stocks' own recent volatility.

5 Pre-open news is priced at the open

Equation (1) splits each day's move at the open. Figure 3 and Table 3 show on which side of the open the models' readings predict it. For the three commercial models the answer is clear. Their daily IC with the overnight move z_{on} is 0.074 to 0.077 (t from 4.49 to 5.34), and their IC with the move after the open, z_{id}, is about zero (-0.001 to 0.002). H1, the difference, is 0.075 for d1-ultra (95% interval 0.040 to 0.109, $p = 0.0001$) and about the same for the other two. Sorted by d1-ultra's reading, the top quintile of a day's events moves 0.81 typical daily moves more overnight than the bottom quintile ($t = 5.6$). The untuned Laya model, which barely recognizes masked companies (Section 8), shows the same pattern at a smaller scale (H1 = 0.054, $p = 0.001$).




Figure 2: Every validation IC that was positive fell on the blinded test: Laya-Fin's from 0.065 to 0.020, d1-ultra's from 0.097 to 0.039. Daily IC of the pre-open reading $\hat{N}$ with the close-to-close move z_{cc} on (a) val-B (October–December 2025, the final-selection quarter) and (b) the test period (January–July 2026), with 95% intervals (±1.96 Newey–West standard errors); the panels share one scale. The LLM baseline was run on a 2,000-event subsample. †Vendor-label baselines: the labels were produced after the fact, so their ICs are a possibly look-ahead-contaminated upper bound. ‡See Appendix A.

Table 2: Primary hypotheses on the test period: none of the five is supported for the primary instrument, Laya-Fin (Holm p from 0.269 to 0.853).

	Laya-Fin (primary)				Anchor		
Hypothesis	Estimate	95% CI	p	Holm p	Estimate	p	Verdict
H1	0.005	[−0.035, 0.041]	0.409	0.853	0.004	0.406	not supported
H1b	0.010	[−0.014, 0.037]	0.213	0.853	0.002	0.427	not supported
H2	−0.044	—	0.616	0.853	0.015	0.294	not supported
H3	0.0038	[−0.0008, 0.0085]	0.054	0.269	0.0013	0.017	not supported
H4	0.0012	[−0.0017, 0.0042]	0.216	0.853	−0.0004	0.773	not supported

The tests: H1, $\mathrm{IC}(\hat{N}, z_{on}) - \mathrm{IC}(\hat{N}, z_{id}) > 0$; H1b, $\mathrm{IC}(\hat{N}, z_{id}) > 0$; H2, $b > 0$ and $c < 0$ at D2; H3, ΔIC of J for $y_2 > 0$; H4, ΔR^2 of the news for $|z_{cc}| > 0$.

Test period 2026-01-02 to 2026-07-31, events outside the embargo. Estimates in each hypothesis' direction; p one-sided; 95% CIs and p from a stationary block bootstrap over sessions (block 5, 10,000 draws); Holm over H1, H1b, H2, H3 and H4 at 0.05.

H2: the estimate is $\min(b, -c)$ and $p = \max(p_b, p_c)$ (both must hold), so it has no single interval (—); b and c with their standard errors are in Table 4. Estimates and CIs to three decimals, H3's and H4's to four, since those increments are an order smaller.

Verdict (the pre-registered headline rule): general if Laya-Fin's Holm $p < 0.05$ with the predicted sign and the anchor's own $p < 0.05$ with the same sign; model-specific if only Laya-Fin's holds; otherwise not supported. The anchor's readings are uninformative (near-constant outputs after one epoch); its rows are reported, not read as nulls. Its p is its own, not Holm-adjusted.

Significance: no stars are used; p is one-sided unless stated.




Figure 3: The commercial models' pre-open readings line up with the overnight move (daily IC 0.074 to 0.077), not with the move after the open (about zero). Daily IC of the pre-open reading $\hat{N}$ on the test period with (a) the overnight move z_{on} (previous close to open) and (b) the move after the open z_{id} (open to close), with 95% bootstrap intervals; (c) H1, the difference of the two, with its bootstrap interval. The panels share one scale. Laya-Fin's ICs are small on both sides (0.015 and 0.010), so H1 and H1b are not supported for it (Holm $p = 0.853$). ‡See Appendix A.

No model predicts the move after the open. H1b, the IC with z_{id}, is not significant for any model on the test: 0.010 for Laya-Fin ($t = 0.8$), and between −0.017 and 0.002 for the others. This matters for Laya-Fin, whose validation signal seemed to reach past the open: on val-B its IC with z_{id} was 0.054 ($t = 2.89$), as large as its IC with z_{on}. That is why H1b was added to the pre-registration before the freeze. On the test, both of Laya-Fin's ICs are small, and neither hypothesis is supported.

What the overnight IC measures. The overnight move includes trading after the previous close and before the open, and pre-market trading starts at 04:00 ET. Part of z_{on} has therefore already happened when the model reads the news at 09:15, so the overnight IC partly measures how well a reading lines up with a move the market is already making, not only a forecast of the move between 09:15 and the open. The pre-registered analysis scores the readings against the whole overnight move and does not split it at 09:15. Either way, the part of the news that the readings capture is in the price by the open, and nothing measurable is left for a trader who enters there.

Robustness. No pre-registered robustness variant changes these conclusions (Appendix Figure A1): dollar-volume tiers, dropping articles with date-only or hour-rounded time stamps, a non-overlapping sample, placebo-adjusted targets, a 60-session volatility, dropping delisting horizons and dropping text about price moves. Unmasking does not raise d1-ultra's IC: on 5,923 test events its IC with z_{cc} is 0.026 with masked states and 0.029 with the same states unmasked. The timing of the news matters. d1-ultra's overnight IC is 0.115 ($t = 5.0$) when the latest article arrives between 08:00 and 09:15, 0.061 when it arrives between 04:00 and 08:00, and not significant when it precedes 04:00 (0.024). The closer to the open the news arrives, the more of the overnight move the reading lines up with.

Table 3: Daily IC by target: the API models' IC is 0.074 to 0.077 with the overnight move and about zero with the move after the open; no model predicts the move after the open.

	Val-B			Test		
Model	z_{cc}	z_{on}	z_{id}	z_{cc}	z_{on}	z_{id}
Trained and zero-shot						
Laya-Fin	0.065	0.045	0.054	0.020	0.015	0.010
	(3.64)	(2.93)	(2.89)	(1.67)	(1.08)	(0.82)
anchor	−0.020	−0.002	−0.011	0.008	0.006	0.002
	(−1.52)	(−0.16)	(−0.75)	(0.83)	(0.50)	(0.18)
Laya zero-shot	0.029	0.047	0.002	0.005	0.037	−0.017
	(1.94)	(2.55)	(0.12)	(0.37)	(3.22)	(−1.25)
API models (model-specific)						
d1-ultra	0.097	—	—	0.039	0.074	−0.001
	(5.38)	—	—	(3.23)	(4.74)	(−0.07)
span-02‡	0.099	—	—	0.041	0.074	−0.001
	(5.83)	—	—	(3.10)	(4.49)	(−0.05)
drex-v2.0	0.075	—	—	0.044	0.077	0.002
	(4.10)	—	—	(3.70)	(5.34)	(0.18)

Mean daily Spearman IC of the pre-open news reading $\hat{N}$ with the close-to-close move z_{cc}, the overnight move z_{on} (previous close to open) and the move after the open z_{id} (open to close), each in typical daily moves, to three decimals; Newey–West t in parentheses, to two; D0 events outside the embargo (val-B 2025-10-01 to 2025-12-31; test 2026-01-02 to 2026-07-31).

Val-B ICs with z_{on} and z_{id} come from a run of the frozen specification on val-B before the freeze, which covered the trained and zero-shot Laya models only (—: not computed).

The anchor's readings are uninformative (near-constant outputs after one epoch); its rows are reported, not read as nulls. The API models fail the pre-registered contamination screens, so their results are model-specific. ‡span-02: after the freeze, a stability check that repeats earlier requests (the canary) fired for it; its build was unchanged, and production went ahead under a rule recorded in the deviations log.

6 The models cannot tell over- from under-reaction

6.1 The over/under regression

The central pre-registered hypothesis, H2, asks whether a model's reading of the news separates the part of a day's move that will persist from the part that will reverse. After the close (D2) we regress the next week's move on the news-implied move and on the day's move:

$$y_{i,t} = a + b\,\hat{N}_{i,t} + c\,G_{i,t} + \alpha_{d(t)\times\tau(i)} + \varepsilon_{i,t}, \tag{4}$$

where $y_{i,t} = y_2$ is the abnormal move from the next open to the close of $t+5$ in typical-move units, $\hat{N}_{i,t}$ is the model's reading of the day's news (all of it, up to the close, with price language removed), $G_{i,t} = z^{cc}_{i,t}$ is the day's move and $\alpha_{d(t)\times\tau(i)}$ is a day-by-tier fixed effect; there is no conditioning on the size of G. H2 predicts $b > 0$ (moves the news explains persist: underreaction to news) and $c < 0$ (moves the news does not explain reverse: overreaction to price); both must hold, and each is tested one-sided with standard errors clustered by date and firm.

Table 4 reports the estimates. For Laya-Fin, $b = -0.044$ ($p = 0.62$) and $c = -0.015$ ($p = 0.11$) on 17,188 events. The reversal coefficient has the predicted sign for every model but is never

significant, and the news coefficient is not positive: d1-ultra's is -0.076 ($p = 0.99$ for a positive effect). The two earlier decision points, reported outside the family, do not change the picture. None of the eight pre-registered heterogeneity cuts (the three size tiers, quantified against story news, small moves, press wires, low usual coverage and busy days) changes Laya-Fin's coefficients (Benjamini–Hochberg $q \geq 0.74$; Appendix Table A3), and neither does the style of the coverage: a more promotional or sensational tone, a dimension of text separate from its content (Wegmann et al., 2026), does not predict reversal (H6; Appendix Table A4).

Table 4: The over/under regression (H2): for Laya-Fin the news coefficient b is -0.044 and the reversal coefficient c is -0.015 ($p = 0.110$): c has the predicted sign but is not significant, and b is not positive at the close.

Decision point	b	SE	p_b	c	SE	p_c	Events
Laya-Fin (primary)							
D2, close (H2)	−0.044	(0.149)	0.616	−0.015	(0.012)	0.110	17,188
D1, 10:00	0.229	(0.148)	0.062	0.013	(0.012)	0.861	13,203
D0, open	0.278	(0.212)	0.096	—	—	—	13,439
Anchor (uninformative)							
D2, close (H2)	0.748	(1.377)	0.294	−0.015	(0.012)	0.111	17,188
D1, 10:00	1.964	(2.482)	0.215	0.014	(0.012)	0.874	13,203
D0, open	−4.510	(3.236)	0.917	—	—	—	13,439
d1-ultra (model-specific)							
D2, close (H2)	−0.076	(0.031)	0.991	−0.011	(0.012)	0.171	17,188
D1, 10:00	−0.018	(0.032)	0.711	0.015	(0.012)	0.884	13,203
D0, open	0.022	(0.037)	0.277	—	—	—	13,439

$y = a + b\,\hat{N} + c\,G$ with day × tier fixed effects, on the test period: at D2 $y = y_2$ (next open to t+5), $\hat{N}$ from the day's news and G the day's move; at D1 the move after 10:00 on $\hat{N}$ from the pre-open news and the move to 10:00; at D0 $y = z_{id}$ and there is no G, so no c (—). Two-way clustered (session, firm) standard errors in parentheses; p_b tests $b > 0$ and p_c tests $c < 0$, one-sided. H2 is the D2 row of Laya-Fin.
The anchor's readings are uninformative (near-constant outputs after one epoch); its rows are reported, not read as nulls. The API models fail the pre-registered contamination screens, so their results are model-specific.
Significance: no stars are used; p is one-sided unless stated.

6.2 Convergence to the news-implied value

The convergence analysis asks the same question along the whole path from the open to $t+20$. For each rung h of a ladder from the open to the close of $t + 20$, we regress the level move from the previous close to h on the news-implied value:

$$\mathrm{CAR}^{\mathrm{lvl}}_{i,h} = \kappa_h V_i + \alpha_{d(t)\times\tau(i)} + \varepsilon_{i,h}, \qquad h \in \{O_t,\ 10{:}00,\ C_t,\ C_{t+1},\ C_{t+2},\ C_{t+5},\ C_{t+10},\ C_{t+20}\}, \quad (5)$$

where $\mathrm{CAR}^{\mathrm{lvl}}_{i,h}$ is the cumulative abnormal return in typical daily moves, without square-root-of-time scaling, so that it is comparable with V. $\kappa_h = 1$ means that by rung h the price has moved all the way to the model's value; a rising κ_h means drift toward it and a falling one means reversal.

Prices move part of the way to the model's value on day t and no further (Figure 4; Appendix Table A5). For Laya-Fin, κ_h is 0.36 at the close and 0.26 at $t + 20$; for d1-ultra the path is higher and has the same shape, from 0.59 at the close to 0.36 at $t + 20$. Neither pre-registered increase from the open to $t + 20$ is significant ($p = 0.47$ for Laya-Fin and 0.83 for d1-ultra). Prices also




Figure 4: Prices move part of the way to the model's news-implied value by the close, then partly fade: the convergence slope is 0.36 at the close for Laya-Fin and 0.59 for d1-ultra, and the gap's half-life is not reached within 20 sessions. Test period. Event time is not to scale: O_t is the open, 10:00 the D1 decision point, C_t the close of day t and $+k$ the close of session $t+k$. (a) d1-ultra's top and bottom deciles of the news-implied value V: the level move $\mathrm{CAR}^{\mathrm{lvl}}$ from the previous close, in typical daily moves, with ±1.96 event-level standard-error bands (descriptive), against each decile's mean V (dashed). (b) The convergence ladder κ_h of Equation (5), with 95% intervals from standard errors clustered by date and firm, against full convergence at $\kappa_h = 1$.

drift in V's direction before the event: five sessions earlier, d1-ultra's top decile stood −1.19 and its bottom decile 1.54 relative to the previous close. The states describe the company's recent abnormal performance in words, so part of V reflects momentum.

Because V is a model's estimate, a slope below one does not by itself mean that the market underreacts. Under classical measurement error, the level of κ_h mixes market efficiency with model noise, while the shape of the ladder (a rise or a fall after the decision point) is identified up to a positive factor (Appendix D.1). The informative fact is therefore the fade after the close: the part of the day's move that lines up with the news does not continue, and partly gives back, although the pre-registered increase is not significant, so the fade is descriptive. The gap between the model's value and the price does not close either: its half-life is not reached within 20 trading days for any model, and because V is small next to the day's move, the pre-registered gap-closure test measures how much of the day's move reverses, not convergence to V (Appendix D.1).

6.3 Under, over and the size of the move

The post-reaction reading classifies each event as an underreaction, a fair reaction or an overreaction, by how far the day's move fell short of or exceeded the model's value. Figure 5 (a) follows d1-ultra's classes after the close, signed in the direction of the news. The 5,021 "Under" events moved against the news on day t and never catch up (−1.04 typical moves at $t+20$, against a mean value of 0.38); the "Over" events give back part of their move, from 3.16 at the close to 2.82. Laya-Fin calls too few events either way to draw. Panel (b) asks the question by the size of the move instead: only moves of at least three typical days reverse, slightly, in every tercile of news strength, and smaller moves show small means of both signs. There is no sign that important news with a small move is underpriced.

Two descriptive cuts, pre-registered for reporting but not as tests, show where convergence is strongest. Laya-Fin's slope at the close is 0.75 for the 100 largest companies against 0.23 and 0.25




Figure 5: The models' "underreaction" calls never catch up, and only moves of three or more typical days reverse, slightly (−0.09 to −0.18 typical moves over the next week). Test period, d1-ultra. (a) D2 events by the post-reaction class, pooled over the size tiers and signed in the news' direction (sign($\hat{N}$) · CAR^{lvl}), with ±1.96 event-level standard-error bands, against each class's mean signed value $\bar{V}$ (dashed: dotted for Under, short dashes for Fair, long dashes for Over). (b) Drift after the close, sign(G) · y_2 (next open to the close of $t + 5$, in the direction of the day's move), by the size of the day's move $|G|$, one line per tercile of news strength $|V|$, with 95% intervals. The strong tercile also reverses slightly for moves of 0.5 to 2 typical days. The pre-registered regression (Table 4) finds no support for H2.

for the other tiers. And by d1-ultra's own label of the news, prices at $t + 20$ reflect the value of numerical news ($\kappa_{t+20} = 0.78$, $p = 0.002$) but not that of narrative news (−0.04), a pattern that echoes the earlier finding that markets treat numbers and stories differently (Kargarzadeh et al., 2026).

7 News explains little of a stock's own move; the commercial models are overconfident

7.1 Explaining realized moves

Roll (1988) asked how much of a stock's daily return public news explains, and Kelly et al. (2026) revisit the question for the market with generative AI. We ask it for single stocks, out of sample. For every covered company-day of the test period (days without selected news enter with zero news features, as in Roll), we build up the explanation of the stock-specific move z_{cc} step by step: the market and the sector (Roll's first step), then the pre-open news reading, then the reading of all the day's news, and finally the post-reaction reading's explanation of the move, which reads the realized move and is therefore an attribution, not a forecast. Each step is a ridge regression fitted on validation data by the pre-registered protocol and scored on the test by

$$R^2_{\text{OOS}} = 1 - \frac{\sum_{i,t}(y_{i,t} - \hat{y}_{i,t})^2}{\sum_{i,t}(y_{i,t} - \bar{y}_{\text{ref}})^2}, \qquad \Delta R^2_s = R^2_{\text{OOS}}(s) - R^2_{\text{OOS}}(s-1), \tag{6}$$

where $\bar{y}_{\text{ref}}$ is the reference the frozen specification fixes (a zero forecast for the stock-specific move, and the val-B mean for the size of the move in H4), $R^2_{\text{OOS}}(s)$ is the fit of steps one to s, and ΔR^2_s is what step s adds to the steps before it. A positive R^2_{OOS} means the step predicts better than the reference on data it was not fitted on.




Figure 6: Same-day news explains 0.25% of the stock-specific daily variance out of sample for Laya-Fin and 0.82% for d1-ultra; reading the realized move explains 15.8%. Test period; out-of-sample R^2 in percent of the stock-specific variance (the market and the sector removed). (a) d1-ultra's R^2 by cut, stacked by step in the legend's order: the pre-open news, plus the day's news, plus the post-reaction explanation (which reads the realized move, so it is not a forecast). Each total stands above its bar with its 95% bootstrap interval; the two thin news steps are labelled beside each bar. For comparison, the market and the sector explain 25.3% of the total daily variance, a different base. (b) The news steps on their own scale, with 95% bootstrap intervals, for Laya-Fin and d1-ultra. Only d1-ultra answers the explanation question.

The news explains little of a stock's own move (Figure 6, Table 5). The market and the sector explain 25.3% of the total daily variance. Of the stock-specific part, the reading of all the day's news explains 0.25% for Laya-Fin and 0.82% for d1-ultra, much of it already knowable before the open. H5, the secondary hypothesis that this step is positive, is supported for both models (Benjamini–Hochberg $q = 0.058$ for Laya-Fin). Reading the realized move explains far more: d1-ultra's explanation step reaches 15.8% of the stock-specific variance on all covered days and 37.5% on days with news. Yet being explained does not predict persistence. In the pre-registered persistence regression the coefficient on the explanation is -0.062 after the close ($p = 0.95$ for a positive effect): explained moves do not persist more than unexplained ones, and if anything reverse slightly more.

7.2 Calibration

The pre-registered calibration metric is the expected calibration error (Pakdaman Naeini et al., 2015; Guo et al., 2017): the pre-open reading's nine levels are grouped into three classes (a fall, no move and a rise, split at half a typical daily move), and the top class's stated probability is compared with its hit rate against the realized five-day move, in 15 equal-width bins. Laya-Fin's error is small (0.057) only because its probabilities barely leave the validation base rates: its log-loss improves on them by 0.001. The commercial models are overconfident. Their stated probabilities overstate their hit rates, with errors from 0.209 to 0.361 and negative log-loss skill, and a single temperature fitted on val-A lowers d1-ultra's error from 0.260 to 0.155 (Appendix Table A6 and Figure A2). Calibration does not come with the decision-model interface; it has to be checked.

Table 5: Explaining realized moves: same-day news explains 0.25% of the stock-specific variance for Laya-Fin (H5, supported) and 0.82% for d1-ultra; reading the move explains 15.8%.

	Laya-Fin		d1-ultra		Anchor	
Step	R^2	ΔR^2	R^2	ΔR^2	R^2	ΔR^2
Panel A: the explanation ladder, out-of-sample R^2 of z_{cc} (%)						
+ ex-ante news (D0)	0.13	—	0.28	—	0.01	—
+ same-day news	0.25	0.12	0.82	0.53	0.03	0.02
+ explanation (reads the move)	—	—	15.76	14.94	—	—
share knowable before the open (%)	53.17	—	34.78	—	35.63	—
Panel B: the secondary test H5						
H5: same-day news step, $R^2 > 0$	0.25	—	0.82	—	0.03	—
one-sided p	0.010	—	<0.001	—	0.072	—
BH q	0.058	—	<0.001	—	0.358	—

Covered member-days of the test period; out-of-sample R^2 of the stock-specific move z_{cc} (the market and sector removed) by cumulative step, in %; ΔR^2 is the step's increment. Roll's first step, the market and the sector, explains 25.3% of total daily variance, a different base. The explanation step needs the post-reaction reading's explanation answer, which only d1-ultra gives; it reads the realized move, so it is not a prediction. H5 is the only secondary test that survives Benjamini–Hochberg (q 0.10) for Laya-Fin. —: not applicable (the first step has no increment; only d1-ultra answers the explanation question; the share and Panel B have one value per model). R^2, ΔR^2 and the share in % to two decimals; p and q to three.

The anchor's readings are uninformative (near-constant outputs after one epoch); its rows are reported, not read as nulls. The API models fail the pre-registered contamination screens, so their results are model-specific.

8 What the models know about masked firms

Masking removes names, but news is distinctive: a drug approval, a store count or a guidance range can point to one company. We measure how often a model recognizes the company behind a masked state. Each of 400 masked val-A states is shown with four candidate companies from the same sector and size tier, the true one and three distractors chosen to match its news activity, and the model picks one. For model m,

$$\mathrm{Acc}_m = \frac{1}{n}\sum_{i=1}^{n} \mathbf{1}[\hat{c}_i = c_i], \qquad \mathrm{excess}_m = \mathrm{Acc}_m - p_0, \tag{7}$$

where c_i is the true company, $\hat{c}_i$ the model's choice and $p_0 = 0.28$ the matched baseline: the accuracy of a guess that uses no reading, only the candidates' news activity. Intervals are Wilson score intervals (Wilson, 1927). The matched baseline matters: with distractors drawn at random, a guess based on news activity alone already scores 36%, because the true company always has news.

The commercial decision models recognize the company far more often than the baseline (Figure 7): from 62% of states (mercury-decide) to 74% (d1-ultra), and 66% and 68% for the other two comparators. The open-weights Laya model, the base of Laya-Fin, does so in 32%, close to the baseline. All of the commercial models therefore fail the pre-registered screen of 40%, and every model in the figure was released after the sample ended: Laya on 2026-09-18 and the commercial models between 2026-10-12 and 2026-10-16. Their training data are undisclosed, so we cannot rule out that they saw text from the test period.

Recognition is not the same as remembering returns, and three results suggest that it did not drive the commercial models' overnight signal. The open-weights Laya model, which recognizes




Figure 7: Commercial decision models identify the company behind masked news in 62% to 74% of states, against a matched baseline of 28%; the open-weights Laya model does so in 32%. Company identification on masked val-A states with activity-matched distractors: the share of states in which each model names the company among four candidates, sorted, with its Wilson 95% interval, against the matched baseline (a guess that uses no reading; solid line) and the pre-registered screening threshold (40%; dashed line). The three commercial models carried to the test are in the comparator colour, the other commercial models and Laya zero-shot in gray. Every model was released after the sample ended. Identifying a company is not the same as remembering its returns. ‡See Appendix A.

masked companies barely more often than the baseline, shows the same split between the overnight move and the move after the open (Section 5); unmasking the states does not raise d1-ultra's IC; and the commercial models' ICs fell from validation to test as the other signals' did, which is not what an advantage from having seen the test period would produce. None of the three is a test of memorization. The result is, however, a warning for backtests of language models on historical news: masking hides names, not companies. The pre-registered forward test (Section 11) asks the question directly, on news published after the models were released.

9 Economic significance

The pre-registered strategies turn each reading into a daily long-short book within size tiers, hedged against the market with SPY. The *convergence strategy* (S-CONV) buys the events whose price lies furthest below the model's value (the top 20% of the gap U between the value and the move so far) and sells those furthest above it, after the first half hour (D1) or after the close (D2). Three more families rank the pre-open reading, entering at the open (S-D0), and the post-reaction judgment J, signed by the move, at 10:00 (S-D1) and after the close (S-D2). An RG book trades only the events the model calls an under- or over-reaction, and a gated book only its most confident readings. Costs are charged at 5, 10 and 20 basis points per side on both legs and on the hedge. Each book is compared with 100 books built on random signals over the same events, and its Sharpe ratio is deflated (Bailey and López de Prado, 2014) for the 545 trials the ledger held when the strategies were evaluated: every selection of filters, encodings, models and baselines, and every strategy variant up to then (Appendix C).

No pre-registered strategy is worth trading after costs (Table 6 and Figure 8). Gross of costs, no book reaches the 95th percentile of its random-signal placebo, and Laya-Fin's post-reaction book after the close falls below the 5th (percentile 3), as expected of judgments that carry no positive

information about the next week. Net of 10 basis points every main book loses except the tiny RG book, which holds one stock a side on a handful of days. The convergence strategy is, in effect, a price-only gap fade: because the model's value is small next to the day's move, ranking by the gap buys the day's losers and sells its winners. The two books share 92% of their positions, and their daily returns correlate 0.96. The highest gross Sharpe ratio, 1.88 for the pre-open book restricted to Laya-Fin's most confident readings and held to the next close, breaks even at 8.3 basis points per side, and the one-day books turn over about 4.4 times their capital a day, so costs decide their sign. The largest deflated-Sharpe probability of any test book is 0.024. Short-sale borrow costs, which would lower every net figure, are not modelled.

Table 6: Strategies on the test period: no pre-registered book survives costs and the deflated Sharpe ratio (the largest deflated-Sharpe probability is 0.024).

		Sharpe ratio					
Book	Holding	Gross	Net	Turnover	Break-even (bp)	Placebo pct.	DSR
Laya-Fin (primary)							
S-CONV	D2 to t+5	0.61	−1.98	0.90	2.4	68	<0.001
S-D0	open to close	0.35	−6.03	4.36	0.5	64	<0.001
S-D0, gated	open to t+1	1.88	−0.38	2.31	8.3	93	<0.001
S-D1 J	10:00 to close	0.76	−9.70	4.36	0.7	71	<0.001
S-D2 J	next open to t+5	−2.69	−6.45	0.83	−7.1	3	<0.001
S-D2 RG	next open to t+5	1.69	1.50	0.05	85.1	92	0.024
d1-ultra (model-specific)							
S-CONV	D2 to t+5	−0.09	−2.72	0.90	−0.3	48	<0.001
S-D0	open to close	0.10	−6.41	4.41	0.1	58	<0.001
S-D1 J	10:00 to close	−0.28	−11.35	4.51	−0.3	40	<0.001
S-D2 J	next open to t+5	0.39	−2.37	0.85	1.4	64	<0.001
Benchmarks							
gap fade (price-only)	D2 to t+5	0.44	−2.01	0.90	1.8	66	<0.001
vendor sentiment†	open to close	0.27	−6.24	4.36	0.4	62	<0.001

Annualized Sharpe ratios ($\sqrt{252}$), gross and net of 10 bp per side on both legs and the SPY hedge; no borrow cost. Turnover: dollars traded a day per dollar of capital. Break-even: the cost per side, in basis points, at which the mean net return is zero (gross mean ÷ turnover). Placebo: the percentile of the gross Sharpe among 100 random-signal books on the same events. DSR: the deflated-Sharpe probability at 10 bp with $N = 545$ trials, every trial logged when these pre-registered strategies were evaluated (the ledger holds 1,620 after the post hoc exploratory study). Each family is shown at its hypothesis' horizon; every book is in the replication package. S-CONV ranks by the gap $U = V - G^{\text{lvl}}$; S-D0 by $\tilde{N}$; S-D1 and S-D2 by the judgment J signed by the move; RG books trade the cases the model calls a misreaction (one name a side).

†Vendor sentiment: its labels were produced retrospectively, so its books are a possibly look-ahead-contaminated upper bound, not a benchmark; the clean benchmarks are the price-only gap fade and the random-signal placebo. The API models fail the pre-registered contamination screens, so their results are model-specific.

10 Exploratory analyses (post hoc): where the signal lives

Everything in this section is exploratory. The analyses were requested after unblinding, they are outside every pre-registered family and they support no claim; they suggest where to look, and the forward test of Section 11 re-tests two of them as pre-registered hypotheses. Before this study was designed, the authors' AI research assistant had looked at two of the statistics below on the test period (hit rates and mean moves by conviction band, and the statistics of the 10:00 reading), and




Figure 8: No pre-registered strategy survives costs: net of 10 basis points every main book loses, and the convergence strategy is effectively a price-only gap fade (92% of positions shared, daily correlation 0.96). Test period. (a, b) Annualized Sharpe ratio of each main book, gross and net of 10 basis points per side on both legs and the SPY hedge, at the exit of its hypothesis' horizon; the gray box is the 5th to 95th percentile of 100 random-signal books on the same events; (b) has its own scale. (c) The convergence strategy's cumulative net return (Laya-Fin and d1-ultra) against the price-only gap fade, with the placebo's 5th to 95th percentile band.

those looks shaped it. Every exploratory variant is logged as a trial: the ledger grew from 545 to 1,620 trials.

Earnings days carry the signal. In a post hoc split, every signal's pre-open IC is concentrated on the 1,128 test events with a scheduled earnings report, and there it held in all three periods. Laya-Fin's IC with z_{cc} on earnings days was 0.125, 0.106 and 0.134 on val-A, val-B and the test, against 0.013 on the other test events; d1-ultra's was 0.223 on the test ($t = 8.1$). The fall from validation to test of Section 4 is therefore a fall on the other events. Even on earnings days the signal is priced at the open: d1-ultra's earnings-day IC on the test is 0.238 with z_{on} and 0.034 with z_{id}.

Selective prediction: the most confident calls carry most of the overnight signal. We ranked events post hoc by conviction, the size of $|\hat{N}|$ against its val-A distribution, and kept only the top share of them, which traces a coverage curve (Geifman and El-Yaniv, 2017) (Figure 9). d1-ultra's mean overnight move in the direction of its reading, $\text{sign}(\hat{N}) \cdot z_{on}$, is 0.93 typical moves in its top 10% on the test, against 0.21 for all events, and the pattern held in both validation quarters. After the open, selectivity gains little: no test interval of the top share's mean move after the open excludes zero at any coverage.

Watching the open adds nothing. In a post hoc comparison, the reading at 10:00, after the first half-hour bar, never predicts the rest of the day better than the pre-open reading on val-B or the test, and the revision from the pre-open to the 10:00 reading has a zero or negative IC with the move from 10:00 to the close (Laya-Fin −0.036 on the test, $t = -2.3$). The models seem to




Figure 9: Exploratory (post hoc): d1-ultra's most confident tenth of pre-open readings carries most of the overnight signal in all three periods (mean signed overnight move 1.52, 1.16 and 0.93 typical moves, against 0.22, 0.26 and 0.21 for all events), but not the move after the open. Coverage curves: events ranked by conviction $|\hat{N}|$ (lines) or by the stated confidence (circles), keeping the most confident share, with thresholds from val-A; 95% intervals from the stationary bootstrap over sessions. (a) Mean sign$(\hat{N}) \cdot z_{on}$; (b) mean sign$(\hat{N}) \cdot z_{id}$; (c) the hit rate against z_{cc}. The dashed line marks the frozen confidence gate (the val-A 70th percentile). ‡See Appendix A.

over-update toward the first bar, but the comparison involves many statistics, so this exploratory pattern is weak evidence.

Validation-to-test decay, the strongest instance. A post hoc conditioning study asked whether the after-the-open signal $\text{sign}(\hat{N}) \cdot z_{id}$ is stronger under some condition (the type and timing of the news, the day, the stock, the models' internals, agreement between models and a cost hurdle) for 75 (model, condition) pairs. A strict rule, fixed before its test run, selected the pairs positive with $t \geq 1$ in both validation quarters and a pooled $t \geq 2$, and 8 passed. On the test, 5 of them changed sign and the other 3 are small (Appendix Figure A3). Their tradable versions had in-sample gross Sharpe ratios up to 6.8 on val-B; on the test, none reaches the 90th percentile of its placebo, and every one loses net of 10 basis points.

11 Limitations and the forward test

Limitations. The sample is the S&P 500, the largest and most closely followed US stocks; smaller stocks, where news may diffuse more slowly (Hong et al., 2000), may behave differently. The horizon is daily, with one intraday decision point at 10:00 built from 30-minute bars whose first bar starts at the first trade, not at the opening auction. The analysis scores the pre-open readings against the whole overnight move and does not split it at the 09:15 reading, so it cannot say how much of that move happened before the reading. The test period is seven months long (140 sessions with D0 events), so small ICs are hard to detect, and the selection rested on two validation quarters of 59 sessions each. The trained instruments were trained once, with one seed and one epoch; the anchor learned the size of moves but not their direction and is uninformative, so the study says nothing about what fine-tuning adds. The commercial models failed the pre-registered screens and were released after the sample, so contamination cannot be ruled out. The vendor-label baselines rest on labels produced after the fact. Masking leaves small residues of names and dates, below half a percent of states. The strategies charge flat costs per side and model no borrow costs or market impact, and the hedge removes market risk only. Some pre-registered items were not run or not completed: three robustness variants that needed new model calls (a summary-text variant, vendor tags in the text and a 09:30 news cutoff; the 08:00 cutoff is approximated), the second and third training seeds, and 210 rate-limited requests of the ablations, which were not retried.

The forward test. The cleanest test of memorization uses news published after every model's release. Seven hypotheses for such a test were pre-registered on 2026-10-29, before any news from the forward window was exported and before any forward-period model call; the window runs from the first session after 2026-10-21 for at least three months, including the January–February 2027 earnings season, with the frozen pipeline run unchanged. They are:

- **F1, memorization:** for each commercial model, the change in IC from the test to the forward window minus the same change for the clean baselines is negative (Holm across the three models);
- **F2, entity against event knowledge:** company identification on masked forward states against masked test states, and against the matched baseline;
- **F3, the conviction book:** the pre-open book restricted to each model's top tenth of $|\hat{N}|$ (thresholds fixed from val-A) has a positive net Sharpe ratio;
- **F4, priced at the open:** the frozen H1 and H1b on the forward window;

- **F5, over-updating:** the IC of the revision after the first half hour with the rest of the day's move (two-sided);
- **F6, overconfidence:** the commercial models' expected calibration error exceeds Laya-Fin's (Holm across the three models);
- **F7, conviction concentration:** the mean signed overnight move of the top tenth by conviction exceeds that of all events (Holm across four models).

F5, F6 and F7 turn the exploratory results of Sections 7.2 and 10 into confirmatory tests. The forward test has not been run. The robustness runs of the anchor (seeds 17 and 23 and a longer training run), fixed before unblinding, have not been run either; they are robustness only and cannot change any verdict here.

12 Conclusion

AI decision models read financial news well enough to line up with how a stock opens, and not well enough to forecast what it does after that. A fine-tuned open-weights model that looked convincing on two validation quarters did not survive a blinded test. The commercial models kept a signal, but only in the overnight gap, where the market had already priced the news before anyone could trade on it at the open, as an efficient market would (Fama, 1970). The models could not tell an overreaction from an underreaction, their calls of underreaction never caught up, and no pre-registered strategy survived costs and selection. Out of sample, news explains a fraction of a percent of a stock's own daily variance, and the commercial models' stated probabilities overstate their accuracy.

Three recommendations follow for anyone who backtests language-model readings of news. First, split the return at the open: a pre-open signal can be traded only if it predicts the move after the open, and a close-to-close backtest credits it with a move nobody could trade. Second, measure recognition, not just masking: report how often the model names the masked company against a matched baseline, and where possible test on news published after the model's release, as our pre-registered forward test will. Third, freeze and count: select on validation data only, freeze the plan by hash, and log every trial and deflate for them; the strongest exploratory pattern we found, with in-sample Sharpe ratios up to 6.8, reversed on the test. The market reads the news first.

Acknowledgments and statements

Acknowledgments. The NewsWitch news corpus was provided by Zanista AI Ltd, and the cleaned dataset was prepared at TailState Intelligence Ltd.

Funding. This research received no external funding.

Competing interests. Arman Khaledian and Navid Parvini are affiliated with Zanista AI Ltd, which develops NewsWitch, the commercial news feed used in this study, whose sentiment and topic labels are evaluated here as baselines. Alireza Kargarzadeh is affiliated with TailState Intelligence Ltd, which prepared the dataset. The other authors declare no competing interests. The views expressed are the authors' own and do not necessarily reflect those of their employers.

Use of AI tools. An AI coding and research assistant (Claude, by Anthropic, used through Claude Code) implemented and ran the pre-registered pipeline under the authors' direction and drafted this manuscript from the verified outputs. The authors take full responsibility for the content.

References

David H. Bailey and Marcos López de Prado. The deflated Sharpe ratio: Correcting for selection bias, backtest overfitting, and non-normality. *Journal of Portfolio Management*, 40(5):94–107, 2014. doi: 10.3905/jpm.2014.40.5.094.

Nicholas Barberis, Andrei Shleifer, and Robert Vishny. A model of investor sentiment. *Journal of Financial Economics*, 49(3):307–343, 1998. doi: 10.1016/S0304-405X(98)00027-0.

Michael J. Barclay and Terrence Hendershott. Price discovery and trading after hours. *Review of Financial Studies*, 16(4):1041–1073, 2003. doi: 10.1093/rfs/hhg030.

Richard E. Barlow, D. J. Bartholomew, J. M. Bremner, and H. D. Brunk. *Statistical Inference under Order Restrictions: The Theory and Application of Isotonic Regression*. Wiley Series in Probability and Mathematical Statistics. John Wiley & Sons, 1972. ISBN 0-471-04970-0.

Yoav Benjamini and Yosef Hochberg. Controlling the false discovery rate: A practical and powerful approach to multiple testing. *Journal of the Royal Statistical Society: Series B (Methodological)*, 57(1):289–300, 1995. doi: 10.1111/j.2517-6161.1995.tb02031.x.

Henk Berkman, Paul D. Koch, Laura Tuttle, and Ying Jenny Zhang. Paying attention: Overnight returns and the hidden cost of buying at the open. *Journal of Financial and Quantitative Analysis*, 47(4):715–741, 2012. doi: 10.1017/S0022109012000270.

Victor L. Bernard and Jacob K. Thomas. Post-earnings-announcement drift: Delayed price response or risk premium? *Journal of Accounting Research*, 27:1–36, 1989. doi: 10.2307/2491062.

Jacob Boudoukh, Ronen Feldman, Shimon Kogan, and Matthew Richardson. Information, trading, and volatility: Evidence from firm-specific news. *The Review of Financial Studies*, 32(3):992–1033, 2019. doi: 10.1093/rfs/hhy083.

Jeffrey A. Busse and T. Clifton Green. Market efficiency in real time. *Journal of Financial Economics*, 65 (3):415–437, 2002. doi: 10.1016/S0304-405X(02)00148-4.

A. Colin Cameron, Jonah B. Gelbach, and Douglas L. Miller. Robust inference with multiway clustering. *Journal of Business & Economic Statistics*, 29(2):238–249, 2011. doi: 10.1198/jbes.2010.07136.

Nicholas Carlini, Daphne Ippolito, Matthew Jagielski, Katherine Lee, Florian Tramer, and Chiyuan Zhang. Quantifying memorization across neural language models. In *International Conference on Learning Representations*, 2023. URL https://openreview.net/forum?id=TatRHT_1cK.

Wesley S. Chan. Stock price reaction to news and no-news: drift and reversal after headlines. *Journal of Financial Economics*, 70(2):223–260, 2003. doi: 10.1016/S0304-405X(03)00146-6.

Yifei Chen, Bryan T. Kelly, and Dacheng Xiu. Expected returns and large language models. SSRN working paper 4416687, 2022. URL https://ssrn.com/abstract=4416687. Working paper, version of February 2026.

Convai Innovations. Laya. https://huggingface.co/convaiinnovations/laya, 2026. Open-weights model on Hugging Face (repository convaiinnovations/laya, Apache-2.0); repository created 2026-09-18; accessed 2026-10-29.

Fulvio Corsi. A simple approximate long-memory model of realized volatility. *Journal of Financial Econometrics*, 7(2):174–196, 2009. doi: 10.1093/jjfinec/nbp001.

Kent Daniel, David Hirshleifer, and Avanidhar Subrahmanyam. Investor psychology and security market under- and overreactions. *Journal of Finance*, 53(6):1839–1885, 1998. doi: 10.1111/0022-1082.00077.

Werner F. M. De Bondt and Richard Thaler. Does the stock market overreact? *Journal of Finance*, 40(3): 793–805, 1985. doi: 10.1111/j.1540-6261.1985.tb05004.x.

Stefano DellaVigna and Joshua M. Pollet. Investor inattention and Friday earnings announcements. *The Journal of Finance*, 64(2):709–749, 2009. doi: 10.1111/j.1540-6261.2009.01447.x.

John C. Driscoll and Aart C. Kraay. Consistent covariance matrix estimation with spatially dependent panel data. *Review of Economics and Statistics*, 80(4):549–560, 1998. doi: 10.1162/003465398557825.

Eugene F. Fama. Efficient capital markets: A review of theory and empirical work. *Journal of Finance*, 25 (2):383–417, 1970. doi: 10.2307/2325486.

Eugene F. Fama. Market efficiency, long-term returns, and behavioral finance. *Journal of Financial Economics*, 49(3):283–306, 1998. doi: 10.1016/S0304-405X(98)00026-9.

Anastassia Fedyk and James Hodson. When can the market identify old news? *Journal of Financial Economics*, 149(1):92–113, 2023. doi: 10.1016/j.jfineco.2023.04.008.

Yonatan Geifman and Ran El-Yaniv. Selective classification for deep neural networks. In I. Guyon, U. Von Luxburg, S. Bengio, H. Wallach, R. Fergus, S. Vishwanathan, and R. Garnett, editors, *Advances in Neural Information Processing Systems*, volume 30. Curran Associates, Inc., 2017. URL https://proceedings.neurips.cc/paper_files/paper/2017/hash/4a8423d5e91fda00bb7e46540e2b0cf1-Abstract.html.

Paul Glasserman and Caden Lin. Assessing look-ahead bias in stock return predictions generated by GPT sentiment analysis. *Journal of Financial Data Science*, 6(1):25–42, 2024. doi: 10.3905/jfds.2023.1.143. Earlier version: arXiv:2309.17322.

Shahriar Golchin and Mihai Surdeanu. Time travel in LLMs: Tracing data contamination in large language models. In B. Kim, Y. Yue, S. Chaudhuri, K. Fragkiadaki, M. Khan, and Y. Sun, editors, *International Conference on Learning Representations*, pages 43008–43029, 2024. URL https://proceedings.iclr.cc/paper_files/paper/2024/hash/bc39a59c49b731c51398ad6b12f301d3-Abstract-Conference.html.

Chuan Guo, Geoff Pleiss, Yu Sun, and Kilian Q. Weinberger. On calibration of modern neural networks. In Doina Precup and Yee Whye Teh, editors, *Proceedings of the 34th International Conference on Machine Learning*, volume 70 of *Proceedings of Machine Learning Research*, pages 1321–1330. PMLR, 2017. URL https://proceedings.mlr.press/v70/guo17a.html.

Danny Halawi, Fred Zhang, Chen Yueh-Han, and Jacob Steinhardt. Approaching human-level forecasting with language models. In A. Globerson, L. Mackey, D. Belgrave, A. Fan, U. Paquet, J. Tomczak, and C. Zhang, editors, *Advances in Neural Information Processing Systems*, volume 37, pages 50426–50468. Curran Associates, Inc., 2024. doi: 10.52202/079017-1598. URL https://proceedings.neurips.cc/paper_files/paper/2024/hash/5a5acfd0876c940d81619c1dc60e7748-Abstract-Conference.html.

Campbell R. Harvey. Presidential address: The scientific outlook in financial economics. *Journal of Finance*, 72(4):1399–1440, 2017. doi: 10.1111/jofi.12530.

Campbell R. Harvey, Yan Liu, and Heqing Zhu. ... and the cross-section of expected returns. *Review of Financial Studies*, 29(1):5–68, 2016. doi: 10.1093/rfs/hhv059.

Jerry Hausman. Mismeasured variables in econometric analysis: Problems from the right and problems from the left. *Journal of Economic Perspectives*, 15(4):57–67, 2001. doi: 10.1257/jep.15.4.57.

Songrun He, Linying Lv, Asaf Manela, and Jimmy Wu. Chronologically consistent large language models. *Journal of Financial Economics*, 185:104374, 2026. doi: 10.1016/j.jfineco.2026.104374. Article 104374. Earlier version: arXiv:2502.21206.

David Hirshleifer, Sonya Seongyeon Lim, and Siew Hong Teoh. Driven to distraction: Extraneous events and underreaction to earnings news. *The Journal of Finance*, 64(5):2289–2325, 2009. doi: 10.1111/j.1540-6261.2009.01501.x.

Arthur E. Hoerl and Robert W. Kennard. Ridge regression: Biased estimation for nonorthogonal problems. *Technometrics*, 12(1):55–67, 1970. doi: 10.1080/00401706.1970.10488634.

Sture Holm. A simple sequentially rejective multiple test procedure. *Scandinavian Journal of Statistics*, 6 (2):65–70, 1979.

Harrison Hong, Terence Lim, and Jeremy C. Stein. Bad news travels slowly: Size, analyst coverage, and the profitability of momentum strategies. *The Journal of Finance*, 55(1):265–295, 2000. doi: 10.1111/0022-1082.00206.

Kewei Hou, Chen Xue, and Lu Zhang. Replicating anomalies. *Review of Financial Studies*, 33(5):2019–2133, 2020. doi: 10.1093/rfs/hhy131.

Theis Ingerslev Jensen, Bryan Kelly, and Lasse Heje Pedersen. Is there a replication crisis in finance? *Journal of Finance*, 78(5):2465–2518, 2023. doi: 10.1111/jofi.13249.

Hao Jiang, Sophia Zhengzi Li, and Hao Wang. Pervasive underreaction: Evidence from high-frequency data. *Journal of Financial Economics*, 141(2):573–599, 2021. doi: 10.1016/j.jfineco.2021.04.003.

Saurav Kadavath, Tom Conerly, Amanda Askell, Tom Henighan, Dawn Drain, Ethan Perez, Nicholas Schiefer, Zac Hatfield-Dodds, Nova DasSarma, Eli Tran-Johnson, Scott Johnston, Sheer El-Showk, Andy Jones, Nelson Elhage, Tristan Hume, Anna Chen, Yuntao Bai, Sam Bowman, Stanislav Fort, Deep Ganguli, Danny Hernandez, Josh Jacobson, Jackson Kernion, Shauna Kravec, Liane Lovitt, Kamal Ndousse, Catherine Olsson, Sam Ringer, Dario Amodei, Tom Brown, Jack Clark, Nicholas Joseph, Ben Mann, Sam McCandlish, Chris Olah, and Jared Kaplan. Language models (mostly) know what they know, 2022. URL https://arxiv.org/abs/2207.05221.

Alireza Kargarzadeh, Nariman Khaledian, Navid Parvini, Sid Ghatak, and Arman Khaledian. Buy the rumor, sell the news: When is news priced in? arXiv preprint arXiv:2608.14014, 2026. URL https://arxiv.org/abs/2608.14014. Version 2, 18 October 2026. Accepted at the 3rd Workshop on LLMs and Generative AI for Finance (AI4F 2026), held in conjunction with ICAIF 2026, Milan, Italy.

Guolin Ke, Qi Meng, Thomas Finley, Taifeng Wang, Wei Chen, Weidong Ma, Qiwei Ye, and Tie-Yan Liu. LightGBM: A highly efficient gradient boosting decision tree. In I. Guyon, U. Von Luxburg, S. Bengio, H. Wallach, R. Fergus, S. Vishwanathan, and R. Garnett, editors, *Advances in Neural Information Processing Systems*, volume 30. Curran Associates, Inc., 2017. URL https://proceedings.neurips.cc/paper_files/paper/2017/hash/6449f44a102fde848669bdd9eb6b76fa-Abstract.html.

Zheng Tracy Ke, Bryan T. Kelly, and Dacheng Xiu. Predicting returns with text data. NBER Working Paper 26186, 2019. URL https://www.nber.org/papers/w26186.

Bryan T. Kelly, Yinan Su, and Chao Zhang. Explaining realized returns: Roll's R^2 40 years later. SSRN working paper 7544058, 2026. URL https://ssrn.com/abstract=7544058. Also NBER Working Paper 35885, October 2026, doi:10.3386/w35885.

Andrew W. Lo. The statistics of Sharpe ratios. *Financial Analysts Journal*, 58(4):36–52, 2002. doi: 10.2469/faj.v58.n4.2453.

Alejandro Lopez-Lira and Yuehua Tang. Can ChatGPT forecast stock price movements? return predictability and large language models. *Journal of Financial Economics*, 184:104335, 2026. doi: 10.1016/j.jfineco.2026.104335. Article 104335. Earlier versions: arXiv:2304.07619 and SSRN working paper 4412788.

Alejandro Lopez-Lira, Yuehua Tang, and Mingyin Zhu. The memorization problem: Can we trust LLMs' economic forecasts? arXiv preprint arXiv:2504.14765, 2025. URL https://arxiv.org/abs/2504.14765. Also SSRN working paper 5217505.

Ilya Loshchilov and Frank Hutter. Decoupled weight decay regularization. In *International Conference on Learning Representations*, 2019. URL https://openreview.net/forum?id=Bkg6RiCqY7.

Dong Lou, Christopher Polk, and Spyros Skouras. A tug of war: Overnight versus intraday expected returns. *Journal of Financial Economics*, 134(1):192–213, 2019. doi: 10.1016/j.jfineco.2019.03.011.

Jens Ludwig, Sendhil Mullainathan, and Ashesh Rambachan. Large language models: An applied econometric framework. *Annual Review of Economics*, 18(1):283–316, 2026. doi: 10.1146/annurev-economics-120925-105620. Earlier versions: NBER Working Paper 33344 and arXiv:2412.07031.

R. David McLean and Jeffrey Pontiff. Does academic research destroy stock return predictability? *Journal of Finance*, 71(1):5–32, 2016. doi: 10.1111/jofi.12365.

Whitney K. Newey and Kenneth D. West. A simple, positive semi-definite, heteroskedasticity and autocorrelation consistent covariance matrix. *Econometrica*, 55(3):703–708, 1987. doi: 10.2307/1913610.

Benjamin A. Olken. Promises and perils of pre-analysis plans. *Journal of Economic Perspectives*, 29(3):61–80, 2015. doi: 10.1257/jep.29.3.61.

Mahdi Pakdaman Naeini, Gregory Cooper, and Milos Hauskrecht. Obtaining well calibrated probabilities using Bayesian binning. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 29.

Association for the Advancement of Artificial Intelligence (AAAI), 2015. doi: 10.1609/aaai.v29i1.9602. URL https://ojs.aaai.org/index.php/AAAI/article/view/9602.

James M. Patell and Mark A. Wolfson. The intraday speed of adjustment of stock prices to earnings and dividend announcements. *Journal of Financial Economics*, 13(2):223–252, 1984. doi: 10.1016/0304-405X(84)90024-2.

Dimitris N. Politis and Joseph P. Romano. The stationary bootstrap. *Journal of the American Statistical Association*, 89(428):1303–1313, 1994. doi: 10.1080/01621459.1994.10476870.

Richard Roll. R^2. *Journal of Finance*, 43(3):541–566, 1988. doi: 10.1111/j.1540-6261.1988.tb04591.x.

Oscar Sainz, Jon Campos, Iker García-Ferrero, Julen Etxaniz, Oier Lopez de Lacalle, and Eneko Agirre. NLP evaluation in trouble: On the need to measure LLM data contamination for each benchmark. In Houda Bouamor, Juan Pino, and Kalika Bali, editors, *Findings of the Association for Computational Linguistics: EMNLP 2023*, pages 10776–10787, Singapore, December 2023. Association for Computational Linguistics. doi: 10.18653/v1/2023.findings-emnlp.722. URL https://aclanthology.org/2023.findings-emnlp.722/.

Suproteem Sarkar and Keyon Vafa. Lookahead bias in pretrained language models. SSRN working paper 4754678, 2024. URL https://ssrn.com/abstract=4754678.

Pavel G. Savor. Stock returns after major price shocks: The impact of information. *Journal of Financial Economics*, 106(3):635–659, 2012. doi: 10.1016/j.jfineco.2012.06.011.

Philipp Schoenegger, Indre Tuminauskaite, Peter S. Park, Rafael Valdece Sousa Bastos, and Philip E. Tetlock. Wisdom of the silicon crowd: LLM ensemble prediction capabilities rival human crowd accuracy. *Science Advances*, 10(45):eadp1528, 2024. doi: 10.1126/sciadv.adp1528.

Paul C. Tetlock. Giving content to investor sentiment: The role of media in the stock market. *Journal of Finance*, 62(3):1139–1168, 2007. doi: 10.1111/j.1540-6261.2007.01232.x.

Paul C. Tetlock. All the news that's fit to reprint: Do investors react to stale information? *The Review of Financial Studies*, 24(5):1481–1512, 2011. doi: 10.1093/rfs/hhq141.

Paul C. Tetlock, Maytal Saar-Tsechansky, and Sofus Macskassy. More than words: Quantifying language to measure firms' fundamentals. *Journal of Finance*, 63(3):1437–1467, 2008. doi: 10.1111/j.1540-6261.2008.01362.x.

Benjamin Warner, Antoine Chaffin, Benjamin Clavié, Orion Weller, Oskar Hallström, Said Taghadouini, Alexis Gallagher, Raja Biswas, Faisal Ladhak, Tom Aarsen, Griffin Thomas Adams, Jeremy Howard, and Iacopo Poli. Smarter, better, faster, longer: A modern bidirectional encoder for fast, memory efficient, and long context finetuning and inference. In Wanxiang Che, Joyce Nabende, Ekaterina Shutova, and Mohammad Taher Pilehvar, editors, *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 2526–2547, Vienna, Austria, July 2025. Association for Computational Linguistics. ISBN 979-8-89176-251-0. doi: 10.18653/v1/2025.acl-long.127. URL https://aclanthology.org/2025.acl-long.127/.

Anna Wegmann, Cristina Aggazzotti, Rafael Alberto Rivera Soto, and Dong Nguyen. A survey on representing linguistic style: Challenges and opportunities. In Hung-Yi Lee, Sunipa Dev, Jessy Li, and Desmond Elliott, editors, *Proceedings of the 2026 Conference on Empirical Methods in Natural Language Processing*, pages 6772–6806, Budapest, Hungary, October 2026. Association for Computational Linguistics. URL https://aclanthology.org/2026.emnlp-main.295/.

Edwin B. Wilson. Probable inference, the law of succession, and statistical inference. *Journal of the American Statistical Association*, 22(158):209–212, 1927. doi: 10.1080/01621459.1927.10502953.

Shitao Xiao, Zheng Liu, Peitian Zhang, Niklas Muennighoff, Defu Lian, and Jian-Yun Nie. C-Pack: Packed resources for general Chinese embeddings. In *Proceedings of the 47th International ACM SIGIR Conference on Research and Development in Information Retrieval*, pages 641–649, New York, NY, USA, 2024. ACM. doi: 10.1145/3626772.3657878.

Kunlun Zhu, Tao Feng, Xu Han, Heng Wang, Ling Yang, Xiangru Tang, Jiaxuan You, and Heng Ji. JevAgentHarness: Benchmarking, deploying and training decision models that share control with LLMs. arXiv preprint arXiv:2610.21412, 2026. URL https://arxiv.org/abs/2610.21412.

A Pre-registration and deviations

The pre-registration fixes every definition, constant, split, hypothesis and selection rule. After it was written, changes could only be appended to its deviations log, each with its date, the section it touches, the reason and whether it came before or after the freeze; the freeze record holds the log's length at the freeze, and the lock refused to release the test outcomes unless the log was an unchanged prefix of the current one. The full log is in the replication package. Most entries make precise what the pre-registration left open (how a filter reaches its budget, which events a sample holds, how a variable is scaled) and were written before the freeze. The material deviations are these.

- *Amendments before any data.* Convergence to the news-implied value, a wider question battery and the firm-level explanation analysis were added on the day the pre-registration was written.
- *Masking.* The masking rules were widened several times before the freeze, after independent checks found residual names, dates and price moves; non-English articles, move explainers and running market stories were excluded; residues below half a percent of states were accepted and disclosed.
- *The commercial models* failed the pre-registered screens. Instead of dropping them, the three with the highest second-stage IC were kept as screen-failing, model-specific comparators (before the freeze).
- *Training.* The trained instruments are one seed and one epoch each, not the pre-registered three-seed ensemble, because of the compute available; the other seeds are robustness runs, fixed before unblinding and not yet run.
- *H1b* (the IC with the move after the open) was added to the primary family before the freeze, because the strategy that enters at the open needs it.
- *Company identification* was re-run with activity-matched distractors before the freeze, because a guess from news activity alone beat chance in the original design.
- *Items not run.* Three robustness variants needed new model calls and were not run (a summary-text variant, vendor tags in the text and a 09:30 news cutoff); the 08:00 cutoff is approximated from time stamps. Of the ablation requests, 210 were rate-limited and not retried.
- *The canary.* After the freeze, a stability check that repeats earlier requests fired for span-02 before production. Its build string was unchanged and the drift was close to its own repeat noise, so production went ahead under a rule recorded before the end-of-production check: a model counts as updated only if its build changes or two independent checks fire. At the end of production neither condition held for any model. The figures and tables mark span-02 with ‡ for this reason.
- *The price-only baseline's post-close predictions* were moved after unblinding, because one of their inputs, the day's overnight move, is a test-period outcome; the model was unchanged and first reproduced its validation predictions exactly.
- *Analysis and strategies.* The operationalization of the frozen specification and of the strategies was written before the outcomes were read; three code fixes found when the code first met the test data changed no pre-registered number.
- *Exploratory work after unblinding* is dated in the log. The conditioning study's validation selection was committed before its single test run; its two definitional choices (the VIX close of

the previous session, read from a registered copy of the market data, and payroll release dates added from the Bureau of Labor Statistics) were made on validation data.

- *The forward test* was pre-registered after the paper's analyses and before any forward-period data existed (Section 11).

B Notation

Table A1: Notation.

Symbol	Meaning
D0, D1, D2	Decision points: 09:15 ET before the open (pre-open reading); 10:00 ET after the first 30-minute bar and after the close (post-reaction readings).
val-A, val-B, test	2025-07-01 to 2025-09-30; 2025-10-01 to 2025-12-31; 2026-01-02 to 2026-07-31.
r^{cc}, r^{on}, r^{id}	Close-to-close, overnight (close to open) and intraday (open to close) returns, with $1 + r^{cc} = (1 + r^{on})(1 + r^{id})$; Equation (1).
AR^k, $\sigma^k_{i,t-1}$	Abnormal return (market and leave-one-out sector removed, betas over 252 sessions to $t-1$); its ex-ante scale (1.4826 times the median absolute deviation over 126 sessions to $t-1$, floored at the day's cross-sectional 10th percentile).
z^k; z_{cc}, z_{on}, z_{id}	$\mathrm{AR}^k/\sigma^k_{i,t-1}$, the move in typical daily moves (clipped at ± 10).
y_0, y_1, y_2	Outcomes after D0, D1 and D2: z_{id}; the move from 10:00 to the close; the move from the next open to the close of $t+5$, each over its ex-ante volatility.
e_5	The move from the previous close to the close of $t+4$ over $\sigma^{cc}\sqrt{5}$: the training label and the calibration target.
G, G^{lvl}	The observed reaction at D1 or D2 in typical-move units; its level version, divided by σ^{cc} without a square-root-of-time factor.
$\hat{N}$, $\tilde{N}$	The news-implied move $\sum_k p_k m_k$ over the nine levels of the pre-open reading; its calibrated version (an isotonic map to e_5 fitted on val-A), which ranks the pre-open strategy.
V, U	The news-implied value (an isotonic map of $\hat{N}$ to the level move to $t+4$, fitted on val-A); the remaining gap $V - G^{\mathrm{lvl}}$ at D1 or D2.
J	The post-reaction judgment $P(\text{much too small}) + P(\text{too small}) - P(\text{too large}) - P(\text{much too large})$.
Under, Fair, Over	Post-reaction classes from $(\hat{N} - G)\,\mathrm{sign}(\hat{N})$ for $\lvert\hat{N}\rvert \geq 0.5$: Under above 0.5, Over below -0.5, Fair between.
$\mathrm{CAR}^{\mathrm{lvl}}_h$	The level cumulative abnormal return from the previous close to rung h.
κ_h, θ_V	The convergence slope at rung h (Equation (5)); the reliability of V (Equation (A2)).
λ_h, ψ_h, h^*	The share of the gap closed by rung h, the convergence to a shrunken value and the half-life (Equation (A3)).
IC_t, $\overline{\mathrm{IC}}$	The daily Spearman information coefficient and its mean over sessions (Equation (2)).
R^2_{OOS}, ΔR^2	The out-of-sample R^2 and a step's increment (Equation (6)).
Acc_m, p_0	Company-identification accuracy and the matched baseline (Equation (7)).
ECE	Expected calibration error of the top class of three (a fall, no move or a rise, split at ± 0.5 typical moves against e_5), 15 equal-width bins.
DSR, SR_0	The deflated-Sharpe probability and its benchmark (Equation (A1)).
H1, H1b, H2, H3, H4	Primary hypotheses (Holm at 0.05).
H5, H6, H7, H2-C	Secondary hypotheses (Benjamini–Hochberg at $q = 0.10$): explaining moves, style, the instruments, convergence.
F1 to F7	The forward test's hypotheses (Section 11).

C The deflated Sharpe ratio

For a book with T daily net returns, a per-period Sharpe ratio $\widehat{\mathrm{SR}}$, skewness $\hat{\gamma}_3$ and kurtosis $\hat{\gamma}_4$, the deflated-Sharpe probability (Bailey and López de Prado, 2014) is computed as

$$\mathrm{DSR} = \Phi\left(\frac{(\widehat{\mathrm{SR}} - \mathrm{SR}_0)\sqrt{T-1}}{\sqrt{1 - \hat{\gamma}_3\,\widehat{\mathrm{SR}} + \frac{\hat{\gamma}_4 - 1}{4}\,\widehat{\mathrm{SR}}^2}}\right), \qquad \mathrm{SR}_0 = \sqrt{\mathcal{V}}\left[(1-\gamma)\,\Phi^{-1}\left(1 - \frac{1}{N}\right) + \gamma\,\Phi^{-1}\left(1 - \frac{1}{N\mathrm{e}}\right)\right], \tag{A1}$$

where Φ is the standard normal distribution function, γ the Euler–Mascheroni constant, N the number of trials and $\mathcal{V} = (1 + \widehat{\mathrm{SR}}^2/2)/(T-1)$ the variance of a Sharpe-ratio estimate (Lo, 2002); the analytic variance is used because most of the ledger's other trials are information coefficients, recalls and losses, not Sharpe ratios. SR_0 is the Sharpe ratio that the best of N independent trials without skill would reach in expectation, so it rises with N: a book must beat it, not zero. With the 545 trials of the ledger when the pre-registered strategies were evaluated and 139 test days, SR_0 is 0.26 per day for the convergence strategy, far above any book's daily Sharpe ratio. The exploratory books of Section 10 were deflated with all 1,620 trials of the ledger after the exploratory study, which raises the bar further.

D Additional pre-registered results

This appendix gives the pre-registered results that the main text cites but does not show: every model's IC and cost (Table A2), the robustness variants (Figure A1), the heterogeneity cuts (Table A3), the secondary hypotheses (Table A4), the convergence ladder with what it identifies and the gap-closure test (Appendix D.1 and Table A5), and calibration (Table A6 and Figure A2). Further tables and figures are in the replication package.

D.1 The convergence ladder: what it identifies, and gap closure

What the ladder identifies. A slope below one in Equation (5) does not by itself mean that the market underreacts, because V is a model's estimate. A standard errors-in-variables argument (Hausman, 2001) makes this precise; we add it as an interpretation, not as a new test. Suppose the model's value is a noisy measure of the true news-implied value, $V = V^* + e$, with classical error: e has mean zero and is independent of V^* and of the regression error, after the fixed effects are partialled out. Then the slope converges to

$$\hat{\kappa}_h \;\to\; \theta_V\,\kappa_h^*, \qquad \theta_V = \frac{\mathrm{Var}(V^*)}{\mathrm{Var}(V^*) + \mathrm{Var}(e)} \le 1, \tag{A2}$$

where κ_h^* is the slope on the true value. Two consequences follow. First, the *level* of κ_h mixes market efficiency with model noise, so $\kappa_h < 1$ alone is not evidence of underreaction. Second, the *shape* of the ladder is identified up to the same factor: on a common set of events, $\hat{\kappa}_{h'} - \hat{\kappa}_h \to \theta_V(\kappa_{h'}^* - \kappa_h^*)$. The factor is positive, so the sign is preserved: a rise after the decision point means drift toward the true value and a fall means reversal. This is why the pre-registered tests read the ladder's shape (the increase $\kappa_{t+20} - \kappa_{O_t}$ and the gap closure below) rather than its level. Table A5 gives every rung for every model.

Gap closure. The gap between the model's value and the price after the reaction, $U_{i,\tau} = V_i - G_{i,\tau}^{\mathrm{lvl}}$ at decision point τ (D1 or D2), should close if the price converges to the value; G^{lvl} is the observed

Table A2: Model comparison: every val-B IC with z_{cc} that is positive falls on the test (Laya-Fin 0.065 to 0.020); the cost and the latency.

Model	IC val-B	t	IC test	t	Events	USD/1,000	p50 (ms)
Laya-Fin	0.065	3.64	0.020	1.67	13,748	0.000	—
anchor	−0.020	−1.52	0.008	0.83	13,748	0.000	—
Laya zero-shot	0.029	1.94	0.005	0.37	13,748	0.000	536
d1-ultra	0.097	5.38	0.039	3.23	13,748	0.063	288
span-02[‡]	0.099	5.83	0.041	3.10	13,748	0.028	2,262
drex-v2.0	0.075	4.10	0.044	3.70	13,748	0.045	680
vendor sentiment[†]	0.087	4.39	0.047	3.36	13,748	—	—
bge-ridge	0.002	0.10	0.004	0.45	13,748	—	—
tags-GBM[†]	0.108	6.03	0.055	3.91	13,748	—	—
LLM baseline	0.052	1.93	0.001	0.02	1,977	—	—
price-only	0.004	0.33	−0.003	−0.26	13,748	—	—
Laya-Fin, LLM's 2,000-event subsample	—	—	−0.012	−0.37	1,977	—	—
LLM baseline, its subsample	—	—	0.001	0.02	1,977	—	—
price-only (D2, IC with y_2)	—	—	0.012	1.18	17,188	—	—

—: the source table has no value for the row; the statistic does not apply to it or was not computed.
[†]Vendor-label baseline (vendor sentiment, tags-GBM): the labels were produced retrospectively, so its IC is a possibly look-ahead-contaminated upper bound, not the benchmark; the clean benchmarks are bge-ridge, price-only, the LLM baseline and the random-signal placebo.
[‡]span-02: after the freeze, a stability check that repeats earlier requests (the canary) fired for it; its build was unchanged, and production went ahead under a rule recorded in the deviations log.
The anchor's readings are uninformative (near-constant outputs after one epoch); its rows are reported, not read as nulls.
The API models fail the pre-registered contamination screens, so their results are model-specific.

reaction divided by σ^{cc} without a square-root-of-time factor, so that moves at different horizons add up. With $\mathrm{AR}(\tau \to h)$ the abnormal move from the decision point to rung h,

$$\frac{\mathrm{AR}_i(\tau \to h)}{\sigma_i^{cc}} = \alpha_{d(t)\times\tau(i)} + \lambda_h U_{i,\tau} + \psi_h V_i + \varepsilon_{i,h}, \qquad h^* = \min\{h : \lambda_h \geq \tfrac{1}{2}\}, \tag{A3}$$

where λ_h is the share of the gap closed by rung h, ψ_h captures convergence to a shrunken value, and the half-life h^* is "not reached" when no rung qualifies. The gap does not close. After the close, Laya-Fin's λ_h is -0.007 at $t+1$, 0.026 at $t+5$ ($p = 0.16$) and 0.050 at $t+20$; from 10:00 every λ_h is at or below zero; and the half-life is not reached within $t+20$ for any model. The λ_h are almost the same for every model because V is small next to the day's move, so that $U \approx -G^{\mathrm{lvl}}$: λ_h measures how much of the day's move reverses, not convergence to V. The tracking error between the price and the model's value is no smaller than that of a naive value of zero (ratio 1.001 at $t+20$, $p = 0.87$). None of the convergence tests is supported after Benjamini–Hochberg (Table A4).

D.2 Calibration

Table A6 gives the pre-registered calibration metrics of every model, and Figure A2 the reliability of the pre-open reading.




Figure A1: No pre-registered robustness variant changes a conclusion: Laya-Fin's H1 and H1b stay within their intervals of zero, and d1-ultra's H1 stays positive in every variant, from 0.022 when the latest article precedes 04:00 to 0.122 when it arrives between 08:00 and 09:15. Test period, D0 events. Each variant raw (filled) and with placebo-adjusted targets (hollow), below the main estimate (diamond, from the stationary block bootstrap), with 95% intervals (±1.96 Newey–West standard errors for the variants). (a) and (d), both H1, share a scale; (b) and (c) have their own.

Table A3: Heterogeneity of H2: no cut differs (Laya-Fin's Wald p from 0.16 to 0.90).

Model, cut	Events	Wald F	p	BH q	Δb	SE	Δc	SE
Laya-Fin, Top 100	4,516	1.83	0.164	0.741	0.490	(0.281)	−0.025	(0.021)
Laya-Fin, 101 to 250	5,121	0.10	0.904	0.904	−0.008	(0.258)	−0.007	(0.016)
Laya-Fin, 251 to 500	7,551	1.71	0.185	0.741	−0.326	(0.253)	0.023	(0.016)
Laya-Fin, quantified	15,030	0.66	0.521	0.833	0.470	(0.609)	0.022	(0.026)
Laya-Fin, small move	9,795	0.29	0.751	0.859	−0.193	(0.255)	0.005	(0.035)
Laya-Fin, press wire	9,655	0.75	0.477	0.833	−0.058	(0.330)	−0.024	(0.020)
Laya-Fin, low usual coverage	8,387	0.44	0.645	0.859	0.040	(0.247)	0.014	(0.016)
Laya-Fin, busy day	7,805	0.93	0.398	0.833	−0.194	(0.263)	−0.019	(0.019)
anchor, Top 100	4,516	2.18	0.117	0.469	6.973	(4.120)	−0.023	(0.020)
anchor, 101 to 250	5,121	0.52	0.594	0.679	−2.559	(2.719)	−0.007	(0.016)
anchor, 251 to 500	7,551	1.18	0.312	0.679	−2.500	(3.035)	0.021	(0.015)
anchor, quantified	15,030	2.84	0.062	0.469	7.109	(3.308)	0.024	(0.026)
anchor, small move	9,795	0.01	0.992	0.992	0.018	(2.650)	0.004	(0.035)
anchor, press wire	9,655	0.79	0.457	0.679	−1.650	(3.084)	−0.024	(0.020)
anchor, low usual coverage	8,387	0.75	0.477	0.679	2.272	(2.652)	0.014	(0.016)
anchor, busy day	7,805	0.58	0.561	0.679	1.140	(2.570)	−0.020	(0.019)
d1-ultra, Top 100	4,516	1.10	0.337	0.719	0.059	(0.060)	−0.024	(0.020)
d1-ultra, 101 to 250	5,121	0.88	0.418	0.719	0.063	(0.055)	−0.010	(0.016)
d1-ultra, 251 to 500	7,551	3.36	0.038	0.301	−0.095	(0.050)	0.026	(0.015)
d1-ultra, quantified	15,030	0.53	0.591	0.719	0.014	(0.062)	0.023	(0.027)
d1-ultra, small move	9,795	0.15	0.857	0.857	0.023	(0.044)	0.002	(0.035)
d1-ultra, press wire	9,655	0.67	0.515	0.719	−0.021	(0.049)	−0.022	(0.020)
d1-ultra, low usual coverage	8,387	2.52	0.084	0.336	0.096	(0.046)	0.010	(0.016)
d1-ultra, busy day	7,805	0.47	0.629	0.719	0.002	(0.043)	−0.019	(0.019)

Wald test of $\hat{N} \cdot 1[\text{cut}]$ and $G \cdot 1[\text{cut}]$ added to H2 at D2; BH over each model's eight cuts. Events: the D2 events in the cut.

The anchor's readings are uninformative (near-constant outputs after one epoch); its rows are reported, not read as nulls.

The API models fail the pre-registered contamination screens, so their results are model-specific.

Table A4: Secondary hypotheses: only H5 survives Benjamini–Hochberg for Laya-Fin ($q = 0.058$).

Model, test	Estimate	95% CI	SE	p	BH q	Pooled q
Laya-Fin, H5	0.0025	—	—	0.010	0.058	0.078
Laya-Fin, H6	—	—	—	—	—	—
Laya-Fin, H7	0.0146	[−0.0068, 0.0363]	—	0.097	0.238	0.317
Laya-Fin, H2-C, κ at h^*	0.2588	—	(0.2299)	0.131	0.238	0.317
Laya-Fin, H2-C, κ increase	0.0182	[−0.3614, 0.4903]	—	0.467	0.561	0.748
Laya-Fin, H2-C, λ_{t+5}	0.0265	—	(0.0264)	0.159	0.238	0.317
Laya-Fin, H2-C, naive tracking	1.0007	[0.9995, 1.0018]	—	0.867	0.867	0.946
Laya-Fin, A3.4	—	—	—	—	—	—
anchor, H5	0.0003	—	—	0.072	0.358	—
anchor, H6	—	—	—	—	—	—
anchor, H7	0.0024	[−0.0294, 0.0355]	—	0.442	—	—
anchor, H2-C, κ at h^*	0.0798	—	(0.1574)	0.307	0.511	—
anchor, H2-C, κ increase	−0.0031	[−0.2669, 0.4215]	—	0.514	0.643	—
anchor, H2-C, λ_{t+5}	0.0270	—	(0.0266)	0.156	0.390	—
anchor, H2-C, naive tracking	1.0020	[1.0002, 1.0036]	—	0.992	0.992	—
anchor, A3.4	—	—	—	—	—	—
d1-ultra, H5	0.0082	—	—	<0.001	<0.001	—
d1-ultra, H6	0.0104	—	(0.0192)	0.705	0.946	0.940
d1-ultra, H7	—	—	—	—	—	—
d1-ultra, H2-C, κ at h^*	0.3645	—	(0.2152)	0.046	0.163	—
d1-ultra, H2-C, κ increase	−0.1805	[−0.5343, 0.2158]	—	0.834	0.946	—
d1-ultra, H2-C, λ_{t+5}	0.0216	—	(0.0262)	0.206	0.480	—
d1-ultra, H2-C, naive tracking	1.0005	[0.9993, 1.0017]	—	0.781	0.946	—
d1-ultra, A3.4	−0.0619	—	(0.0382)	0.946	0.946	0.946

—: the source table has no value for the row; the statistic does not apply to it or was not computed.

BH at $q = 0.10$ within each instrument; the pooled family adds d1-ultra's H6 and A3.4 to Laya-Fin's. The anchor's H7 is reported outside its family, so it has no q. Each test has either an SE or a 95% CI, as the frozen analysis reports it.

The anchor's readings are uninformative (near-constant outputs after one epoch); its rows are reported, not read as nulls.

The API models fail the pre-registered contamination screens, so their results are model-specific.

Table A5: Convergence to the news-implied value V: prices reach part of V on day t (κ at the close 0.36 for Laya-Fin and 0.59 for d1-ultra), then partly fade; the gap's half-life is not reached within t+20.

	O_t	10:00	C_t	t+1	t+2	t+5	t+10	t+20	Half-life
Panel A: convergence ladder κ_h (D0 events)									
Laya-Fin	0.24	0.27	0.36	0.36	0.38	0.26	0.21	0.26	—
	(0.07)	(0.08)	(0.09)	(0.10)	(0.11)	(0.14)	(0.18)	(0.23)	—
d1-ultra	0.55	0.61	0.59	0.54	0.47	0.36	0.25	0.36	—
	(0.08)	(0.09)	(0.08)	(0.09)	(0.11)	(0.13)	(0.15)	(0.22)	—
anchor	0.08	−0.02	−0.04	−0.04	−0.03	−0.06	−0.03	0.08	—
	(0.08)	(0.08)	(0.07)	(0.09)	(0.09)	(0.10)	(0.11)	(0.16)	—
Panel B: gap closure λ_h and the half-life									
Laya-Fin, D2	—	—	—	−0.007	—	0.026	—	0.050	∞
	—	—	—	(0.012)	—	(0.026)	—	(0.051)	—
Laya-Fin, D1	—	—	−0.011	−0.024	—	−0.002	—	−0.013	∞
	—	—	(0.013)	(0.020)	—	(0.034)	—	(0.062)	—
d1-ultra, D2	—	—	—	−0.009	—	0.022	—	0.049	∞
	—	—	—	(0.012)	—	(0.026)	—	(0.051)	—
d1-ultra, D1	—	—	−0.013	−0.028	—	−0.012	—	−0.020	∞
	—	—	(0.013)	(0.020)	—	(0.034)	—	(0.062)	—
anchor, D2	—	—	—	−0.007	—	0.027	—	0.052	∞
	—	—	—	(0.012)	—	(0.027)	—	(0.051)	—
anchor, D1	—	—	−0.012	−0.025	—	−0.003	—	−0.013	∞
	—	—	(0.013)	(0.020)	—	(0.034)	—	(0.062)	—

Panel A: κ_h is the slope of $\mathrm{CAR}_h^{\mathrm{lvl}}$, the abnormal return from the previous close to rung h in typical daily moves, on V with day × tier fixed effects; $\kappa_h = 1$ is full convergence. Panel B: λ_h is the share of the gap $U = V - G^{\mathrm{lvl}}$ closed by rung h, at D2 (from the close) and D1 (from 10:00); the half-life is the first rung with $\lambda_h \geq 0.5$ (∞: not reached within t+20). Two-way clustered standard errors in parentheses; t+k is the close of session $t + k$. —: not estimated; λ_h is reported at t+1, t+5 and t+20 from D2 and also at C_t from D1, and the half-life belongs to λ_h alone. κ_h to two decimals, λ_h to three, since it is an order smaller.

The anchor's readings are uninformative (near-constant outputs after one epoch); its rows are reported, not read as nulls. The API models fail the pre-registered contamination screens, so their results are model-specific.

Table A6: Calibration of the three-class forecasts: the trained models are calibrated but barely informative (Laya-Fin's ECE 0.057), the API models overconfident (ECE 0.209 to 0.361).

Model, target	ECE	Log-loss skill	Brier skill	AUC	T	ECE before	ECE after
Laya-Fin, e_5	0.057	0.001	0.000	—	—	—	—
Laya-Fin, z_{cc}	0.033	0.010	0.010	—	—	—	—
Laya-Fin, $\|z_{cc}\| \geq 1$	—	—	—	0.60	—	—	—
Laya-Fin, e_5, temperature scaling	—	—	—	—	1.00	0.058	0.057
anchor, e_5	0.048	0.002	0.001	—	—	—	—
anchor, z_{cc}	0.016	0.015	0.015	—	—	—	—
anchor, $\|z_{cc}\| \geq 1$	—	—	—	0.58	—	—	—
anchor, e_5, temperature scaling	—	—	—	—	0.97	0.011	0.048
Laya zero-shot, e_5	0.176	−0.156	−0.110	—	—	—	—
Laya zero-shot, z_{cc}	0.179	−0.177	−0.120	—	—	—	—
Laya zero-shot, $\|z_{cc}\| \geq 1$	—	—	—	0.52	—	—	—
Laya zero-shot, e_5, temperature scaling	—	—	—	—	6.33	0.176	0.110
d1-ultra, e_5	0.260	−0.194	−0.194	—	—	—	—
d1-ultra, z_{cc}	0.249	−0.166	−0.165	—	—	—	—
d1-ultra, $\|z_{cc}\| \geq 1$	—	—	—	0.58	—	—	—
d1-ultra, e_5, temperature scaling	—	—	—	—	1.95	0.260	0.155
span-02[‡], e_5	0.361	−0.460	−0.361	—	—	—	—
span-02[‡], z_{cc}	0.342	−0.410	−0.315	—	—	—	—
span-02[‡], $\|z_{cc}\| \geq 1$	—	—	—	0.56	—	—	—
drex-v2.0, e_5	0.209	−0.135	−0.138	—	—	—	—
drex-v2.0, z_{cc}	0.204	−0.119	−0.120	—	—	—	—
drex-v2.0, $\|z_{cc}\| \geq 1$	—	—	—	0.57	—	—	—

—: the source table has no value for the row; the statistic does not apply to it or was not computed.
The pre-open reading's three classes (a fall, no move or a rise, split at ±0.5 typical moves) against the targets; skill against val-A climatology; T the temperature fit on val-A.
The anchor's readings are uninformative (near-constant outputs after one epoch); its rows are reported, not read as nulls.
[‡]span-02: after the freeze, a stability check that repeats earlier requests (the canary) fired for it; its build was unchanged, and production went ahead under a rule recorded in the deviations log.




Figure A2: Laya-Fin's three-class forecasts stay close to the base rates (expected calibration error 0.057); the commercial models are overconfident (0.209 to 0.361). Reliability of the pre-open reading's three classes (a fall, no move or a rise, split at ±0.5 typical moves) against the five-day move e_5 on the test period: the hit rate of the top class by bin of its stated probability (15 bins; the dot area grows with the number of events in the bin; the diagonal is perfect calibration). The anchor's near-constant readings sit in two bins. ‡See Appendix A.

E Exploratory: the conditioning study

Figure A3 shows every (model, condition) pair of the post hoc conditioning study of Section 10, with the 8 pairs that the validation rule selected shaded. It is exploratory: the study was requested after unblinding, and the figure supports no claim.

F The replication package

The project's repository, `https://github.com/AmirDehkordi/NewsAction`, is the replication package. It holds the pre-registration with its amendments and its full deviations log, the freeze record, the code of every stage with its tests, the committed outputs and a report of every stage, the ledgers of trials, spend and test-data access, and the sources of this paper, whose tables, figures and numbers one command rebuilds from the committed outputs without raw data, an API or a GPU. The data are private and are not part of the package: the news text is licensed and is not redistributed, and neither are the price data or the index membership.




Figure A3: Exploratory (post hoc): none of the 8 conditions selected on two validation quarters held on the test; 5 changed sign. For each (model, condition) pair, the difference inside minus outside the condition of the mean sign$(\hat{N}) \cdot z_{id}$ (typical daily moves) on val-A (circles), val-B (squares) and the test (dots), with 95% intervals; shaded rows were selected by the rule fixed before the test run (positive with $t \geq 1$ in both validation quarters and a pooled $t \geq 2$). †Vendor fields are retrospective labels and only split events descriptively. "(seen)" marks conditions whose test values the authors' assistant had seen before the study (Section 10); none of them was selected.