

# Web pages with Jupyter, A5

---

**Learning goals:**

- **Use GitHub and Jupyter notebooks to make personal web pages.**
- **Make progress on A5**

**COGS 108 Winter 2020**

**Amir Farhan**

**Discussion 7**

**[bit.ly/sam-wi20](https://bit.ly/sam-wi20)**

**amatkama@ucsd.edu**

**OH: TBA**

# How to turn a notebook into a webpage using GitHub

- **File -> Download As -> HTML**
- **Upload HTML file to GitHub Repo**
- **Turn on GitHub Pages for repo (Settings -> GitHub Pages -> master branch)**
- **View your webpage at  
`{username}.github.io/{repo_name}/{notebook_name}.html`**
- **Sam will demo**

# Next week

- **A6 help**
- **Can also give final project advice**

# A5 quick tips

- 1h, 1j, 1l: Apply works like this: `df['col'].apply(some_function)`
- 3c: To get first value of series, use `some_series[0]`. To get first value of index, use `some_series.index[0]`
- 4b: A p-value < 0.01 means NOT normal.
- 5h: Check patsy documentation for model expression syntax.  
The `P>|t|` column tells you the p-value for the association between a variable and the height. A p-value < 0.01 means there IS an association.  
Also useful: The [0.025 and 0.975] columns tell you the 95% confidence interval.
- Why do we use OLS to check difference in means?  
<https://lindeloev.github.io/tests-as-linear/>
- Attendance: [bit.ly/at-wi20](https://bit.ly/at-wi20)