

The background features abstract, flowing lines in shades of purple, blue, green, and yellow, creating a sense of movement. Scattered throughout are small, multi-pointed star-like shapes in various colors, including purple, blue, green, yellow, and red.

## **Module 14 Assignment**

**Syed Amir Hamza**

**Question 1:** You have a Laravel application with a form that submits user information using a POST request. Write the code to retrieve the 'name' input field value from the request and store it in a variable called \$name

▼ routes

api.php

channels.php

12  
13  
14

```
// Question-1 route
Route::post('/userinfo',[AssignmentController::class,'UserInfo']);
```

▼ Controllers

AssignmentC...


Controller.php

Middleware

12  
13  
14  
15  
16

```
// Question-1 method
function UserInfo(Request $request):string{
    $name = $request->input('name');
    return $name;
}
```

Output(postman):



**Question 2:** In your Laravel application, you want to retrieve the value of the 'User-Agent' header from the current request. Write the code to accomplish this and store the value in a variable called \$userAgent.

▼ routes

api.php

channels.php

14  
15  
16  
17

```
// Question-2 route
Route::post('/useragent',[AssignmentController::class,'UserAgent']);
```

▼ Controllers


AssignmentC...

Controller.php

Middleware

17  
18  
19  
20  
21

```
// Question-2 method
function UserAgent(Request $request):string{
    $userAgent = $request->header('User-Agent');
    return $userAgent;
}
```



**Question 3:** You are building an API endpoint in Laravel that accepts a GET request with a 'page' query parameter. Write the code to retrieve the value of the 'page' parameter from the current request and store it in a variable called `$page`. If the parameter is not present, set `$page` to null.

```

18 // Question-3 route
19 Route::get('/query',[AssignmentController::class,'ApiEndpoint']);
20


```

```

22
23 // Question-3 method
24 function ApiEndpoint(Request $request){
25     $page = $request->query('page',null);
26     if($page !== null){
27         return $page;
28     }else{
29         return;
30     }
31 }

```

Output(postman):



**Question 4:** Create a JSON response in Laravel with the following data:

```
{
  "message": "Success",
  "data": {
    "name": "John Doe",
    "age": 25
  }
}
```

routes

api.php

channels.php

20  
21 // Question-4 route  
22 Route::get('/jsonresponse',[AssignmentController::class,'JsonResponse']);  
23

Controllers

AssignmentC...

Controller.php

Middleware

Kernel.php

Models


User.php

Providers

bootstrap

32  
33 // Question-4 method  
34 function JsonResponse():JsonResponse{  
35 \$data = array(  
36 "message"=> "Success",  
37 "data"=>array(  
38 "name"=> "John Doe",  
39 "age"=> 25  
40 )  
41 );  
42 return response()->json(\$data);  
43 }

**Output(postman):**



**Question 5:** You are implementing a file upload feature in your Laravel application. Write the code to handle a file upload named 'avatar' in the current request and store the uploaded file in the 'public/uploads' directory. Use the original filename for the uploaded file

routes

api.php

channels.php

23

24 // Question-5 route

25 Route::post('/upload',[AssignmentController::class,'FileUploads']);

26

Controllers

AssignmentC...

Controller.php

Middleware

Kernel.php

43

44 // Question-5 method

45 function FileUploads(Request \$request):bool{


46 \$file=\$request-&gt;file('avatar');

47 \$file-&gt;move(public\_path('uploads'],\$file-&gt;getClientOriginalName());

48 return true;

49 }

Output(postman):



**Question 6:** Retrieve the value of the 'remember\_token' cookie from the current request in Laravel and store it in a variable called \$rememberToken. If the cookie is not present, set \$rememberToken to null.

routes

api.php

channels.php

26

27 // Question-6 route

28 Route::post('/setcookie',[AssignmentController::class,'setCookie']);

29

Controllers

AssignmentC...

Controller.php

Middleware

Kernel.php

43

44 // Question-5 method

45 function FileUploads(Request \$request):bool{


46 \$file=\$request-&gt;file('avatar');

47 \$file-&gt;move(public\_path('uploads'],\$file-&gt;getClientOriginalName());

48 return true;


49 }

## Output(postman):



**Question 7:** Create a route in Laravel that handles a POST request to the `'/submit'` URL. Inside the route closure, retrieve the `'email'` input parameter from the request and store it in a variable called `$email`. Return a JSON response with the following data:

```
{
  "success": true,
  "message": "Form submitted successfully."
}
```



## Output(postman):

