

The Name of the Title Is Hope: This is the Longer Version of the Given Title

Anonymous Author(s)

Abstract

Abstract goes here in the dedicated environment.

Keywords

datasets, neural networks, gaze detection, text tagging

1 Introduction – Scope of PoPETs

Papers must present novel research into privacy-enhancing technologies (PETs) and the social, cultural, legal, or situational contexts in which they are used. Interdisciplinary work is welcome as long as it clearly shows how the contributions impact PETs.

Please follow the guidelines given below to ensure that your submission passes desk review and receives a full review by the program committee. You may ask the chairs for clarification of scope *before* the submission deadline.

- Papers must have strong ties to privacy in digital systems.
- The core contribution must be relevant to real-world privacy applications.
 - The **first page must clearly state how the work is relevant to real-world privacy applications**.
 - Relevance to real-world privacy applications must also be present throughout the entire paper by dedicating a substantial portion of the submission to work that is traditionally considered practical or applied.
- For contributions of theoretical nature (e.g., improvements on cryptographic primitives or improvements on differential privacy), the paper should provide details about how the proposed advances would be integrated into a real-world application.
- Improvements motivated by real applications, but presented in isolation without connection to those applications, do not demonstrate relevance in practice and are therefore out of scope.
- Papers with empirical evaluations must show a clear connection to privacy and to real-world applications.
- Evaluations that are based on purely synthetic datasets, or on non-privacy-relevant datasets (e.g., MNIST, CIFAR, or SVHN) must contain a well-marked paragraph explaining why the results of the evaluation can be extrapolated to real-world use cases where privacy is of relevance.
- Papers that treat privacy as a superficial application domain (e.g., if the only relationship to privacy is a privacy-related dataset) do not demonstrate relevance to real-world privacy problems and are therefore out of scope.

This work is licensed under the Creative Commons Attribution 4.0 International License. To view a copy of this license visit <https://creativecommons.org/licenses/by/4.0/> or send a letter to Creative Commons, PO Box 1866, Mountain View, CA 94042, USA.

Proceedings on Privacy Enhancing Technologies YYYY(X), 1–4
© YYYY Copyright held by the owner/author(s).
<https://doi.org/XXXXXXX.XXXXXXX>



2 Anonymization of Submission

All submitted papers will be judged based on their quality and relevance through double-blind reviewing, where the identities of the authors are withheld from the reviewers. As an author, you are required to make a good-faith effort to preserve the anonymity of your submission, while at the same time allowing the reader to fully grasp the context of related past work, including your own. It is recognized that, at times, information regarding the identities of authors may become public outside the submission process (e.g., if a pre-print is published as a technical report or on a pre-print server). The PC will ignore this external information.

Minimally, please take the following steps when preparing your submission:

- Remove the names and affiliations of authors from the title page. Handled by using [anonymous,review] in the documentclass at the top of this template.
- Remove acknowledgment of identifying names and funding sources. The acknowledgement section is also hidden by [anonymous,review].
- Remove references to your institution, for example in survey materials or in git repositories.
- Remove references to other external content that obviously deanonymizes the authors, e.g., an author’s webpage or a git repo with author attribution. If it is important to reference such material, consider setting up a cloned version with identifying information removed, perhaps using anonymization tools such as <https://anonymous.4open.science>.
- Use care in referring to related work, particularly your own. Do not omit references to provide anonymity, as this leaves the reviewer unable to grasp the context. Instead, reference your past work in the third person, just as you would any other piece of related work by another author.

3 No Format Modifications

Authors should use the provided template without modifying the overall format or “look and feel” produced by the template. Papers that, in the chair’s assessment, exploit underspecified formatting criteria (e.g., columns), manipulate other document properties (e.g., page layout, spacing, use the \vspace command, fonts, figures and tables, headings), remove the copyright block (CC-BY-4.0 text, including image) on the first page, etc., in an attempt to gain an unfair advantage **will be desk-rejected**.

4 Sectioning Commands

Your work should use standard L^AT_EX sectioning commands: section, subsection, subsubsection, and paragraph. They should be numbered; do not remove the numbering from the commands.

Table 1: Frequency of Special Characters

Non-English or Math	Frequency	Comments
Ø	1 in 1,000	For Swedish names
π	1 in 5	Common in math
\$	4 in 5	Used in business
Ψ_1^2	1 in 40,000	Unexplained usage

5 Tables

The “acmart” document class includes the “booktabs” package — <https://ctan.org/pkg/booktabs> — for preparing high-quality tables.

Table captions are placed *above* the table.

Immediately following this sentence is the point at which Table 1 is included in the input file; compare the placement of the table here with the table in the printed output of this document.

To set a wider table, which takes up the whole width of the page’s live area, use the environment **table*** to enclose the table’s contents and the table caption.

Always use midrule to separate table header rows from data rows, and use it only for this purpose. This enables assistive technologies to recognise table headers and support their users in navigating tables more easily.

6 Math Equations

You may want to display math equations in three distinct styles: inline, numbered or non-numbered display. Each of the three are discussed in the next sections.

6.1 Inline (In-text) Equations

A formula that appears in the running text is called an inline or in-text formula. It is produced by the **math** environment, which can be invoked with the usual `\begin . . . \end` construction or with the short form `$ . . . $`. You can use any of the symbols and structures, from α to ω , available in $\text{\LaTeX}$ [24]; this section will simply show a few examples of in-text equations in context. Notice how this equation: $\lim_{n \rightarrow \infty} x = 0$, set here in in-line math style, looks slightly different when set in display style. (See next section).

6.2 Display Equations

A numbered display equation—one set off by vertical space from the text and centered horizontally—is produced by the **equation** environment. An unnumbered display equation is produced by the **displaymath** environment.

Again, in either environment, you can use any of the symbols and structures available in $\text{\LaTeX}$; this section will just give a couple of examples of display equations in context. First, consider the equation, shown as an inline equation above:

$$\lim_{n \rightarrow \infty} x = 0 \quad (1)$$

Notice how it is formatted somewhat differently in the **display-math** environment. Now, we’ll enter an unnumbered equation:

$$\sum_{i=0}^{\infty} x + 1$$

and follow it with another numbered equation:

$$\sum_{i=0}^{\infty} x_i = \int_0^{\pi+2} f \quad (2)$$

just to demonstrate $\text{\LaTeX}$ ’s able handling of numbering.

7 Figures

The “figure” environment should be used for figures. One or more images can be placed within a figure. If your figure contains third-party material, you must clearly identify it as such, as shown in the example below.



Figure 1: 1907 Franklin Model D roadster. Photograph by Harris & Ewing, Inc. [Public domain], via Wikimedia Commons. (<https://goo.gl/VLCRBB>).

Your figures should contain a caption which describes the figure to the reader. Figure captions are placed *below* the figure.

Every figure should also have a figure description unless it is purely decorative. These descriptions convey what’s in the image to someone who cannot see it. They are also used by search engine crawlers for indexing images, and when images cannot be loaded.

A figure description must be unformatted plain text less than 2000 characters long (including spaces). **Figure descriptions should not repeat the figure caption – their purpose is to capture important information that is not already provided in the caption or the main text of the paper.** For figures that convey important and complex new information, a short text description may not be adequate. More complex alternative descriptions can be placed in an appendix and referenced in a short figure description. For example, provide a data table capturing the information in a bar chart, or a structured list representing a graph. For additional information regarding how best to write figure descriptions and why doing this is so important, please see <https://www.acm.org/publications/taps/describing-figures/>.

Table 2: Some Typical Commands

Command	A Number	Comments
<code>\author</code>	100	Author
<code>\table</code>	300	For tables
<code>\table*</code>	400	For wider tables

8 Citations and Bibliographies

The use of BibTeX for the preparation and formatting of one’s references is strongly recommended. Authors’ names should be complete — use full first names (“Donald E. Knuth”) not initials (“D. E. Knuth”) — and the salient identifying features of a reference should be included: title, year, volume, number, pages, article DOI, etc.

Some examples. A paginated journal article [2], an enumerated journal article [10], a reference to an entire issue [9], a monograph (whole book) [23], a monograph/whole book in a series (see 2a in spec. document) [17], a divisible-book such as an anthology or compilation [12] followed by the same example, however we only output the series if the volume number is given [13] (so Editor00a’s series should NOT be present since it has no vol. no.), a chapter in a divisible book [35], a chapter in a divisible book in a series [11], a multi-volume work as book [22], a couple of articles in a proceedings (of a conference, symposium, workshop for example) (paginated proceedings article) [3, 15], a proceedings article with all possible elements [34], an example of an enumerated proceedings article [14], an informally published work [16], a couple of preprints [6, 7], a doctoral dissertation [8], a master’s thesis: [4], an online document / world wide web resource [1, 28, 36], a video game (Case 1) [27] and (Case 2) [26] and [25] and (Case 3) a patent [33], work accepted for publication [30], ‘YYYYb’-test for prolific author [31] and [32]. Other cites might contain ‘duplicate’ DOI and URLs (some SIAM articles) [21]. Boris / Barbara Beeton: multi-volume works as books [19] and [18]. A couple of citations with DOIs: [20, 21]. Online citations: [36–38]. Artifacts: [29] and [5].

Ethical Considerations

Mandatory section for PoPETs 2027. Does NOT count towards page limit. MUST have exactly this title and placement (between acknowledgements and references) or risk desk rejection.

This section should include a justification of the ethics of the work and information about whether the work was submitted to an external ethics panel such as an IRB or the Tor Research Safety Board. Research that is deemed to not have met adequate ethical standards may be rejected on those grounds. Authors are encouraged to contact PC chairs before submitting to clarify any doubts.

Open Science

Mandatory section for PoPETs 2027. Does NOT count towards page limit. MUST have exactly this title and placement (between acknowledgements and references) or risk desk rejection.

To encourage reproducibility, PETS champions open science:

- If you provide any research artifacts for the submission, please link them here. Make sure that identifying information is removed, perhaps using anonymization tools such as <https://anonymous.4open.science>.
- If you plan to share research artifacts upon acceptance, please briefly describe the artifacts here.
- If you do not plan to release any research artifacts, please briefly justify the decision here.

Note that this part is distinct from the artifact review that takes place after a paper is accepted.

AI Use

Mandatory section for PoPETs 2027. Does NOT count towards page limit. MUST have exactly this title and placement (between acknowledgements and references) or risk desk rejection.

The goal of this section is to disclose the use of any AI-based tools (e.g., ChatGPT, Cursor, Claude Code, FigureLabs) used in the process of producing the paper. If you have not used any AI-based tools, do not remove this section. Instead, add a single sentence, “AI-based tools were not used in this work,” or similar.

If you have used AI-based tools to improve writing, please acknowledge it here. For example, “The authors used generative AI-based tools to revise the text, improve flow, and correct any typos, grammatical errors, and awkward phrasing.” If figures have been significantly or completely generated with AI-based tools, list the figures here and attribute the AI use in the caption of each figure.

If you used AI-based tools as part of your research methodology, describe it thoroughly in the text of the paper, and simply acknowledge it here. For example, “As described in Section 4, AI-based tools were used to assist with data labeling by generating initial annotations.”

Describe any other AI use here. For example, “AI-based tools were used to search for additional related work”, “AI-based tools were used for pre-submission review”, or “AI-based tools were used in the artifact development and to verify that the methods section of the paper correctly describes the codebase”. We encourage transparency to help reviewers assess your work and for fellow scientists to learn about the ethical and constructive use of AI in the scientific process.

Finally, if you answered yes to any of the cases above or have used AI in any other way, you are responsible for the accuracy, originality, and integrity of the output of all AI-based tools. As such, indicate this in this section. For example, “We have manually verified and are responsible for the accuracy, originality, and integrity of the output of all AI-based tools.”

References

- [1] Rafal Ablamowicz and Bertfried Fauser. 2007. *CLIFFORD: a Maple 11 Package for Clifford Algebra Computations, version 11*. Retrieved February 28, 2008 from <http://math.tntech.edu/rafal/cliff11/index.html>
- [2] Patricia S. Abril and Robert Plant. 2007. The patent holder’s dilemma: Buy, sell, or troll? *Commun. ACM* 50, 1 (Jan. 2007), 36–44. doi:10.1145/1188913.1188915
- [3] Sten Andler. 1979. Predicate Path expressions. In *Proceedings of the 6th. ACM SIGACT-SIGPLAN symposium on Principles of Programming Languages (POPL ’79)*. ACM Press, New York, NY, 226–236. doi:10.1145/567752.567774
- [4] David A. Anisi. 2003. *Optimal Motion Control of a Ground Vehicle*. Master’s thesis. Royal Institute of Technology (KTH), Stockholm, Sweden.
- [5] Sam Anzaroot and Andrew McCallum. 2013. *UMass Citation Field Extraction Dataset*. Retrieved May 27, 2019 from <http://www.iesl.cs.umass.edu/data/data-umasscitationfield>
- [6] Sam Anzaroot, Alexandre Passos, David Belanger, and Andrew McCallum. 2014. Learning Soft Linear Constraints with Application to Citation Field Extraction. arXiv:1403.1349
- [7] Lutz Bornmann, K. Brad Wray, and Robin Haunschild. 2019. Citation concept analysis (CCA)—A new form of citation analysis revealing the usefulness of concepts for other researchers illustrated by two exemplary case studies including classic books by Thomas S. Kuhn and Karl R. Popper. arXiv:1905.12410 [cs.DL]
- [8] Kenneth L. Clarkson. 1985. *Algorithms for Closest-Point Problems (Computational Geometry)*. Ph. D. Dissertation. Stanford University, Palo Alto, CA. UMI Order Number: AAT 8506171.
- [9] Jacques Cohen (Ed.). 1996. Special issue: Digital Libraries. *Commun. ACM* 39, 11 (Nov. 1996).
- [10] Sarah Cohen, Werner Nutt, and Yehoshua Sagie. 2007. Deciding equivalences among conjunctive aggregate queries. *J. ACM* 54, 2, Article 5 (April 2007), 50 pages. doi:10.1145/1219092.1219093
- [11] Bruce P. Douglass, David Harel, and Mark B. Trakhtenbrot. 1998. Statecarts in use: structured analysis and object-orientation. In *Lectures on Embedded Systems*, Grzegorz Rozenberg and Frits W. Vaandrager (Eds.). Lecture Notes in Computer Science, Vol. 1494. Springer-Verlag, London, 368–394. doi:10.1007/3-540-65193-4_29
- [12] Ian Editor (Ed.). 2007. *The title of book one* (1st. ed.). The name of the series one, Vol. 9. University of Chicago Press, Chicago. doi:10.1007/3-540-09237-4
- [13] Ian Editor (Ed.). 2008. *The title of book two* (2nd. ed.). University of Chicago Press, Chicago, Chapter 100. doi:10.1007/3-540-09237-4
- [14] Matthew Van Gundy, Davide Balzarotti, and Giovanni Vigna. 2007. Catch me, if you can: Evading network signatures with web-based polymorphic worms. In *Proceedings of the first USENIX workshop on Offensive Technologies (WOOT ’07)*. USENIX Association, Berkley, CA, Article 7, 9 pages.
- [15] Torben Hagerup, Kurt Mehlhorn, and J. Ian Munro. 1993. Maintaining Discrete Probability Distributions Optimally. In *Proceedings of the 20th International Colloquium on Automata, Languages and Programming (Lecture Notes in Computer Science, Vol. 700)*. Springer-Verlag, Berlin, 253–264.
- [16] David Harel. 1978. *LOGICS of Programs: AXIOMATICS and DESCRIPTIVE POWER*. MIT Research Lab Technical Report TR-200. Massachusetts Institute of Technology, Cambridge, MA.
- [17] David Harel. 1979. *First-Order Dynamic Logic*. Lecture Notes in Computer Science, Vol. 68. Springer-Verlag, New York, NY. doi:10.1007/3-540-09237-4
- [18] Lars Hörmander. 1985. *The analysis of linear partial differential operators. III*. Grundlehren der Mathematischen Wissenschaften [Fundamental Principles of Mathematical Sciences], Vol. 275. Springer-Verlag, Berlin, Germany. viii+525 pages. Pseudodifferential operators.
- [19] Lars Hörmander. 1985. *The analysis of linear partial differential operators. IV*. Grundlehren der Mathematischen Wissenschaften [Fundamental Principles of Mathematical Sciences], Vol. 275. Springer-Verlag, Berlin, Germany. vii+352 pages. Fourier integral operators.
- [20] IEEE. 2004. IEEE TCSC Executive Committee. In *Proceedings of the IEEE International Conference on Web Services (ICWS ’04)*. IEEE Computer Society, Washington, DC, USA, 21–22. doi:10.1109/ICWS.2004.64
- [21] Markus Kirschmer and John Voight. 2010. Algorithmic Enumeration of Ideal Classes for Quaternion Orders. *SIAM J. Comput.* 39, 5 (Jan. 2010), 1714–1747. doi:10.1137/080734467
- [22] Donald E. Knuth. 1997. *The Art of Computer Programming, Vol. 1: Fundamental Algorithms (3rd. ed.)*. Addison Wesley Longman Publishing Co., Inc.
- [23] David Kosiur. 2001. *Understanding Policy-Based Networking* (2nd. ed.). Wiley, New York, NY.
- [24] Leslie Lamport. 1986. *ŁT_EX: A Document Preparation System*. Addison-Wesley, Reading, MA.
- [25] Newton Lee. 2005. Interview with Bill Kinder: January 13, 2005. Video. *Comput. Entertain.* 3, 1, Article 4 (Jan.-March 2005). doi:10.1145/1057270.1057278
- [26] Dave Novak. 2003. Solder man. Video. In *ACM SIGGRAPH 2003 Video Review on Animation theater Program: Part I - Vol. 145 (July 27–27, 2003)*. ACM Press, New York, NY, 4. doi:99.9999/woot07-S422 <http://video.google.com/videoplay?docid=6528042696351994555>
- [27] Barack Obama. 2008. A more perfect union. Video. Retrieved March 21, 2008 from <http://video.google.com/videoplay?docid=6528042696351994555>
- [28] Poker-Edge.Com. 2006. Stats and Analysis. Retrieved June 7, 2006 from <http://www.poker-edge.com/stats.php>
- [29] R Core Team. 2019. *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria. <https://www.R-project.org/>
- [30] Bernard Rous. 2008. The Enabling of Digital Libraries. *Digital Libraries* 12, 3, Article 5 (July 2008). To appear.
- [31] Mehdi Saeedi, Morteza Saheb Zamani, and Mehdi Sedighi. 2010. A library-based synthesis methodology for reversible logic. *Microelectron. J.* 41, 4 (April 2010), 185–194.
- [32] Mehdi Saeedi, Morteza Saheb Zamani, Mehdi Sedighi, and Zahra Sasanian. 2010. Synthesis of Reversible Circuit Using Cycle-Based Approach. *J. Emerg. Technol. Comput. Syst.* 6, 4 (Dec. 2010).
- [33] Joseph Scientist. 2009. The fountain of youth. Patent No. 12345, Filed July 1st., 2008, Issued Aug. 9th., 2009.
- [34] Stan W. Smith. 2010. An experiment in bibliographic mark-up: Parsing metadata for XML export. In *Proceedings of the 3rd. annual workshop on Librarians and Computers (LAC ’10, Vol. 3)*, Reginald N. Smythe and Alexander Noble (Eds.). Paparazzi Press, Milan Italy, 422–431. doi:99.9999/woot07-S422
- [35] Asad Z. Spector. 1990. Achieving application requirements. In *Distributed Systems* (2nd. ed.), Sape Mullender (Ed.). ACM Press, New York, NY, 19–33. doi:10.1145/90417.90738
- [36] Harry Thornburg. 2001. *Introduction to Bayesian Statistics*. Retrieved March 2, 2005 from <http://ccrma.stanford.edu/~jos/bayes/bayes.html>
- [37] TUG. 2017. *Institutional members of the T_EX Users Group*. Retrieved May 27, 2017 from <http://www.tug.org/instmemb.html>
- [38] Boris Veytsman. 2017. *acmart—Class for typesetting publications of ACM*. Retrieved May 27, 2017 from <http://www.ctan.org/pkg/acmart>

A An Appendix Section

If your work has an appendix, this is the place to put it. Note that in the appendix, sections are lettered, not numbered. This document has two appendices, Appendix A and Appendix B, demonstrating the section and subsection identification method.

A.1 Part One

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

A.2 Part Two

Etiam commodo feugiat nisl pulvinar pellentesque. Etiam auctor sodales ligula, non varius nibh pulvinar semper. Suspendisse nec lectus non ipsum convallis congue hendrerit vitae sapien. Donec at laoreet eros.

B Online Resources

Nam id fermentum dui. Suspendisse sagittis tortor a nulla mollis, in pulvinar ex pretium. Sed interdum orci quis metus euismod, et sagittis enim maximus. Vestibulum gravida massa ut felis suscipit congue. Nam interdum magna at lectus dignissim, ac dignissim lorem rhoncus. Maecenas eu arcu ac neque placerat aliquam. Nunc pulvinar massa et mattis lacinia.