

PGNN-FWI Documentation

Release 0.1.0

© 2023, Amir Mardan

November 08, 2024


Table of Contents

1	PGANN-FWI for estimating the Marmousi velocity model	5
2	tools module	9
3	References:	11



..caption:: This is preliminary documentation for Physics-Guided Neural Networks for Full-Waveform Inversion (PGNN-FWI)

In this repository, I implemented the physics-guided neural network (PGNN) for full-waveform inversion. This PGNN can be implemented with or without attention block. The architecture of their study is shown in the following figure.



For running the code, you should use this [notebook](#). The required parameters for running this notebook should be set in this [config](#) file.

Note: I have commented cell 3 in this notebook, you should run this cell whenever you change an acquisition parameter (and for the first time using the codes).

Note: Please use the [requirements](#) file (written in the jupyter file) to install the packages with specified


versions to be sure everything works.

```
pip install -r requirements.txt
```


In this repo, there are four scripts for running FWI:

1. `pinn_fwi.py` for performing PGNN- or PGANN-FWI.
2. `original_fwi.py` for running the conventional FWI (Not available).
3. `pinn_for_init.py` for performing PGNN- or PGANN-FWI to create an initial model and use that to perform the conventional FWI (Not available).
4. `pinn_fwi.ipynb` for performing PGNN- or PGANN-FWI, but this notebook might not be updated.

The result of running this code for 22 shots with 2500 epochs on the Marmousi model is shown in the following figures.




For a faster convergence (300 epochs), I considered geophones around the model and the results are



where the hybrid method is using the PIANN-FWI for creating only initial model.

PGANN-FWI for estimating the Marmousi velocity model

In this repository, I implemented the physics-guided neural network (PGNN) for full-waveform inversion. This PGNN can be implemented with or without an attention block. The architecture of their study is shown in the following figure.



For running the code, you should use this [notebook](#). The required parameters for running this notebook should be set in this [config](#) file.

Note: I have commented cell 3 in this notebook, you should run this cell whenever you change an acquisition parameter (and for the first time using the codes).

Note: Please use the [requirements](#) file (written in the jupyter file) to install the packages with specified versions to be sure everything works.


```
pip install -r requirements.txt
```

In this repo, there are four scripts for running FWI:


1. [pinn_fwi.py](#) for performing PGNN- or PGANN-FWI.
2. [original_fwi.py](#) for running the conventional FWI (Not available).

3. [pinn_for_init.py](#) for performing PINN- or PGANN-FWI to create an initial model and use that to perform the conventional FWI (Not available).
4. [pinn_fwi.ipynb](#) for performing PINN- or PGANN-FWI, but this notebook might not be updated.

The result of running this code for 22 shots with 2500 epochs on the Marmousi model is shown in the following figures.



For a faster convergence (300 epochs), I considered geophones around the model and the results are



where the hybrid method is using the PGANN-FWI for creating only the initial model.

Reference:

```
@inproceedings{mardan2024pgann_eage,
  title = {Physics-guided attention-based neural networks for full-waveform inversion},
  author = {Mardan, Amir and Fabien-Ouellet, Gabriel},
  year = {2024},
  booktitle = {85^{th} \& EAGE Annual Conference \& Exhibition},
  publisher = {European Association of Geoscientists \& Engineers},
  pages = {1-5},
  doi = {}
}
```


tools module

References:

```
@inproceedings{mardan2024pgann_eage,
    title = {Physics-guided attention-based neural networks for full-waveform
inversion},
    author = {Mardan, Amir and Fabien-Ouellet, Gabriel},
    year = {2024},
    booktitle = {85$^{th}$ {EAGE} Annual Conference \& Exhibition},
    publisher = {European Association of Geoscientists \& Engineers},
    pages = {1-5},
    doi = {}
}
```