Wazuh with n8n Integration

Introduction

In this project, we implemented the integration of Wazuh with n8n to automate security alerts and improve incident response. Wazuh is a powerful security monitoring platform that detects threats, while n8n is an automation tool that helps in executing actions automatically based on events.

By combining both tools, we can automate the process of handling alerts generated by Wazuh, which reduces manual work and improves efficiency.

What is n8n?

n8n is an open-source workflow automation tool that allows users to connect different applications and services. It works using workflows where one event can trigger multiple actions.

It supports webhooks, APIs, and integrations, which makes it suitable for automating security alerts generated by Wazuh.

What We Achieved by Integrating n8n with Wazuh

By integrating n8n with Wazuh, we achieved the following:

- Wazuh alerts are automatically sent to n8n workflows
- Real-time automation is enabled for security events
- Alerts can be forwarded to email, Slack, or other systems
- Manual monitoring effort is reduced
- Faster response to security incidents
- Flexible workflow creation based on alert severity
- Centralized automation for security operations

Objective

The main objective of this integration is to:

- Automate Wazuh alerts
- Reduce manual monitoring
- Improve response time

- Send alerts to external systems
- Create flexible workflows for security automation

Step by Step Configuration

At this point, I already had Wazuh Manager installed and running on my Ubuntu desktop. What I did not have yet was n8n. So the first thing I needed to do was install Node.js (because n8n requires it to run) and then install n8n itself.

Installed Node.js

n8n is built on Node.js, so before installing n8n we need Node.js version 20 or higher. I used the NodeSource repository to install it cleanly.

First I updated the system packages:

sudo apt update

```
wazuh@fypserver:~$  sudo apt update
[sudo] password for wazuh:
Hit:1 http://archive.ubuntu.com/ubuntu jammy InRelease
Get:2 http://archive.ubuntu.com/ubuntu jammy-updates InRelease [128 kB]
Hit:3 https://ppa.launchpadcontent.net/ondrej/php/ubuntu jammy InRelease
Get:4 http://archive.ubuntu.com/ubuntu jammy-backports InRelease [127 kB]
Hit:5 https://packages.wazuh.com/4.x/apt stable InRelease
Get:6 http://archive.ubuntu.com/ubuntu jammy-security InRelease [129 kB]
Get:7 http://archive.ubuntu.com/ubuntu jammy-updates/main i386 Packages [971 kB]
Get:8 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 Packages [3,328 kB]
Get:9 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 DEP-11 Metadata [114 kB]
Get:10 http://archive.ubuntu.com/ubuntu jammy-updates/restricted amd64 DEP-11 Metadata [212 B]
Get:11 http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 DEP-11 Metadata [359 kB]
Get:12 http://archive.ubuntu.com/ubuntu jammy-updates/multiverse amd64 DEP-11 Metadata [940 B]
Get:13 http://archive.ubuntu.com/ubuntu jammy-backports/main amd64 DEP-11 Metadata [7,364 B]
Get:14 http://archive.ubuntu.com/ubuntu jammy-backports/restricted amd64 DEP-11 Metadata [212 B]
Get:15 http://archive.ubuntu.com/ubuntu jammy-backports/universe amd64 DEP-11 Metadata [7,300 B]
Get:16 http://archive.ubuntu.com/ubuntu jammy-backports/multiverse amd64 DEP-11 Metadata [212 B]
Get:17 http://archive.ubuntu.com/ubuntu jammy-security/main amd64 DEP-11 Metadata [54.5 kB]
Get:18 http://archive.ubuntu.com/ubuntu jammy-security/restricted amd64 DEP-11 Metadata [208 B]
Get:19 http://archive.ubuntu.com/ubuntu jammy-security/universe amd64 DEP-11 Metadata [125 kB]
Get:20 http://archive.ubuntu.com/ubuntu jammy-security/multiverse amd64 DEP-11 Metadata [208 B]
Fetched 5,354 kB in 14s (371 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
13 packages can be upgraded. Run 'apt list --upgradable' to see them.
wazuh@fypserver:~$
```

Then I added the NodeSource repository and installed Node.js:

curl -fsSL https://deb.nodesource.com/setup_20.x | sudo -E bash -

```
wazuh@fypserver:~$ curl -fsSL https://deb.nodesource.com/setup_20.x | sudo -E bash -
2026-03-29 20:37:51 - Installing pre-requisites
Hit:1 http://archive.ubuntu.com/ubuntu jammy InRelease
Hit:2 http://archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:3 http://archive.ubuntu.com/ubuntu jammy-backports InRelease
Hit:4 http://archive.ubuntu.com/ubuntu jammy-security InRelease
Hit:5 https://packages.wazuh.com/4.x/apt stable InRelease
Hit:6 https://ppa.launchpadcontent.net/ondrej/php/ubuntu jammy InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
13 packages can be upgraded. Run 'apt list --upgradable' to see them.
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
ca-certificates is already the newest version (20240203~22.04.1).
ca-certificates set to manually installed.
curl is already the newest version (7.81.0-1ubuntu1.23).
gnupg is already the newest version (2.2.27-3ubuntu2.5).
gnupg set to manually installed.
apt-transport-https is already the newest version (2.4.14).
0 upgraded, 0 newly installed, 0 to remove and 13 not upgraded.
gpg: WARNING: unsafe ownership on homedir '/home/wazuh/.gnupg'
Hit:1 https://packages.wazuh.com/4.x/apt stable InRelease
Get:2 https://deb.nodesource.com/node_20.x nodistro InRelease [12.1 kB]
Hit:3 http://archive.ubuntu.com/ubuntu jammy InRelease
Get:4 https://deb.nodesource.com/node_20.x nodistro/main amd64 Packages [13.6 kB]
Hit:5 http://archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:6 http://archive.ubuntu.com/ubuntu jammy-backports InRelease
Hit:7 https://ppa.launchpadcontent.net/ondrej/php/ubuntu jammy InRelease
Hit:8 http://archive.ubuntu.com/ubuntu jammy-security InRelease
```

sudo apt install -y nodejs

```
wazuh@fypserver:~$ sudo apt install -y nodejs
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following NEW packages will be installed:
  nodejs
0 upgraded, 1 newly installed, 0 to remove and 13 not upgraded.
Need to get 32.0 MB of archives.
After this operation, 197 MB of additional disk space will be used.
Get:1 https://deb.nodesource.com/node_20.x nodistro/main amd64 nodejs amd64 20.20.0-1nodesource1 [32.0 MB]
Fetched 32.0 MB in 4s (7,226 kB/s)
[master f1c2a83] saving uncommitted changes in /etc prior to apt run
 Author: wazuh <wazuh@fypserver>
 4 files changed, 15 insertions(+)
 create mode 100644 apt/preferences.d/nodejs
 create mode 100644 apt/preferences.d/nsolid
 create mode 100644 apt/sources.list.d/nodesource.sources
Selecting previously unselected package nodejs.
(Reading database ... 350962 files and directories currently installed.)
Preparing to unpack .../nodejs_20.20.0-1nodesource1_amd64.deb ...
Unpacking nodejs (20.20.0-1nodesource1) ...
Setting up nodejs (20.20.0-1nodesource1) ...
Processing triggers for man-db (2.10.2-1) ...
[master cacfb1c] committing changes in /etc made by "apt install -y nodejs"
 Author: wazuh <wazuh@fypserver>
 2 files changed, 2 insertions(+)
 create mode 120000 alternatives/nodejs
 create mode 120000 alternatives/nodejs.1.gz
wazuh@fypserver:~$
```

After installation I verified it was working correctly by checking the versions:

node -v

npm -v

```
wazuh@fypserver:~$  node -v
v20.20.0
wazuh@fypserver:~$ npm -v
10.8.2
wazuh@fypserver:~$
```

Installed n8n

Installing n8n is very simple. I used npm to install it globally on the system so it is available everywhere:

sudo npm install -g n8n

```
wazuh@fypserver:~$  sudo npm install -g n8n
npm warn ERESOLVE overriding peer dependency
npm warn While resolving: @getzep/zep-cloud@1.0.6
npm warn Found: @langchain/core@1.1.8
npm warn node_modules/n8n/node_modules/@langchain/core
npm warn   @langchain/core@"1.1.8" from @n8n/ai-workflow-builder@1.8.1
npm warn   node_modules/n8n/node_modules/@n8n/ai-workflow-builder
npm warn     @n8n/ai-workflow-builder@"1.8.1" from n8n@2.8.4
npm warn     node_modules/n8n
npm warn   22 more (@n8n/n8n-nodes-langchain, n8n-core, ...)
npm warn
npm warn Could not resolve dependency:
npm warn peerOptional @langchain/core@"~0.1.29" from @getzep/zep-cloud@1.0.6
npm warn node_modules/n8n/node_modules/@getzep/zep-cloud
npm warn   @getzep/zep-cloud@"1.0.6" from @n8n/n8n-nodes-langchain@2.8.1
npm warn   node_modules/n8n/node_modules/@n8n/n8n-nodes-langchain
npm warn   1 more (@langchain/community)
npm warn
npm warn Conflicting peer dependency: @langchain/core@0.1.63
npm warn node_modules/@langchain/core
npm warn   peerOptional @langchain/core@"~0.1.29" from @getzep/zep-cloud@1.0.6
npm warn   node_modules/n8n/node_modules/@getzep/zep-cloud
npm warn     @getzep/zep-cloud@"1.0.6" from @n8n/n8n-nodes-langchain@2.8.1
npm warn     node_modules/n8n/node_modules/@n8n/n8n-nodes-langchain
npm warn     1 more (@langchain/community)
npm warn ERESOLVE overriding peer dependency
npm warn While resolving: @n8n/typeorm@0.3.20-15
npm warn Found: @sentry/node@10.46.0
npm warn node_modules/n8n/node_modules/@sentry/node
npm warn   @sentry/node@"^10.36.0" from n8n@2.8.4
npm warn   node_modules/n8n
```

This will take a few minutes to download and install. Once it finishes, I confirmed the installation worked:

n8n --version

```
wazuh@fypserver:~$ n8n --version
2.8.4
```

After that, I started n8n for the first time using:

n8n start or N8N_SECURE_COOKIE=false n8n start --host 0.0.0.0 --port 5678

```
wazuh@fypserver:~$ N8N_SECURE_COOKIE=false n8n start --host 0.0.0.0 --port 5678
Initializing n8n process
n8n ready on ::, port 5678
n8n Task Broker ready on 127.0.0.1, port 5679
Failed to start Python task runner in internal mode. because its virtual environment is missing from this system. Launching a Python
 runner in internal mode is intended only for debugging and is not recommended for production. Users are encouraged to deploy in ext
ernal mode. See: https://docs.n8n.io/hosting/configuration/task-runners/#setting-up-external-mode
[license SDK] Skipping renewal on init: license cert is not initialized
Registered runner "JS Task Runner" (cYrujtuaA_gQJJnkNBsLu)
Version: 2.8.4
Building workflow dependency index...
Finished building workflow dependency index. Processed 0 draft workflows, 0 published workflows.

Editor is now accessible via:
http://localhost:5678

Press "o" to open in Browser.
```

Once it started, I opened my browser and went to:

http://localhost:5678 or http://10.10.80.56:5678

The n8n welcome screen appeared. I created a local account (no data goes anywhere, this is just a local login for the n8n interface). After logging in, I was inside the n8n workflow editor.





Creating a Webhook in n8n to Receive Wazuh Alerts

Now that n8n was running, I needed to create a workflow inside it that would listen for incoming data from Wazuh. I did this using a Webhook node it gives us a URL that Wazuh will call every time an alert is triggered.

I opened the browser, went to http://localhost:5678, and clicked the big + button to create a new workflow. Then I clicked Add Node and searched for Webhook and added it.

I configured the Webhook node with the following settings:

HTTP Method	Post
Path	wazuh-alerts
Authentication	None
Response Mode	Immediately



After saving, n8n showed me the webhook URL. It looked like this:

http://localhost:5678/webhook/wazuh-alerts

I copied this URL because I needed it in the next step when configuring Wazuh. I also clicked the Listen for Test Event button to keep the webhook active and ready to receive the first test alert.

Configuring Wazuh to Send Alerts to n8n

Now I needed to configure Wazuh so that whenever it generates an alert, it automatically sends that alert data to the n8n webhook URL. I did this by writing a custom integration script and then registering it inside the Wazuh configuration file.

I created the custom integration script

Wazuh has a special folder called /var/ossec/integrations/ where all integration scripts are kept. I created a new Python script in that folder:

```
sudo nano /var/ossec/integrations/custom-n8n
```

```
wazuh@fypserver:~$  sudo nano /var/ossec/integrations/custom-n8n
[sudo] password for wazuh:
wazuh@fypserver:~$
```

Inside the file I wrote the following Python script. This script reads the alert data that Wazuh passes to it and then sends it as a JSON payload to the n8n webhook:

```
#!/usr/bin/env python3

import sys

import json

import requests

from datetime import datetime


N8N_WEBHOOK_URL = 'http://localhost:5678/webhook/wazuh-alerts'


def main(args):

    alert_file = args[1]

    with open(alert_file) as f:

        alert_data = json.load(f)

    payload = {

        'timestamp': alert_data.get('timestamp', str(datetime.now())),

        'rule_id': alert_data.get('rule', {}).get('id', 'N/A'),

        'rule_level': alert_data.get('rule', {}).get('level', 0),

        'rule_description': alert_data.get('rule', {}).get('description', ''),

        'agent_name': alert_data.get('agent', {}).get('name', 'Unknown'),

        'agent_ip': alert_data.get('agent', {}).get('ip', 'Unknown'),
```

```
        'full_alert': alert_data
    }
    try:
        response = requests.post(
            N8N_WEBHOOK_URL,
            json=payload,
            headers={'Content-Type': 'application/json'},
            timeout=10
        )
        print(f'n8n response: {response.status_code}')
    except Exception as e:
        print(f'Error sending to n8n: {e}')

if __name__ == '__main__':
    main(sys.argv)
```

```
  GNU nano 6.2                                  /var/ossec/integrations/custom-n8n *
#!/usr/bin/env python3
import sys
import json
import requests
from datetime import datetime

# Change this URL to match your n8n webhook URL
N8N_WEBHOOK_URL = 'http://10.10.80.56:5678/webhook/wazuh-alerts'

def main(args):
        alert_file = args[1]

        with open(alert_file) as f:
        alert_data = json.load(f)

        payload = {
        'timestamp':            alert_data.get('timestamp', str(datetime.now())),
        'rule_id':              alert_data.get('rule', {}).get('id', 'N/A'),
        'rule_level':           alert_data.get('rule', {}).get('level', 0),
        'rule_description': alert_data.get('rule', {}).get('description', ''),
        'agent_name':           alert_data.get('agent', {}).get('name', 'Unknown'),
        'agent_ip':             alert_data.get('agent', {}).get('ip', 'Unknown'),
        'full_alert':           alert_data
        }

        try:
        response = requests.post(
```

I saved and closed the file. Then I installed the Python requests library since our script uses it:

sudo pip3 install requests

I applied the correct permissions on the script

This step is very important. Wazuh will refuse to run any integration script that does not have the correct ownership and permissions. I ran the following commands:

sudo chown root:wazuh /var/ossec/integrations/custom-n8n

sudo chmod 750 /var/ossec/integrations/custom-n8n

```
wazuh@fypserver:~$  sudo chown root:wazuh /var/ossec/integrations/custom-n8n
wazuh@fypserver:~$ sudo chmod 750 /var/ossec/integrations/custom-n8n
wazuh@fypserver:~$
```

I registered the integration inside ossec.conf

Next I opened the main Wazuh configuration file to register our new integration:

sudo nano /var/ossec/etc/ossec.conf

```
wazuh@fypserver:~$  sudo nano /var/ossec/etc/ossec.conf
wazuh@fypserver:~$
```

I scrolled to the bottom of the file, just before the closing </ossec_config> tag, and added the following block:

<integration>

<name>custom-n8n</name>

<hook_url>http://localhost:5678/webhook/wazuh-alerts</hook_url>

<level>5</level>

<alert_format>json</alert_format>

</integration>

```
  GNU nano 6.2                                  /var/ossec/etc/ossec.conf *
    <executable>netsh.exe</executable>
    <timeout_allowed>yes</timeout_allowed>
  </command>

<!-- N8n Integration Section -->

  <integration>
   <name>custom-n8n</name>
   <hook_url>http://10.10.80.56:5678/webhook/wazuh-alerts</hook_url>
   <level>5</level>
   <alert_format>json</alert_format>
  </integration>
```

After saving the file I restarted the Wazuh Manager to apply all changes:

sudo systemctl restart wazuh-manager

sudo systemctl status wazuh-manager

I checked the status output to make sure it showed active (running). If there is a configuration error, Wazuh will fail to start here and you will see the error message in the status output.

Building the n8n Workflow

Now that Wazuh was configured to send alerts to n8n, I needed to build a workflow inside n8n that would actually process those alerts and take action. The workflow I built

does the following: it receives the alert, checks if the severity level is high enough, and if it is, it sends an email notification.

Webhook Trigger

Endpoint:

http://localhost:5678/webhook/wazuh-alerts

Method: POST

Function: Receives incoming alerts from Wazuh in JSON format



Conditional Filtering (IF Node)

To simulate SOC triage and reduce alert noise:

Condition applied:

{{$json["body"]["rule_level"]}} >= 5



Purpose:

Ignore low-priority alerts

Focus on medium/high severity incidents

Data Transformation (Edit Fields Node)

Relevant fields are extracted and mapped:

Name	Value
Alert Description	{{$json["body"]["rule_description"]}}
Alert Severity	{{$json["body"]["rule_level"]}}
Agent Name	{{$json["body"]["agent_name"]}}
Agent IP	{{$json["body"]["agent_ip"]}}
Timestamp	{{$json["body"]["timestamp"]}}
Rule ID	{{$json["body"]["rule_id"]}}
Location	{{$json["body"]["full_alert"]["location"]}}



Notification System (Send Email Node)

After the Edit Fields node, I clicked the + plus sign, searched for Send Email and added it. I configured it with the following settings:

Subject:

Wazuh Alert: {{$json["Alert Description"]}}

Email Body:

Alert Description: {{$json["Alert Description"]}}
Alert Severity: {{$json["Alert Severity"]}}
Agent Name: {{$json["Agent Name"]}}
Agent IP: {{$json["Agent IP"]}}
Rule ID: {{$json["Rule ID"]}}
Location: {{$json["Location"]}}
Timestamp: {{$json["Timestamp"]}}



For credentials, Gmail does not allow a regular password so I generated an App Password from my Google account settings and used that inside n8n. Once credentials were saved, I clicked the **Publish** toggle in the top right corner to make the workflow live.

Complete Workflow:



Testing Procedure

To test the complete integration, I went to my Ubuntu Agent machine where the FIM (File Integrity Monitoring) directory was already being monitored by Wazuh.

First I created test files inside the monitored directory:

```
ubuntu@ubuntu:~/Downloads$ ls
test
ubuntu@ubuntu:~/Downloads$
```

touch test1.txt

touch test2.txt

```
ubuntu@ubuntu:~/Downloads$ touch test1.txt
ubuntu@ubuntu:~/Downloads$ touch test2.txt
ubuntu@ubuntu:~/Downloads$ ls
test  test1.txt  test2.txt
ubuntu@ubuntu:~/Downloads$
```

Then I deleted the files to trigger another alert:

rm test1.txt

rm test2.txt

```
ubuntu@ubuntu:~/Downloads$ rm test1.txt
ubuntu@ubuntu:~/Downloads$ rm test2.txt
ubuntu@ubuntu:~/Downloads$ ls
test
ubuntu@ubuntu:~/Downloads$
```

Then I verified the alerts in the Wazuh Dashboard:

I opened the Wazuh dashboard and went to the Threat Hunting section. I could see the alerts generated for both file creation and deletion events, showing the agent name, rule description, severity level and timestamp.



Then I checked n8n Executions:

I opened n8n at http://localhost:5678 and clicked on Executions. I could see multiple successful executions triggered by the Wazuh alerts, each one showing Succeeded status.



Finally I verified the Email Notification:

I checked my Gmail and received the email alert with complete details including Alert Description, Agent Name, Agent IP, Rule ID, Severity Level, Location and Timestamp confirming that the full integration was working correctly end to end.


Compose
Inbox 64
Starred
Snoozed
Sent
Drafts
Purchases
Less
Important
Scheduled
All Mail
Spam
4 of 105
Wazuh Alert: File added to the system. Inbox ×
360fortressfyp@gmail.com
to me
6:45 PM (6 minutes ago)
Wazuh Security Alert
Alert Description: File added to the system.
Alert Severity: 5
Agent Name: Ubuntu-Agent
Agent IP: 10.10.80.60
Rule ID: 554
Location: syscheck
Timestamp: 2026-04-05T18:44:58.377+0500


Gmail
Search mail
Compose
Inbox 65
Starred
Snoozed
Sent
Drafts
Purchases
Less
Important
Scheduled
All Mail
Spam
Trash
1 of 105
Wazuh Alert: File deleted. Inbox ×
360fortressfyp@gmail.com
to me
6:45 PM (4 minutes ago)
Wazuh Security Alert
Alert Description: File deleted.
Alert Severity: 7
Agent Name: Ubuntu-Agent
Agent IP: 10.10.80.60
Rule ID: 553
Location: syscheck
Timestamp: 2026-04-05T18:45:37.043+0500


Gmail
Search mail
Compose
From
Any time
Has attachment
To
Is unread
Advanced search
Inbox 64
Starred
Snoozed
Sent
Drafts
Purchases
Less
Important
Scheduled
All Mail
Spam
Trash
Manage subscriptions
Manage labels
Create new label
1–50 of 105
me Inbox Wazuh Alert: File deleted. - Wazuh Security Alert Alert Description: File deleted. Alert Severity: 7 Agent Name: Ubuntu-Age... 6:45 PM
me Inbox Wazuh Alert: MISP ALERT: Known malicious indicator detected - matched in threat intelligence database - Wazuh ... 6:45 PM
me Inbox Wazuh Alert: MISP ALERT: Known malicious indicator detected - matched in threat intelligence database - Wazuh ... 6:45 PM
me Inbox Wazuh Alert: File added to the system. - Wazuh Security Alert Alert Description: File added to the system. Alert Severity: 5 ... 6:45 PM
me Inbox Wazuh Alert: MISP ALERT: Known malicious indicator detected - matched in threat intelligence database - Wazuh ... 6:44 PM
me Inbox Wazuh Alert: File added to the system. - Wazuh Security Alert Alert Description: File added to the system. Alert Severity... 6:44 PM
me Inbox Wazuh Alert: MISP ALERT: Known malicious indicator detected - matched in threat intelligence database - Wazuh ... 6:43 PM
me Inbox Wazuh Alert: MISP ALERT: Known malicious indicator detected - matched in threat intelligence database - Wazuh ... 6:43 PM
me Inbox Wazuh Alert: File deleted. - Wazuh Security Alert Alert Description: File deleted. Alert Severity: 7 Agent Name: Ubuntu-A... 6:43 PM
me Inbox Wazuh Alert: File deleted. - Wazuh Security Alert Alert Description: File deleted. Alert Severity: 7 Agent Name: Ubuntu-A... 6:43 PM
me Inbox Wazuh Alert: MISP ALERT: Known malicious indicator detected - matched in threat intelligence database - Wazuh ... 6:43 PM
me Inbox Wazuh Alert: File deleted. - Wazuh Security Alert Alert Description: File deleted. Alert Severity: 7 Agent Name: Ubuntu-A... 6:43 PM



Summary:

In this project, I integrated n8n with Wazuh to automate security alert notifications. First I installed Node.js version 20 on my Ubuntu machine and then installed n8n globally using npm. Once n8n was running, I created a webhook workflow inside it that listens for incoming alerts from Wazuh on the endpoint http://localhost:5678/webhook/wazuh-alerts

On the Wazuh Manager side, I wrote a custom Python integration script that reads alert data and sends it as a JSON payload to the n8n webhook. I applied the correct file permissions and registered the integration inside the ossec.conf configuration file. After restarting Wazuh Manager, the integration became active.

Inside n8n, I built a workflow consisting of four nodes a Webhook node to receive the alerts, an IF node to filter only alerts with severity level 5 or higher, an Edit Fields node to extract and map the important alert fields, and a Send Email node to deliver the notification to the security team via Gmail SMTP.

To test the integration, I created and deleted test files on the monitored Ubuntu Agent machine. Wazuh detected these file events and forwarded the alerts to n8n, which processed them and sent email notifications with complete alert details including agent name, IP address, rule description, severity level and timestamp. The full integration was verified successfully through both the Wazuh dashboard and the n8n Executions section.