Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
name — Name of the element to use for form submission and in the form.elements API
       <u>placeholder</u> — User-visible label to be placed within the form control
      readonly — Whether to allow the value to be edited by the user
      <u>required</u> — Whether the control is required for <u>form submission</u>
       rows — Number of lines to show
      wrap — How the value of the form control is to be wrapped for form submission
  Error Bad value true for attribute hidden on element textarea.
From line 112, column 9; to line 112, column 155
 >←
                         <textarea name="content" cols="40" rows="10" summernote="
{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\parallel{\para
hidden="true">←</tex
[Error] Element style not allowed as child of element div in this context.
(Suppressing further errors from this subtree.)
From line 116, column 1; to line 116, column 7
</script>↩<style>↩ifram
Contexts in which element <a href="mailto:style">style</a> may be used:
      Where <u>metadata content</u> is expected.
      In a noscript element that is a child of a head element.
Content model for element div:
      If the element is a child of a <u>dl</u> element: one or more <u>dt</u> elements followed by one or more <u>dd</u>
      elements, optionally intermixed with <u>script-supporting elements</u>.
      If the element is not a child of a <u>dl</u> element: <u>flow content</u>.
Error Duplicate attribute class.
At line 126, column 35
 ote-div" class="form-control"
Error Attribute cols not allowed on element div at this point.
From line 126, column 1; to line 126, column 147
 \leftarrow</style>\leftarrow<div class="summernote-div" class="form-control" cols="40"
rows="10" summernote="{'width': '100%'}" width="100%"
height="480">↔ <if
Attributes for element div:
      Global attributes
[Error] Attribute rows not allowed on element div at this point.
From line 126, column 1; to line 126, column 147
  ←</style>←<div class="summernote-div" class="form-control" cols="40"</pre>
rows="10" summernote="{'width': '100%'}" width="100%"
```

2.

3.

4.

5.

6.

```
Global attributes
7.
    Error Attribute summernote not allowed on element div at this point.
    From line 126, column 1; to line 126, column 147
     ⇔</style><div class="summernote-div" class="form-control" cols="40"</pre>
    rows="10" summernote="{'width': '100%'}" width="100%"
    height="480">↔ <if
    Attributes for element <u>div</u>:
       Global attributes
    Error Attribute width not allowed on element div at this point.
    From line 126, column 1; to line 126, column 147
     ←</style>←<div class="summernote-div" class="form-control" cols="40"</pre>
    rows="10" summernote="{'width': '100%'}" width="100%"
    height="480">← <if
    Attributes for element div:
       Global attributes
    Error Attribute height not allowed on element div at this point.
    From line 126, column 1; to line 126, column 147
     ←</style>←<div class="summernote-div" class="form-control" cols="40"</pre>
    rows="10" summernote="{'width': '100%'}" width="100%"
    height="480">← <if
    Attributes for element <u>div</u>:
       Global attributes
    Error Bad value 100% for attribute width on element iframe Expected a
10.
    digit but saw |% instead.
    From line 127, column 3; to line 127, column 112
     ="480">← <iframe id="id_content_iframe" src="/summernote/editor/id_content/"
    frameborder="0" width="100%" height="480"></ifra
11.
    Error The frameborder attribute on the iframe element is obsolete. <u>Use</u>
    CSS instead.
    From line 127, column 3; to line 127, column 112
     ="480">← <iframe id="id_content_iframe" src="/summernote/editor/id_content/"
    frameborder="0" width="100%" height="480"></ifra
```

Attributes for element div:

Source

```
1. ←
 2. ←
 3. ←
 4. ←
 5. ←
 6. ←
 7. ←
 8. ←
 9. ←
10. <!DOCTYPE html>↔
11. <html class="h-100" lang="en">↔
12. ←
13. <head>←
14.
        <title>Add a Review</title>↔
15.
        <meta name="viewport" content="width=device-width, initial-scale=1">↔
16.
        <link rel="icon" type="image/png" href="/static/images/mug-black.png">←
17. ←
18.
        <!-- Font Awesome CSS -->←
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
19.
    awesome/6.4.0/css/all.min.css" integrity="sha512-
    iecdLmaskl7CVkqkXNQ/ZH/XLlvWZOJyj7Yy7tcenmpD1ypASozpmT/E0iPtmFIB46ZmdtAc9eNBvH0
   H/ZpiBw==" crossorigin="anonymous" referrerpolicy="no-referrer">←
20. ←
21.
        <!-- Bootstrap CSS -->↩
22.
        k
   href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"
    rel="stylesheet"↔
23.
            integrity="sha384-
    +0n0xVW2eSR50omGNYDnhzAbDs0XxcvSN1TPprVMTNDbiYZCxYb0017+AMvyTG2x"
    crossorigin="anonymous">↔
24.
           \leftarrow
25.
        <!-- Custom CSS -->↔
        <link rel="stylesheet"</pre>
26.
   href="https://cdnjs.cloudflare.com/ajax/libs/hover.css/2.1.1/css/hover-min.css"
    type="text/css">↔
27.
        <link rel="stylesheet" href="/static/css/style.css">←
28. </head>↔
29. ←
30. <body class="d-flex flex-column min-vh-100">←
31. ←
32.
        <!-- Navigation -->↔
33.
        <div class="navbar-container">←
34.
35. ←
36.
            <nav class="navbar navbar-expand-md navbar-dark">←
37.
                <div class="container-fluid">↔
                    <a class="navbar-brand "↔
38.
                       href="/">↔
39.
40.
                        <img src="/static/images/mug-white.png" alt="Cup Of Joy</pre>
    logo">↔
41.
                        <span class="brand, blue-o">CUP<span class="text-</pre>
   white">of</span><span class="thin, blue-o">JOY</span></span>↔
42.
                    </a>←
                    <button class="navbar-toggler" type="button" data-bs-</pre>
43.
   toggle="collapse" data-bs-target="#mynavbar">↔
44.
                        <span class="navbar-toggler-icon"></span>↔
45.
                    </button>↔
                    <div class="collapse navbar-collapse" id="mynavbar">←
46.
47.
                        ↔
48.
                            class="nav-item">←
                                <a class="nav-link "↔
49.
                                   href="/">Home</a>↩
50.
                            ↩
51.
52.
                            class="nav-item">↔
53.
                                <a class="nav-link "↔
54.
                                   href="/articles/">Articles</a>↔
55.
                            ↔
56.
                            class="nav-item">↔
57.
                                <a class="nav-link "↔
```

```
58.
                                        href="/coffeeshop/">Reviews</a>↔
                                 ←
 59.
 60.
                                 \leftarrow
                                 class="nav-item dropdown">↔
 61.
                                     <a class="nav-link dropdown-toggle" href="#"</pre>
 62.
     role="button" data-bs-toggle="dropdown">↔
 63.
                                          <i class="fa-solid fa-user" aria-hidden="true">
     </i>> Daniel↔
 64.
                                     </a>←
 65.
                                     ←
 66.
                                          <a class="dropdown-item "
     href="/coffeeshop/add_review/">My Reviews</a>
 67.
                                          <a class="dropdown-item "
     href="/coffeeshop/add/">Add New Review</a>
 68.
                                          <a class="dropdown-item "
     href="/blog/favourites/">My Favourite Posts</a>↔
 69.
                                          <a class="dropdown-item "
     href="/blog/comments/">My Comments</a>
 70.
                                          ∠li>←
 71.
                                               <a class="dropdown-item "↔
                                                  href="/accounts/logout/">Logout</a>↔
 72.
 73.
 74.
                                     ←
 75.
                                 ↩
 76.
                                 \rightarrow
 77.
                            ←
 78.
                       </div>↩
 79.
                   </div>←
 80.
              </nav>↔
 81.
            </div>←
 82.
          <!-- displaying Django messages -->↔
 83.
          <div class="container">←
 84.
              <div class="row">↔
 85.
                   <div class="col-md-8 offset-md-2">↔
 86.
                       \downarrow
 87.
                   </div>←
              </div>←
 88
 89.
          </div>↩
 90. <div class="flex-grow-1">↔
 91.
          <main class="flex-shrink-0 main-bg">↔
 92.
             \leftarrow
 93.
 94. <div class="container pt-5">←
       <form method="post" enctype="multipart/form-data">←
 95.
          <input type="hidden" name="csrfmiddlewaretoken"</pre>
 96.
     value="kgsMFRZonDprWMe4YbxwGONMI31WS2I8CtfChyAwnbzji1ypiGKbnQsGSD5WbAie">↔
 97.
            <div class="form-group">↔
 98.
 99.
              <label for="id_title">Title</label>←
              <input type="text" name="title" value="Coffee Shop Name"</pre>
100.
     maxlength="200" class="form-control" required id="id_title">←
101.
102.
            </div>←
          \leftarrow
103.
104.
            <div class="form-group">←
105.
              <label for="id_slug">Slug</label>←
              <input type="text" name="slug" maxlength="100" class="form-control"</pre>
106.
     required id="id_slug">↔
107.
              \downarrow
            </div>↩
108.
109.
110.
            <div class="form-group">←
111.
              <label for="id content">Content</label>←
               <textarea name="content" cols="40" rows="10" summernote="</pre>
112.
     {'width': '100%'}" class="form-control" id="id_content"
     hidden="true">↩
113. </textarea><script>↔
114. var settings_id_content = {"width": "100%", "height": 480, "lang": "en-US", "toolbar": [["style", ["style"]], ["font", ["bold", "italic", "underline", "superscript", "subscript", "strikethrough", "clear"]], ["fontname", ["fontname"]], ["fontsize", ["fontsize"]], ["color", ["color"]], ["para",
```

```
["ul", "ol", "paragraph"]], ["height", ["height"]], ["table", ["table"]],
["insert", ["link", "picture", "video", "hr"]], ["view", ["fullscreen",
"codeview"]], ["help", ["help"]]], "url": {"language":
"/static/summernote/lang/summernote-en-US.min.js", "upload_attachment":
     "/summernote/upload_attachment/"}};↔
115. </script>↔
116. <style>←
117. iframe.note-fullscreen {↔
118.
       position: fixed; ←
119.
       top: 0; ←
120.
       left: 0; ←
121.
       width: 100vw!important; ←
122.
       height: 100vh!important; ←
123.
       z-index: 4000;↔
124. }↩
125. </style>↔
126. <div class="summernote-div" class="form-control" cols="40" rows="10"
     summernote="{'width': '100%'}" width="100%" height="480">←
       <iframe id="id_content_iframe" src="/summernote/editor/id_content/"</pre>
127.
     frameborder="0" width="100%" height="480"></iframe>←
128. </div>←
129. ←
130.
131.
           </div>↩
132.
133.
            <div class="form-group">←
134.
              <label for="id_excerpt">Excerpt</label>←
              <textarea name="excerpt" cols="40" rows="10" maxlength="300"</pre>
135.
     class="form-control" required id="id_excerpt">↔
136. </textarea>↔
137.
              \leftarrow
138.
            </div>←
139.
140.
            <div class="form-group">←
141.
              <label for="id_status">Status</label>←
              <select name="status" class="form-control" id="id status">←
142.
143.
       <option value="0" selected>Draft</option>←
144. ←
145.
       <option value="1">Published</option>←
146. ←
147. </select>↔
148.
149.
            </div>←
150.
151.
            <div class="form-group">↔
              <label for="id_coffee_image">Image</label>←
152.
              <input type="file" name="coffee_image" class="form-control"</pre>
153.
     id="id_coffee_image">↔
154.
155.
            </div>←
156.
157.
            <div class="form-group">←
158.
              <label for="id_image_alt">Image alt</label>←
              <input type="text" name="image_alt" value="Coffee Shop Image"</pre>
159.
     maxlength="100" class="form-control" required id="id_image_alt">←
160.
              \rightarrow
161.
            </div>↩
162.
163.
164.
          <div class="form-group">←
165.
            <label for="confirm_submission">←
166.
              <input type="checkbox" id="confirm_submission"</pre>
     name="confirm_submission" required>↔
167.
              I understand that all changes will be lost if I don't request
     approval.←
168.
            </label>↩
169.
          </div>←
170. ←
171.
          <div class="form-group form-buttons">←
            <button type="submit" class="btn btn-success" disabled>←
172.
173.
              <span class="glyphicon glyphicon-ok"></span> Request Approval↔
```

```
174.
          </button>←
175.
           <a href="/coffeeshop/add review/" class="btn btn-outline-primary custom-
     remove-btn" onclick="return confirm('Are you sure you want to discard your
     changes?');">Cancel</a>↔
176.
        </div>←
      </form>←
177.
178. </div>←
179. ←
180. <script>↔
      // Enable submit button only on checkbox check↔
181.
182.
      const submitButton = document.querySelector('button[type="submit"]'); ←
183.
      const confirmCheckbox = document.getElementById('confirm submission'); ←
184.
      confirmCheckbox.addEventListener('change', () => {←
185.
         submitButton.disabled = !confirmCheckbox.checked; ←
186.
      });←
187. </script>↔
188. ←
189. ←
190.
         </main>↩
191. ←
192. </div>↩
193. <div class="footer-container">↔
194. <footer class="container-wrapper">↔
         <div class="container content-container">←
195.
196.
            <div class="row">↔
197.
                <div class="col-sm-3 centralize-content">←
198.
                    <h3><i class="fa-solid fa-house"></i> Home</h3>↔
199.
                    <div>←
                        <a class="nav-link "↔
200.
201.
                        href="/">For Coffee Lovers</a>↔
202.
                      </div>←
203.
                </div>←
204.
                <div class="col-sm-3 centralize-content">←
205.
                    <h3><i class="fa-solid fa-binoculars"></i> Discover</h3>↔
206.
                    <div>←
207.
                      <a class="nav-link "←</pre>
208.
                      href="/coffeeshop/">Coffee Shops Reviews</a>↔
209.
                    </div>←
210.
                </div>←
211.
                <div class="col-sm-3 centralize-content">←
212.
                    <!-- Info -->↔
213.
                    <h3><i class="fa-solid fa-envelope"></i> Contact</h3>↔
214.
                    <div>←
215.
                        <a class="nav-link "↔
                        href="/about/">About Us</a>↔
216.
217.
                      </div>←
218.
                </div>←
219.
                <div class="col-sm-3 centralize-content">←
220.
                    <!-- Social Media -->↔
                    <h3><i class="fa-solid fa-users"></i> Social</h3>↔
221.
222.
                    ←
223.
                        ←
224.
                            <a target=" blank" href="https://www.facebook.com/">←
225.
                            <i class="fa-brands fa-facebook" aria-hidden="true">
     </i>←
226.
                            <span class="sr-only">Facebook</span>↔
227.
                            </a>←
                        ←
228.
                        ←
229.
230.
                            <a target="_blank" href="https://www.youtube.com/">←
231.
                            <i class="fa-brands fa-youtube" aria-hidden="true">
     </i>←
232.
                            <span class="sr-only">Youtube</span>←
233.
                            </a>←
234.
                        ←
235.
                        ←
                            <a target=" blank"</pre>
236.
    href="https://github.com/AmirShkolnik">↔
237.
                                <i class="fa-brands fa-github" aria-hidden="true">
     </i>←
238.
                                <span class="sr-only">GitHub Amir Shkolnik</span>←
```

```
239.
                                  </a>←
240.
                              ←
                      ↩
241.
242.
                  </div>↩
243.
              </div>←
244.
              <div class="copyright-text">←
245.
              <h3>Copyright 2024 - Amir Shkolnik</h3>↔
246.
         </div>←
247.
         </div>↩
248. </footer>←
249.
        </div>↩
250.
         <script
     src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min.
251.
              integrity="sha384-
     gtEjrD/SeCtmISkJkNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4"
     crossorigin="anonymous">↔
252.
          </script>↩
253.
          <script
     src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js">
     </script>↔
254.
         <script src="/static/js/script.js"></script>←
255.
256.
         \leftarrow
257.
         ب
258. </body>←
259. ←
260. </html>
Used the HTML parser.
```

Total execution time 13 milliseconds.

About this checker • Report an issue • Version: 24.5.11