Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ←
4. ←
5. ←
6. ←
7. ←
8. ←
9. ←
10. <!DOCTYPE html>↔
11. <html class="h-100" lang="en">↔
12. ←
13. <head>←
14.
        <title>Edit Your Review</title>←
        <meta name="viewport" content="width=device-width, initial-scale=1">←
15.
        <link rel="icon" type="image/png" href="/static/images/mug-black.png">←
16.
17. ←
18.
        <!-- Font Awesome CSS -->↩
19.
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
    awesome/6.4.0/css/all.min.css" integrity="sha512-
```

```
iecdLmaskl7CVkqkXNQ/ZH/XLlvWZOJyj7Yy7tcenmpD1ypASozpmT/E0iPtmFIB46ZmdtAc9eNBvH
    OH/ZpiBw==" crossorigin="anonymous" referrerpolicy="no-referrer">↔
20.
21.
       <!-- Bootstrap CSS -->↔
22.
       link
   href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/css/bootstrap.min.css"
    rel="stylesheet"↔
23.
            integrity="sha384-
    +0n0xVW2eSR50omGNYDnhzAbDs0XxcvSN1TPprVMTNDbiYZCxYb0017+AMvyTG2x"
    crossorigin="anonymous">↔
24.
25.
       <!-- Custom CSS -->↔
26.
       <link rel="stylesheet"</pre>
   href="https://cdnjs.cloudflare.com/ajax/libs/hover.css/2.1.1/css/hover-
   min.css" type="text/css">↔
27.
        <link rel="stylesheet" href="/static/css/style.css">↔
28. </head>↔
29. ←
30. <body class="d-flex flex-column min-vh-100">←
31. ←
32.
        <!-- Navigation -->↔
33.
        <div class="navbar-container">↔
34.
           \leftarrow
35. ←
36.
           <nav class="navbar navbar-expand-md navbar-dark">←
37.
               <div class="container-fluid">↔
38.
                   <a class="navbar-brand "↔
                      href="/">↔
39.
                       <img src="/static/images/mug-white.png" alt="Cup Of Joy</pre>
40.
    logo">↩
41.
                       <span class="brand, blue-o">CUP<span class="text-</pre>
   white">of</span><span class="thin, blue-o">JOY</span></span>↔
42.
                   </a>←
                   <button class="navbar-toggler" type="button" data-bs-</pre>
43.
    toggle="collapse" data-bs-target="#mynavbar">↔
44.
                       <span class="navbar-toggler-icon"></span>↔
45.
                   </button>←
46.
                   <div class="collapse navbar-collapse" id="mynavbar">↔
47.
                       ↔
                           class="nav-item">↔
48.
                               <a class="nav-link "↔
49.
                                  href="/">Home</a>↔
50.
51.
                           ↩
52.
                           class="nav-item">↔
                               <a class="nav-link "↔
53.
                                  href="/articles/">Articles</a>↔
54.
55.
                           ←
56.
                           class="nav-item">←
                               <a class="nav-link "↔
57.
                                  href="/coffeeshop/">Reviews</a>↔
58.
                           ↔
59.
60.
                           \leftarrow
61.
                           ←
62.
                               <a class="nav-link dropdown-toggle" href="#"</pre>
    role="button" data-bs-toggle="dropdown">↔
                                   <i class="fa-solid fa-user" aria-</pre>
63.
    hidden="true"></i> kale↔
64.
                               </a>↔
                               ←
65.
                                   <a class="dropdown-item"
66
    href="/coffeeshop/add review/">My Reviews</a>
67.
                                   <a class="dropdown-item "
    href="/coffeeshop/add/">Add New Review</a>
68.
                                   <a class="dropdown-item"
    href="/blog/favourites/">My Favourite Posts</a>↔
69.
                                   <a class="dropdown-item "
    href="/blog/comments/">My Comments</a>↔
70.
                                   ←
71.
                                       <a class="dropdown-item "↔
72.
                                          href="/accounts/logout/">Logout</a>↔
73.
                                   ↩
```

```
74.
                                  ↩
75.
                              ↔
76.
77.
                          ↩
78.
                      </div>←
79.
                 </div>←
80.
             </nav>←
81.
           </div>↩
82.
         <!-- displaying Django messages -->↔
         <div class="container">↔
83.
             <div class="row">←
84.
85.
                 <div class="col-md-8 offset-md-2">↔
86.
87.
                 </div>↩
88.
             </div>←
89.
         </div>←
90. <div class="flex-grow-1">↔
91.
         <main class="flex-shrink-0 main-bg">↔
92.
93.
94. <div class="album bg-light">↔
95.
96.
                 <div class="container">↔
97.
                      <div class="row">↔
                          <div class="col-12">↔
98.
99.
100.
101. ←
102. <div class="slideshow-container">↔
103.
       <!-- Full-width images with number and caption text -->↔
104.
       <div class="mySlides fade">↔
105.
           <div class="numbertext">1 / 4</div>←
106.
           <img src="/static/images/coffee-slide-10.webp" alt="Slideshow Image 1"</pre>
     style="width:100%">↔
107.
       </div>↩
108. ←
109.
       <div class="mySlides fade">←
           <div class="numbertext">2 / 4</div>←
110.
           <img src="/static/images/coffee-slide-6.webp" alt="Slideshow Image 2"</pre>
111.
     style="width:100%">↔
112.
       </div>↩
113. ←
114.
       <div class="mySlides fade">↔
           <div class="numbertext">3 / 4</div>←
115.
           <img src="/static/images/coffee-slide-7.webp" alt="Slideshow Image 3"</pre>
116
     style="width:100%">↔
117.
      </div>↩
118. ←
119.
       <div class="mySlides fade">↔
           <div class="numbertext">4 / 4</div>←
120.
121.
           <img src="/static/images/coffee-slide-5.webp" alt="Slideshow Image 4"</pre>
     style="width:100%">↔
122.
       </div>←
123. </div>←
124. ⟨br>←
125. ←
126. <!-- The dots/circles -->↔
127. <div style="text-align:center">↔
       <span class="dot" onclick="currentSlide(1)"></span>↔
128.
129.
       <span class="dot" onclick="currentSlide(2)"></span>←
130.
       <span class="dot" onclick="currentSlide(3)"></span>←
131.
       <span class="dot" onclick="currentSlide(4)"></span>←
132. </div>←
133.
134.
                          </div>↔
                      </div>←
135.
136.
                 </div>←
137.
         <div class="container">←
             <div class="row">↔
138.
139.
                 \leftarrow
140.
                 \leftarrow
```

```
141.
                 <div class="col-md-4">←
142.
                      <div class="card md-4 box-shadow">←
143.
                          <a class="a-review" href="/coffeeshop/da-matteo/">←
144.
145.
                              <img class="card-img-top"</pre>
     src="https://res.cloudinary.com/duk6bc8tg/image/upload/v1716404708/dql1p9trb9c
     bzj20zo9r.jpg" alt="coffee shop">↔
146.
147.
                              <div class="card-body">↔
                                  <h4 class="">Da Matteo: A Coffee Haven in the
148.
     Heart of Gothenburg</h4>↔
149.
                                  Da Matteo is more than a
     coffee shop; it's an experience. As I stepped inside, the rustic wooden tables
     and the hum of conversation enveloped me. The air carried the promise of
     freshly ground beans, and the baristas worked their magic behind the gleaming
     espresso machine.↔
150.
                                  <div class="d-flex justify-content-between align-</pre>
     items-center">↔
151.
                                      Written by Daniel | May 6, 2024↔
152.
                                  </div>←
153.
                              </div>←
154.
                            </a>←
155.
                            </div>←
156.
                 </div>←
157.
                 \rightarrow
158.
                 \leftarrow
159.
                 ے
160.
                 <div class="col-md-4">←
161.
                      <div class="card md-4 box-shadow">←
162.
                          <a class="a-review" href="/coffeeshop/test/">↔
163.
164.
                              <img class="card-img-top"</pre>
     src="/static/images/default.jpg" alt="Default Image">←
165.
                              <div class="card-body">↔
166.
167.
                                  <h4 class="">Ben - draft</h4>↔
168.
                                  sss,.1↔
169.
                                  <div class="d-flex justify-content-between align-</pre>
     items-center">↔
170.
                                      Written by Daniel | May 29, 2024↔
171.
                                  </div>←
172.
                              </div>↩
173.
                            </a>←
                            </div>←
174.
                 </div>↩
175.
176.
                 \leftarrow
177.
                 ے
178.
             </div>←
179.
         </div>←
180. </div>←
181. ←
182. ←
183. <script>↔
184. let slideIndex = 0; \leftarrow
185. let slides = document.getElementsByClassName("mySlides"); ↔
186. let dots = document.getElementsByClassName("dot"); ↔
187. let slideInterval;↔
189. // Start the slideshow automatically when the page loads↔
190. startSlideshow();↔
191. ←
192. function startSlideshow() {↔
       slideInterval = setInterval(showSlides, 5000); // Change image every 5
     seconds↩
194. }↩
195. ←
196. function showSlides() {↔
197.
       for (let i = 0; i < slides.length; <math>i++) {\leftarrow
         slides[i].classList.remove("fade");↔
198.
         slides[i].style.display = "none";
199.
200.
       }←
```

```
201. ←
202.
       slideIndex++;↔
203.
       if (slideIndex > slides.length) {↔
204.
         slideIndex = 1; \leftarrow
205.
       }←
206. ←
207.
       for (let i = 0; i < dots.length; i++) {\leftarrow
         {\tt dots[i].className = dots[i].className.replace("active", "");} {\leftarrow}
208.
209.
210. ←
       slides[slideIndex - 1].style.display = "block"; ↔
211
       slides[slideIndex - 1].classList.add("fade"); ←
212.
       dots[slideIndex - 1].className += " active"; ←
213.
214. }←
215. ←
216. function plusSlides(n) {↔
       clearInterval(slideInterval); // Stop the automatic slideshow↔
218.
       showSlides((slideIndex += n));\leftarrow
219.
       startSlideshow(); // Restart the automatic slideshow↔
220. }↩
221. ←
222. function currentSlide(n) {↔
223.
       clearInterval(slideInterval); // Stop the automatic slideshow↔
224.
       slideIndex = n - 1; // Set the slideIndex to the clicked dot index\leftrightarrow
       showSlides(slideIndex); // Show the corresponding slide↔
225.
226.
       startSlideshow(); // Restart the automatic slideshow↔
227. }↩
228. ←
229. // Add event listeners to the dots and arrow buttons↔
230. for (let i = 0; i < dots.length; i++) {\leftarrow
231.
       dots[i].addEventListener("click", function () {

232.
         currentSlide(i + 1);↔
233.
       });↩
234. }↔
235. </script>↩
236. ←
237. ←
238. ←
239.
         </main>↩
240. ←
241. </div>←
242. <div class="footer-container">←
243. <footer class="container-wrapper">↔
         <div class="container content-container">←
245.
             <div class="row">↔
                 <div class="col-sm-3 centralize-content">←
246.
247.
                     <h3><i class="fa-solid fa-house"></i> Home</h3>↔
248.
                     <div>←
249.
                          <a class="nav-link "↔
                          href="/">For Coffee Lovers</a>↔
250.
251.
                       </div>←
252.
253.
                 <div class="col-sm-3 centralize-content">←
254.
                     <h3><i class="fa-solid fa-binoculars"></i> Discover</h3>↔
255.
                     <div>←
256.
                        <a class="nav-link "↔
                       href="/coffeeshop/">Coffee Shops Reviews</a>↔
257.
258.
                     </div>←
259.
                 </div>←
                 <div class="col-sm-3 centralize-content">←
260
261
                     <!-- Info -->↔
262
                     <h3><i class="fa-solid fa-envelope"></i> Contact</h3>←
263.
                     <div>←
264.
                          <a class="nav-link "↔
265.
                          href="/about/">About Us</a>←
266.
                       </div>←
267.
                 </div>←
                 <div class="col-sm-3 centralize-content">←
268.
                     <!-- Social Media -->↩
269.
270.
                     <h3><i class="fa-solid fa-users"></i> Social</h3>↔
271.
                     ↔
```

```
272.
                        ←
                            <a target="_blank" href="https://www.facebook.com/">↔
273.
                            <i class="fa-brands fa-facebook" aria-hidden="true">
274.
    </i>←
275.
                            <span class="sr-only">Facebook</span>←
276.
                            </a>←
277.
                        ↩
278.
                        ←
                            <a target="_blank" href="https://www.youtube.com/">↔
279.
280.
                            <i class="fa-brands fa-youtube" aria-hidden="true">
    </i>↩
281.
                            <span class="sr-only">Youtube</span>↔
282.
                            </a>←
283.
                        ↔
                        ←
284.
                            <a target=" blank"</pre>
285.
    href="https://github.com/AmirShkolnik">↔
286.
                                <i class="fa-brands fa-github" aria-hidden="true">
    </i>←
287.
                                <span class="sr-only">GitHub Amir
    Shkolnik</span>↔
288.
                                </a>←
289.
                            ↩
                    ↩
290.
                </div>←
291.
292.
            </div>↩
293.
            <div class="copyright-text">←
294.
            <h3>Copyright 2024 - Amir Shkolnik</h3>↔
295.
        </div>←
296.
        </div>↩
297. </footer>←
298.
       </div>←
299.
        <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js/bootstrap.bundle.min
    .js"←
300.
            integrity="sha384-
    gtEjrD/SeCtmISkJkNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4"
    crossorigin="anonymous">↔
301.
        </script>↩
302.
         <script
    src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js">
    </script>↩
303.
        <script src="/static/js/script.js"></script>←
304.
        <u>ب</u>
        ب
305.
306.
        ے
307. </body>←
308. ←
309. </html>
```

Used the HTML parser.

Total execution time 18 milliseconds.

About this checker • Report an issue • Version: 24.5.11