

## END-OF-STUDY PROJECT REPORT

Submitted in Partial Fulfillment of the Requirements for the  
BACHELOR DEGREE IN COMPUTER SCIENCE

Field of Study : Software Engineering and Information Systems

---


# Design and Implementation of a Network Intrusion Detection System

---

*By*

AMIRA BOUAFIF & HAJER JEMAA

Conducted within ITXTREE



Publicly defended on June 6, 2026 in front of the jury members:

|                          |                                                |
|--------------------------|------------------------------------------------|
| Chairman:                | Name SURNAME, University Relations Leader, IBM |
| Reporter:                | Name SURNAME, Teacher, ISTIC                   |
| Examiner:                | Name SURNAME, Teacher, ISTIC                   |
| Professional Supervisor: | Firas ABBESSI, Engineer, ITXTREE               |
| Academic Supervisor:     | Wassim ABBESSI, Teacher, ISTIC                 |

Academic Year: 2025-2026

## END-OF-STUDY PROJECT REPORT

Submitted in Partial Fulfillment of the Requirements for the  
BACHELOR DEGREE IN COMPUTER SCIENCE

Field of Study : Software Engineering and Information Systems

---

# Design and Implementation of a Network Intrusion Detection System

---

*By*

AMIRA BOUAFIF & HAJER JEMAA

Conducted within ITXTREE



Authorization of graduation project report submission:

Professional Supervisor:

Academic Supervisor:

Issued on :

Issued on :

Signature:

Signature:

# Dedications

I dedicate this End-of-Study project

**To my dear parents  
my dear father Elyes and my dear mother Sawsen**

Who have supported and encouraged me every step of the way. This is for you, in honor of all the sacrifices you have made for me. I hope to have made you both proud and happy.

**To my dear sisters and brothers  
Oumayma, Eya, Yassmin, Mohamed and Yessin**

Who have been a great support and a source of joy in my life. I am grateful for your love and encouragement throughout this journey.

**To all my family and friends**

Thank you all for your support and encouragement throughout all this time. I am truly blessed to have you in my life.

**Amira BOUAFIF**

# Dedications

I dedicate this End-of-Study project

**To my dear parents**

**To my dear sisters**

**To all my family and friends**

**Hajer JEMAA**

# Acknowledgments

We would like to extend our sincere gratitude to all those who have supported us throughout the course of this End-of-Study project. Their guidance, encouragement, and support have been invaluable throughout this journey.

First and foremost, we would like to thank our academic supervisor, Professor Wassim ABBESSI, for his guidance and insights, which have been a great help in the successful completion of this project.

Our gratitude also go to ITXTREE and, in particular, our professional supervisor, Mr. Firas ABBESSI, for providing us with the opportunity to work on this project and for their professional mentorship.

We also extend our deep appreciation to the professors at the Higher Institute of Information and Communication Technologies for their invaluable support and teachings, which have greatly contributed to our academic journey.

Finally, we thank everyone who has, in one way or another, helped in making this project a success.

# Contents

|                                           |            |
|-------------------------------------------|------------|
| <b>Dedications</b>                        | <b>i</b>   |
| <b>Dedications</b>                        | <b>ii</b>  |
| <b>Acknowledgments</b>                    | <b>iii</b> |
| <b>General Introduction</b>               | <b>1</b>   |
| <b>1 Project Context</b>                  | <b>2</b>   |
| 1.1 Introduction . . . . .                | 2          |
| 1.2 Presentation of the company . . . . . | 2          |
| 1.3 Study of the existing . . . . .       | 2          |
| 1.4 Criticism of the existing . . . . .   | 3          |
| 1.5 Proposed solution . . . . .           | 3          |
| 1.6 Project Pipeline . . . . .            | 3          |
| 1.7 Methodologies . . . . .               | 4          |
| 1.7.1 CRISP-DM . . . . .                  | 4          |
| 1.7.2 UML . . . . .                       | 5          |
| 1.8 Conclusion . . . . .                  | 5          |
| <b>2 Requirements Specification</b>       | <b>6</b>   |
| 2.1 Introduction . . . . .                | 6          |
| 2.2 Functional Requirements . . . . .     | 6          |
| 2.3 Non-Functional Requirements . . . . . | 6          |
| 2.4 Actors Identification . . . . .       | 7          |
| 2.5 Use Case Diagram . . . . .            | 7          |
| 2.6 Conclusion . . . . .                  | 8          |
| <b>3 Conceptual Design</b>                | <b>9</b>   |
| 3.1 Introduction . . . . .                | 9          |
| 3.2 Sequence Diagrams . . . . .           | 9          |
| 3.3 Class Diagram . . . . .               | 10         |
| 3.4 Deployment Diagram . . . . .          | 11         |
| 3.5 Conclusion . . . . .                  | 11         |
| <b>4 Data Collection and Preparation</b>  | <b>12</b>  |
| 4.1 Introduction . . . . .                | 12         |
| 4.2 Data Collection . . . . .             | 12         |
| 4.3 Data Understanding . . . . .          | 12         |

---

|          |                                                       |           |
|----------|-------------------------------------------------------|-----------|
| 4.4      | Data Preparation . . . . .                            | 12        |
| 4.5      | Data Augmentation . . . . .                           | 12        |
| 4.6      | Conclusion . . . . .                                  | 12        |
| <b>5</b> | <b>Modeling</b>                                       | <b>13</b> |
| 5.1      | Introduction . . . . .                                | 13        |
| 5.2      | State of the Art . . . . .                            | 13        |
| 5.3      | Adopted Approach . . . . .                            | 13        |
| 5.4      | Training and Hyperparameter Optimization . . . . .    | 13        |
| 5.5      | Conclusion . . . . .                                  | 13        |
| <b>6</b> | <b>Realization</b>                                    | <b>14</b> |
| 6.1      | Introduction . . . . .                                | 14        |
| 6.2      | Development Tools and Technologies . . . . .          | 14        |
| 6.3      | Performance Analysis and Evaluation Metrics . . . . . | 14        |
| 6.4      | User Interfaces . . . . .                             | 14        |
| 6.5      | Integration . . . . .                                 | 14        |
| 6.6      | Conclusion . . . . .                                  | 14        |
|          | <b>General Conclusion</b>                             | <b>15</b> |

# List of Figures

|     |                                |    |
|-----|--------------------------------|----|
| 1.1 | Project Pipeline . . . . .     | 4  |
| 1.2 | CRISP-DM Methodology . . . . . | 5  |
| 2.1 | Actors . . . . .               | 7  |
| 2.2 | Use Case Diagram . . . . .     | 8  |
| 3.1 | Class Diagram . . . . .        | 10 |

# List of Tables

|     |                           |   |
|-----|---------------------------|---|
| 2.1 | Roles of Actors . . . . . | 7 |
|-----|---------------------------|---|

# General Introduction

# Chapter 1


## Project Context

### 1.1 Introduction

This chapter serves as an introduction to the project. We begin with a presentation of the company hosting the internship, a study of existing network intrusion detection systems. Then, we present the problem and the proposed solution. Finally, we end the chapter with a conclusion.

### 1.2 Presentation of the company

ITXTREE is an early-stage technology startup based in Sidi Rzig, Tunisia, focused on building a solid foundation for future digital solutions it is built on the core values of integrity, quality, curiosity and adaptability.



### 1.3 Study of the existing

Cybersecurity is a highly sensitive domain where the ability to react quickly can determine the impact of an attack. The earlier a threat is identified, the more effectively its consequences can be limited.

For this reason, Network Intrusion Detection Systems (NIDS) play a central role in monitoring and analyzing network traffic. The most widely used approach relies on:

- **Signature-based:** These systems analyze network traffic, often through deep packet inspection and compares it against a signature database. When a match is found

an alert is triggered. Well-known tools such as Snort [1] and Suricata [2] are representative of this approach.

- **Anomaly-based:** Anomaly detection is learning normal behavior of the network through statistical analysis of traffic parameters. If there is a sudden increase of traffic on a port outside of normal thresholds, it might be an indication of a brand-new threat [1].

## 1.4 Criticism of the existing

Despite their widespread use, signature-based NIDS present several limitations:

- **High Maintenance and Reactivity:** Their effectiveness is essentially tied to the completeness and accuracy of their signature rule sets. As attack techniques continuously evolve, these systems require frequent updates to remain effective. This maintenance process is both time-consuming and reactive since new signatures can only be created after an attack has already been identified and analyzed.
- **Performance:** As the number of rules increases, the system must process a larger set of comparisons for each packet, which can lead to slower detection. In a context where reaction time is critical, this degradation directly affects the system's ability to respond effectively.
- **Rigidity and Evasion Vulnerability:** Attackers can exploit the rigidity of signature-based detection systems by introducing slight variations in attack patterns, allowing them to evade existing signatures while preserving the same malicious intent. Since many signature rules are publicly available or widely shared with the security community, attackers may analyze them to identify gaps and design variants that bypass detection mechanisms.

Overall, these systems rely on exact matching and predefined logics which limits their adaptability in the face of evolving and increasingly sophisticated threats.

## 1.5 Proposed solution

With the growing integration of Artificial Intelligence (AI) in security systems, new approaches aim to overcome the limits of traditional methods. To address these challenges, we propose an AI-driven NIDS capable of learning patterns from network traffic and classifying different types of network activity instead of relying solely on predefined rules.

## 1.6 Project Pipeline

A project pipeline is a structured sequence of stages that outlines the workflow and processes involved in the development and deployment of a project. It serves as a roadmap, guiding the team through various phases, from initial planning to final delivery.

Figure 1.1 illustrates the project pipeline for our network intrusion detection system.




FIGURE 1.1 – Project Pipeline

## 1.7 Methodologies

In this section, we present the methodologies that we use in this project, including the machine learning methodology **CRISP-DM** and the software development methodology **UML**.

### 1.7.1 CRISP-DM

The CRISP-DM (Cross-Industry Standard Process for Data Mining) methodology is a widely used framework for structuring machine learning projects. It consists of six phases:

- **Business Understanding:** Defining project objectives and requirements and gaining a clear understanding of the business problem.
- **Data Understanding:** Collecting and exploring the data to gain insights and assess its quality by identifying data quality issues.
- **Data Preparation:** Cleaning and preparing the data for modeling by selecting relevant features, handling missing values and splitting the dataset.
- **Modeling:** Selecting and applying appropriate modeling techniques, building, testing and tuning models to optimize their performance.
- **Evaluation:** Evaluating the model's performance and determining if it meets the business objectives.
- **Deployment:** Deploying the model into production, monitoring and maintaining the model's performance.

Figure 1.2 illustrates these phases and their relationships.




FIGURE 1.2 – CRISP-DM Methodology

## 1.7.2 UML

For the modeling of the software system, we use UML (Unified Modeling Language), a standardized modeling language used to specify, visualize, construct, and document the artifacts of software systems through diagrams such as use case, class, and sequence diagrams. There are two types of UML diagrams:

- **Behavioral Diagrams:** State machine, activity, use case, sequence, communication and interaction overview diagrams.
- **Structural Diagrams:** Class, object, component, deployment and package diagrams.

UML makes complex systems easier to design and communicate, it provides a common language for developers, architects, and stakeholders [3].

## 1.8 Conclusion

In this chapter, we introduce the host company ITXTREE, study existing network intrusion detection systems, discuss their shortcomings and finally present a solution. In the next chapter we specify the system requirements.

# Chapter 2

## Requirements Specification

### 2.1 Introduction

Throughout this chapter, we specify both the functional and non-functional requirements, identify the system actors, and present the use case diagram. By defining these elements, we aim to establish a clear and shared understanding of the system's expected behavior and constraints, providing a solid foundation for the subsequent design and implementation phases.

### 2.2 Functional Requirements

Functional requirements define *what* the system should perform. The main functionalities of our system are as follows:

- Authenticate;
- View Dashboard;
- View Statistics summary;
- Trigger Network Analysis;
- View Alerts List;
- View Reports;

### 2.3 Non-Functional Requirements

Non-functional requirements define *how* the system should perform its functions. They describe the quality attributes and constraints of the system:

- **Performance:** The system must process network traffic and generate analysis results with minimal latency, ensuring fast detection of potential intrusions.
- **Security:** The system must ensure secure authentication and enforce role-based access control, preventing unauthorized actions and protecting system integrity, while supporting non-repudiation to guarantee accountability and traceability of all operations.

- **Maintainability:** The system should be easy to maintain, allowing for efficient debugging, updates, and modifications to existing components.
- **Usability:** The system should provide an intuitive interface, enabling users to efficiently navigate and interact with its functionalities.

## 2.4 Actors Identification

Actors are external entities, users, organizations, or external systems that interact with the system to achieve one or more functional requirements, with each actor representing a specific role.

In the context of our project, we identify two primary actors, as illustrated in Figure 2.1




FIGURE 2.1 – Actors

Table 2.1 presents the roles of each actor in our system.

TABLE 2.1 – Roles of Actors

| Actor                          | Role                                                                                                                                                                                          |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Network/Security Administrator | <ul style="list-style-type: none"> <li>- Authenticate</li> <li>- View Dashboard</li> <li>- View Statistics Summary</li> <li>- Trigger Network Analysis</li> <li>- View Alerts List</li> </ul> |
| IT Manager                     | <ul style="list-style-type: none"> <li>- Authenticate</li> <li>- View Dashboard</li> <li>- View Statistics Summary</li> <li>- View Reports</li> </ul>                                         |

## 2.5 Use Case Diagram

A use case diagram is a visual representation of *how* users interact with the system and *what* a system does through different use cases. Figure 2.2 illustrates that diagram.




FIGURE 2.2 – Use Case Diagram

## 2.6 Conclusion

In this chapter, we outline the functional and non-functional requirements of our system, identify the primary actors, and represent the way they interact with the system and the system's functionality via a use case diagram. In the next chapter, we present the conceptual design of the platform.

# Chapter 3

## Conceptual Design

### 3.1 Introduction

### 3.2 Sequence Diagrams

### 3.3 Class Diagram

A class diagram describes the structure of a system by showing the system's classes, their attributes and the relationships among the objects[4]. The Figure 3.1 illustrates the class diagram of our project.




FIGURE 3.1 – Class Diagram

## **3.4 Deployment Diagram**

## **3.5 Conclusion**

# Chapter 4

## Data Collection and Preparation

4.1 Introduction

4.2 Data Collection

4.3 Data Understanding

4.4 Data Preparation

4.5 Data Augmentation

4.6 Conclusion

# Chapter 5

## Modeling

5.1 Introduction

5.2 State of the Art

5.3 Adopted Approach

5.4 Training and Hyperparameter Optimization

5.5 Conclusion

# Chapter 6

## Realization

6.1 Introduction

6.2 Development Tools and Technologies

6.3 Performance Analysis and Evaluation Metrics

6.4 User Interfaces

6.5 Integration

6.6 Conclusion

# General Conclusion

# Webography

- [1] <https://www.snort.org/>. Accessed on: April 6, 2026.
- [2] <https://suricata.io/>. Accessed on: April 6, 2026.
- [3] <https://www.geeksforgeeks.org/system-design/unified-modeling-language-uml-introduction/>. Accessed on: April 2, 2026.
- [4] <https://www.visual-paradigm.com/guide/uml-unified-modeling-language/what-is-class-diagram/>. Accessed on: April 4, 2026.

# Bibliography

- [1] Chris Jackson. *Network Security Auditing*. 800 East 96th Street, Indianapolis, IN 46240 USA: Cisco Press, 2010. ISBN: 978-1-58705-352-8.