



Validation checklist for Jellyfin

Prepared by: Amira aldajani

About Jellyfin

Jellyfin is a free open source media server that allows people to stream and organize their own shows and movies. It's basically a self hosted service which mirrors how Netflix functions runs on the users personal hardware.

Problem: Commercial streaming platforms charge monthly subscriptions. And gives users zero control over their own content and data.

Solution: Jellyfin scans users media folders, then fetches metadata and then serves a Nestflix style browsing and playback experience over the network with no lisenising fees.

Target users: Anyone who has their own running server at home with enough memory.

Flow of the system:

- 1- Admin sets up libraries and creates user accounts to a shared libarary.
- 2- Users can browse, play, resume media.
- 3- Server tracks progress per user per media item.

Models

- **User model**

Variables: ID, name, password, email, isAdmin.

- **Media model**

Variables: ID, title, filePath, mediaType, releaseDate, durationInSeconds.

- **Playback model**

Variables: sessionId, userID, mediaID, positionInSeconds, isFinished.

Annotation screenshots

User

```
@NotEmpty( message = "Your ID can not be empty")
private String ID;
@NotEmpty( message = "Your name can't be empty")
@Size(min = 3, message = "name must be more than 2 characters")
private String name;
@NotEmpty(message = "password can't be empty")
@Size(min = 8, message = "Password must be at least 8 characters")
private String password;
>Email
private String email;
@NotNull(message = "Enter false if not admin. can't be empty")
private Boolean isAdmin;
```

Media

```
@NotEmpty(message = "ID can't be empty")
private String ID;
@NotEmpty(message = "Title cant be empty")
private String title;
@NotEmpty(message = "must add path")
private String filePath;
@NotNull(message = "Please specify media type")
private MediaType mediaType;
@NotNull(message = "Enter the hiring date")
@JsonFormat(pattern = "yyyy-MM-dd")
@PastOrPresent(message = "Release date must be today on in the past.")
private LocalDate releaseDate;
@Min(value = 1, message = "Duration must be greater than 0 seconds")
private long durationInSeconds;
```

Playback

```
@NotEmpty(message = "Session ID can't be empty!")
private String ID;
@NotEmpty(message = "User ID is missing")
private String userId;
@NotEmpty(message = "Media ID is missing")
private String mediaId;
@Min(value = 0, message = "position can't be a negative number")
private long positionInSeconds;
@NotNull(message = "Specify whether playback is done or not done")
private Boolean isFinished;
```