

Codigo 1)

```
#include <iostream>
using namespace std;

int main()
{
    int N, digit, sum = 0;

    cout << "SUMA DE DIGITOS" << endl;
    cout << "Ingrese numero (N): ";
    cin >> N;

    while (N > 0) {
        digit = N % 10;
        sum += digit;
        N = N / 10;
    }

    cout << "La suma total es: " << sum << endl;

    return 0;
}
```

Codigo 2)

```
#include <iostream>
using namespace std;

int main()
{
    int N, digit, inverso = 0;

    cout << "INVERSION DE NUMERO" << endl;
    cout << "Ingrese numero (N): ";
    cin >> N;

    while (N > 0) {
        digit = N % 10;
        inverso = inverso * 10 + digit;
        N = N / 10;
    }
}
```

```
    cout << "El numero invertido es: " << inverso << endl;

    return 0;
}
```

Codigo 3)

```
#include <iostream>
using namespace std;

int main()
{
    int N, digit, contador = 0;

    cout << "CONTEO DE NUMEROS PARES" << endl;
    cout << "Ingrese numero (N): ";
    cin >> N;

    while (N > 0) {
        digit = N % 10;
        if (digit % 2 == 0){
            contador++;
        }
        N = N / 10;
    }

    cout << "La cantidad de numeros pares es: " << contador << endl;

    return 0;
}
```

Codigo 4)

```
#include <iostream>
using namespace std;

int main()
{
    int N, digit, original, invertido = 0;
```

```

cout << "NUMERO CAPICUA" << endl;
cout << "Ingrese numero (N): ";
cin >> N;

original = N;

while (N > 0) {
    digit = N % 10;
    invertido = invertido * 10 + digit;
    N = N / 10;
}

if (original == invertido){
    cout << "El numero es capicua.";
} else {
    cout << "El numero no es capicua.";
}

return 0;
}

```

Codigo 5)

```

#include <iostream>
using namespace std;

int main()
{
    int N, digit, nuevo, final = 0, result = 0;

    cout << "COMPLEMENTO A 9" << endl;
    cout << "Ingrese numero (N): ";
    cin >> N;

    while (N > 0) {
        digit = N % 10;
        nuevo = 9 - digit;
        result = result * 10 + nuevo;
        N = N / 10;
    }

    while (result > 0){

```

```

        digit = result % 10;
        final = final * 10 + digit;
        result = result / 10;
    }

    cout << "El complemento a 9 es: " << final << endl;

    return 0;
}

```

Codigo 6)

```

#include <iostream>
using namespace std;

int main()
{
    int N, digit;
    bool valido = true;

    cout << "VALIDACION EN BASE 8" << endl;
    cout << "Ingresa un numero: ";
    cin >> N;

    while (N > 0) {
        digit = N % 10;

        if (digit > 7) {
            valido = false;
        }

        N = N / 10;
    }

    if (valido) {
        cout << "Numero valido en base 8";
    } else {
        cout << "Numero invalido en base 8";
    }

    return 0;
}

```

Codigo 7)

```
#include <iostream>
using namespace std;

int main()
{
    int N, digit;
    int total = 0, contadorApps = 0, mayores5 = 0;
    float promedio;

    cout << "ANALISIS DE USO DIGITAL" << endl;
    cout << "Ingrese el numero: ";
    cin >> N;

    while (N > 0) {
        digit = N % 10;

        total += digit; // sum hours
        contadorApps++; // count apps

        if (digit > 5) {
            mayores5++; // count apps > 5 hours
        }

        N = N / 10;
    }

    promedio = (float)total / contadorApps;

    cout << "Total de horas: " << total << endl;
    cout << "Apps con mas de 5 horas: " << mayores5 << endl;
    cout << "Promedio: " << promedio << endl;

    return 0;
}
```

Codigo 8)

```
#include <iostream>
using namespace std;
```

```

int main()
{
    int N, digit;
    int suma = 0, pares = 0;
    int limite;

    cout << "SEGURIDAD DE CODIGO" << endl;
    cout << "Ingrese el numero: ";
    cin >> N;

    cout << "Ingrese el valor minimo de suma: ";
    cin >> limite;

    while (N > 0) {
        digit = N % 10;

        suma += digit;

        if (digit % 2 == 0) {
            pares++;
        }

        N = N / 10;
    }

    if (pares >= 2 && suma > limite) {
        cout << "Codigo seguro";
    } else {
        cout << "Codigo no seguro";
    }

    return 0;
}

```

Codigo 9)

```

#include <iostream>
using namespace std;

int main()
{
    int N, digit, prev = -1;
    int count = 0;

```

```

bool valido = true;

cout << "VALIDACION DE PIN" << endl;
cout << "Ingrese el PIN: ";
cin >> N;

while (N > 0) {
    digit = N % 10;

    if (digit == prev) {
        valido = false;
    }

    prev = digit;
    count++;
    N = N / 10;
}

if (count == 4 && valido) {
    cout << "PIN valido";
} else {
    cout << "PIN invalido";
}

return 0;
}

```

Codigo 10)

```

#include <iostream>
using namespace std;

int main()
{
    int N, digit;
    int total = 0, mayores5 = 0;

    cout << "SIMULACION DE CUENTA BANCARIA" << endl;
    cout << "Ingrese el numero: ";
    cin >> N;

    while (N > 0) {
        digit = N % 10;

```

```
total += digit;
```

```
if (digit > 5) {  
    mayores5++;  
}
```

```
N = N / 10;  
}
```

```
cout << "Total acumulado: " << total << endl;  
cout << "Transacciones mayores a 5: " << mayores5 << endl;
```

```
return 0;  
}
```