| Parameter | Norm | Range | Patient value | Diagnosis |
|-------------------------------|-------------------|-------------|---------------|----------------------------------|
| FH to SN(SN validity) | 7 | 6 8 | 16.8 | - |
| Saddle Angle | 129 | 124 134 | 122.9 | |
| Articular Angle | 143 | 137 149 | 137.9 | |
| Gonial Angle | 123 | 128.5 117.5 | 130.7 | |
| Sum Of posterior Angles | 395 | | 391.5 | Short face |
| Y axis | 66 | 63 71 | 61.8 | |
| Inclination angle | 85 | | 82 | Retroinclined Maxilla |
| Basal angle(PP- GoMe) | 25 | | 29.7 | |
| SN-GoMe | 34 | 28.5 39.5 | 31.5 | |
| S-Go:N-Me (Jaraback Index) | | 62% - 65% | 61 | Long face |
| Occlusal Plane-SN | 14 | | 12.3 | |
| SNA | 82 | 80-84 | 87.8 | Maxillary Retrognathism |
| SNB | 80 | 78-82 | 86 | Mandibular Prognathism |
| ANB | 2 (3 for Iranian) | | -1.8 | Class III |
| U1 to SN | 102 | 100 104 | 109.3 | Proclined maxillary Incisors |
| U1 to NA distance | 4 mm | | 7 | Protrusion Incisors |
| U1-PP | 110 | | 111.2 | Proclined maxillary Incisors |
| L1-MeGo | 90 | 87 93 | 95.4 | Proclined Mandibular Incisors |
| L1 to NB distance | 4 mm | | 7.4 | Protrusion mandibular Incisors |
| Interincisal angle | 135 | 130 150.5 | 123.7 | |
| Witts | | -1 0 | -6 | Class III |
| Ramus Height | 43 mm | | 57.9 mm | |
| Se-N (mm) | | | 65.8 | |
| Mandibular Length | 68.8 | | 67.5 | Decreased Mandibular Length |
| Maxillary Length | 45.9 | | 45.4 | Decreased Maxillary Length |
| Ramus Length (A.M.Schwarz) | 49.1 | | 57.9 | Increased Ramus Length |