| Parameter | Norm | Range | Patient value | Diagnosis |
|-------------------------------|-------------------|-------------|---------------|------------------------------------|
| FH to SN(SN validity) | 7 | 6 8 | 11.1 | |
| Saddle Angle | 129 | 124 134 | 119.6 | |
| Articular Angle | 143 | 137 149 | 147.9 | |
| Gonial Angle | 123 | 128.5 117.5 | 126.4 | |
| Sum Of posterior Angles | 395 | | 393.9 | Short face |
| Y axis | 66 | 63 71 | 63 | |
| Inclination angle | 85 | | 83 | Retroinclined Maxilla |
| Basal angle(PP-GoMe) | 25 | | 27.2 | |
| SN-GoMe | 34 | 28.5 39.5 | 33.9 | |
| S-Go:N-Me (Jaraback Index) | | 62% - 65% | 59 | Long face |
| Occlusal Plane-SN | 14 | | 13.5 | |
| SNA | 82 | 80-84 | 84.3 | Maxillary Retrognathism |
| SNB | 80 | 78-82 | 84.1 | Mandibular Prognathism |
| ANB | 2 (3 for Iranian) | | 0.2 | Class III |
| U1 to SN | 102 | 100 104 | 104.1 | Proclined maxillary Incisors |
| U1 to NA distance | 4 mm | | 5.3 | Protrusion Incisors |
| U1-PP | 110 | | 110.7 | Proclined maxillary Incisors |
| L1-MeGo | 90 | 87 93 | 76.5 | Retroclined Mandibular Incisors |
| L1 to NB distance | 4 mm | | 2 | Retrusion mandibular Incisors |
| Interincisal angle | 135 | 130 150.5 | 145.6 | |
| Witts | | -1 0 | -6.9 | Class III |
| Ramus Height | 43 mm | | 57.1 mm | |
| Se-N (mm) | | | 72.2 | |
| Mandibular Length | 75.2 | | 84.1 | Increased Mandibular Length |
| Maxillary Length | 50.1 | | 49.1 | Decreased Maxillary Length |
| Ramus Length (A.M.Schwarz) | 53.7 | | 57.1 | Increased Ramus Length |