| Parameter | Norm | Range | Patient value | Diagnosis |
|-------------------------------|---------------------|-------------|---------------|--------------------------------|
| FH to SN(SN validity) | 7 | 6 8 | 6.8 | |
| Saddle Angle | 129 | 124 134 | 122.8 | |
| Articular Angle | 143 | 137 149 | 147.3 | |
| Gonial Angle | 123 | 128.5 117.5 | 125.5 | |
| Sum Of posterior Angles | 395 | | 395.6 | Long face |
| Y axis | 66 | 63 71 | 68.1 | |
| Inclination angle | 85 | | 81 | Retroinclined Maxilla |
| Basal angle(PP- GoMe) | 25 | | 22.8 | |
| SN-GoMe | 34 | 28.5 39.5 | 35.6 | |
| S-Go:N-Me (Jaraback Index) | | 62% - 65% | 61 | Long face |
| Occlusal Plane-SN | 14 | | 19.3 | |
| SNA | 82 | 80-84 | 75.9 | Maxillary Retrognathism |
| SNB | 80 | 78-82 | 75.9 | Mandibular Retrognathism |
| ANB | 2 (3 for Iranian) | | 0.1 | Class III |
| SN-Pog | 82 (86 for iranian) | | 76.3 | Retruded Chin |
| U1 to SN | 102 | 100 104 | 97.5 | Retroclined maxillary Incisors |
| U1 to NA distance | 4 mm | | -0.6 | Retrusion Incisors |
| U1-PP | 110 | | 110.3 | Proclined maxillary Incisors |
| L1-MeGo | 90 | 87 93 | 90.3 | |
| L1 to NB distance | 4 mm | | 3.4 | Retrusion mandibular Incisors |
| Interincisal angle | 135 | 130 150.5 | 136.5 | |
| Witts | | -1 0 | -7.9 | Class III |
| Ramus Height | 43 mm | | 45 mm | |
| Se-N (mm) | | | 64.7 | |
| Mandibular Length | 67.7 | | 67.5 | Decreased Mandibular Length |
| Maxillary Length | 45.1 | | 40.1 | Decreased Maxillary Length |
| Ramus Length (A.M.Schwarz) | 48.4 | | 45 | Decreased Ramus Length |