

| Parameter | Norm | Range | Patient value | Diagnosis |
|----------------------------|---------------------|-------------|---------------|--------------------------------|
| FH to SN(SN validity) | 7 | 6 8 | 7.8 | |
| Saddle Angle | 129 | 124 134 | 128.2 | |
| Articular Angle | 143 | 137 149 | 142.2 | |
| Gonial Angle | 123 | 128.5 117.5 | 123.7 | |
| Sum Of posterior Angles | 395 | | 394.1 | Short face |
| Y axis | 66 | 63 71 | 72.9 | |
| Inclination angle | 85 | | 86 | Anteinclined Maxilla |
| Basal angle(PP-GoMe) | 25 | | 26.8 | |
| SN-GoMe | 34 | 28.5 39.5 | 34.1 | |
| S-Go:N-Me (Jaraback Index) | | 62% - 65% | 68 | Short face |
| Occlusal Plane-SN | 14 | | 21 | |
| SNA | 82 | 80-84 | 74.4 | Maxillary Retrognathism |
| SNB | 80 | 78-82 | 76.1 | Mandibular Retrognathism |
| ANB | 2 (3 for Iranian) | | 1.7 | Class III |
| SN-Pog | 82 (86 for iranian) | | 76.7 | Retruded Chin |
| U1 to SN | 102 | 100 104 | 99.6 | Retroclined maxillary Incisors |
| U1 to NA distance | 4 mm | | 4.2 | Protrusion Incisors |
| U1-PP | 110 | | 106.8 | Retroclined maxillary Incisors |
| L1-MeGo | 90 | 87 93 | 101 | Proclined Mandibular Incisors |
| L1 to NB distance | 4 mm | | 5.2 | Protrusion mandibular Incisors |
| Interincisal angle | 135 | 130 150.5 | 125.3 | |
| Witts | | -1 0 | -6.9 | Class III |
| Ramus Height | 43 mm | | 41.3 mm | |
| Se-N (mm) | | | 42.1 | |
| Mandibular Length | 45.1 | | 46 | Increased Mandibular Length |
| Maxillary Length | 30.1 | | 29.4 | Decreased Maxillary Length |
| Ramus Length (A.M.Schwarz) | 32.2 | | 41.3 | Increased Ramus Length |