| Parameter | Norm | Range | Patient value | Diagnosis |
|-------------------------------|---------------------|-------------|---------------|--------------------------------|
| FH to SN(SN validity) | 7 | 6 8 | 2.7 | |
| Saddle Angle | 129 | 124 134 | 124.9 | |
| Articular Angle | 143 | 137 149 | 143.7 | |
| Gonial Angle | 123 | 128.5 117.5 | 127.9 | |
| Sum Of posterior Angles | 395 | | 396.5 | Long face |
| Y axis | 66 | 63 71 | 69.8 | |
| Inclination angle | 85 | | 87 | Anteinclined Maxilla |
| Basal angle(PP-GoMe) | 25 | | 26.7 | |
| SN-GoMe | 34 | 28.5 39.5 | 36.4 | |
| S-Go:N-Me (Jaraback Index) | | 62% - 65% | 66 | Short face |
| Occlusal Plane-SN | 14 | | 22.2 | |
| SNA | 82 | 80-84 | 72.7 | Maxillary Retrognathism |
| SNB | 80 | 78-82 | 79.7 | _ |
| ANB | 2 (3 for Iranian) | | -7 | Class III |
| SN-Pog | 82 (86 for iranian) | | 79.6 | Retruded Chin |
| U1 to SN | 102 | 100 104 | 109.2 | Proclined maxillary Incisors |
| U1 to NA distance | 4 mm | | 14.3 | Protrusion Incisors |
| U1-PP | 110 | | 118.9 | Proclined maxillary Incisors |
| L1-MeGo | 90 | 87 93 | 90.9 | |
| L1 to NB distance | 4 mm | | 6.6 | Protrusion mandibular Incisors |
| Interincisal angle | 135 | 130 150.5 | 123.5 | |
| Witts | | -1 0 | -17.6 | Class III |
| Ramus Height | 43 mm | | 56.2 mm | |
| Se-N (mm) | | | 65.9 | |
| Mandibular Length | 68.9 | | 76.8 | Increased Mandibular Length |
| Maxillary Length | 45.9 | | 45.8 | Decreased Maxillary Length |
| Ramus Length (A.M.Schwarz) | 49.2 | | 56.2 | Increased Ramus Length |