

| Parameter | Norm | Range | Patient value | Diagnosis |
|----------------------------|---------------------|-------------|---------------|-------------------------------|
| FH to SN(SN validity) | 7 | 6 8 | 6.1 | |
| Saddle Angle | 129 | 124 134 | 130.1 | |
| Articular Angle | 143 | 137 149 | 132.5 | |
| Gonial Angle | 123 | 128.5 117.5 | 122.4 | |
| Sum Of posterior Angles | 395 | | 385 | Short face |
| Y axis | 66 | 63 71 | 60.6 | |
| Inclination angle | 85 | | 86 | Anteinclined Maxilla |
| Basal angle(PP-GoMe) | 25 | | 18.2 | |
| SN-GoMe | 34 | 28.5 39.5 | 25 | |
| S-Go:N-Me (Jaraback Index) | | 62% - 65% | 71 | Short face |
| Occlusal Plane-SN | 14 | | 9.6 | |
| SNA | 82 | 80-84 | 84.9 | Maxillary Retrognathism |
| SNB | 80 | 78-82 | 85.2 | Mandibular Prognathism |
| ANB | 2 (3 for Iranian) | | 0.3 | Class III |
| SN-Pog | 82 (86 for iranian) | | 87.6 | Prominent Chin |
| U1 to SN | 102 | 100 104 | 117.8 | Proclined maxillary Incisors |
| U1 to NA distance | 4 mm | | 4.8 | Protrusion Incisors |
| U1-PP | 110 | | 124.6 | Proclined maxillary Incisors |
| L1-MeGo | 90 | 87 93 | 91.8 | |
| L1 to NB distance | 4 mm | | 0.2 | Retrusion mandibular Incisors |
| Interincisal angle | 135 | 130 150.5 | 125.4 | |
| Witts | | -1 0 | -6.3 | Class III |
| Ramus Height | 43 mm | | 61.5 mm | |
| Se-N (mm) | | | 67.7 | |
| Mandibular Length | 70.7 | | 81.9 | Increased Mandibular Length |
| Maxillary Length | 47.1 | | 48 | Increased Maxillary Length |
| Ramus Length (A.M.Schwarz) | 50.5 | | 61.5 | Increased Ramus Length |