

| Parameter | Norm | Range | Patient value | Diagnosis |
|----------------------------|-------------------|-------------|---------------|-------------------------------|
| FH to SN(SN validity) | 7 | 6 8 | 10.5 | |
| Saddle Angle | 129 | 124 134 | 126.7 | |
| Articular Angle | 143 | 137 149 | 145.1 | |
| Gonial Angle | 123 | 128.5 117.5 | 115.4 | |
| Sum Of posterior Angles | 395 | | 387.2 | Short face |
| Y axis | 66 | 63 71 | 63.2 | |
| Inclination angle | 85 | | 83 | Retroinclined Maxilla |
| Basal angle(PP-GoMe) | 25 | | 17.5 | |
| SN-GoMe | 34 | 28.5 39.5 | 27.2 | |
| S-Go:N-Me (Jaraback Index) | | 62% - 65% | 67 | Short face |
| Occlusal Plane-SN | 14 | | 14.6 | |
| SNA | 82 | 80-84 | 83.3 | Maxillary Retrognathism |
| SNB | 80 | 78-82 | 84.5 | Mandibular Prognathism |
| ANB | 2 (3 for Iranian) | | -1.1 | Class III |
| U1 to SN | 102 | 100 104 | 113.2 | Proclined maxillary Incisors |
| U1 to NA distance | 4 mm | | 7.2 | Protrusion Incisors |
| U1-PP | 110 | | 122.9 | Proclined maxillary Incisors |
| L1-MeGo | 90 | 87 93 | 94.6 | Proclined Mandibular Incisors |
| L1 to NB distance | 4 mm | | 3.4 | Retrusion mandibular Incisors |
| Interincisal angle | 135 | 130 150.5 | 124.9 | |
| Witts | | -1 0 | -10.8 | Class III |
| Ramus Height | 43 mm | | 57.9 mm | |
| Se-N (mm) | | | 62.4 | |
| Mandibular Length | 65.4 | | 79 | Increased Mandibular Length |
| Maxillary Length | 43.6 | | 45 | Increased Maxillary Length |
| Ramus Length (A.M.Schwarz) | 46.7 | | 57.9 | Increased Ramus Length |