| Parameter | Norm | Range | Patient value | Diagnosis |
|---|---|---|---|---|
| FH to SN(SN validity) | 7 | 6  8 | 9.2 | |
| Saddle Angle | 129 | 124  134 | 114.5 | |
| Articular Angle | 143 | 137  149 | 152.4 | |
| Gonial Angle | 123 | 128.5  117.5 | 128 | |
| Sum Of posterior Angles | 395 | | 394.9 | Short face |
| Y axis | 66 | 63  71 | 65.6 | |
| Inclination angle | 85 | | 85 | |
| Basal angle(PP-GoMe) | 25 | | 27.4 | |
| SN-GoMe | 34 | 28.5  39.5 | 34.9 | |
| S-Go:N-Me (Jaraback Index) | | 62% - 65% | 63 | |
| Occlusal Plane-SN | 14 | | 21.2 | |
| SNA | 82 | 80-84 | 79.5 | Maxillary Retrognathism |
| SNB | 80 | 78-82 | 81.8 | |
| ANB | 2 (3 for Iranian) | | -2.2 | Class III |
| U1 to SN | 102 | 100  104 | 109.8 | Proclined maxillary Incisors |
| U1 to NA distance | 4 mm | | -8.6 | Retrusion Incisors |
| U1-PP | 110 | | 117.4 | Proclined maxillary Incisors |
| L1-MeGo | 90 | 87  93 | 93.1 | Proclined Mandibular Incisors |
| L1 to NB distance | 4 mm | | -4.3 | Retrusion mandibular Incisors |
| Interincisal angle | 135 | 130  150.5 | 122.1 | |
| Witts | | -1  0 | 13.5 | Class II |
| Ramus Height | 43 mm | | 59.6 mm | |
| Se-N (mm) | | | 68.5 | |
| Mandibular Length | 71.5 | | 76.4 | Increased Mandibular Length |
| Maxillary Length | 47.7 | | 48.1 | Increased Maxillary Length |
| Ramus Length (A.M.Schwarz) | 51.1 | | 59.6 | Increased Ramus Length |