

Quantity	Comment	Footprint
50	470P	C0603
50	2.2uF	C0603
50	10uF	C0603
50	22uF	C0603
100	100nF	C0603
100	10nF	C0805
10	1uF	C_EL_5
10	100uF	C_EL_8
70	100uF	C_EL_8
10	220uF	C_EL_8
10	LM2596HVS	D2PAK_5
10	1N5822	D_SMA
15	1N4148	D_SOD80
10	FB805	L0805
10	Inductor	L1206
10	3.3uH	L_7
10	LED805BLU	LED0805BLU
4	CONN_TB2	MSTB_2
4	CONN_TB3	MSTB_3
4	CONN_TB4	MSTB_4
4	CONN_TB6	MSTB_6
8	CONN_TB10	MSTB_10
50	1K5	R0603
50	12K1	R0603
50	33	R0603
50	270R	R0603
50	Res	R0603
100	68R	R0603
150	10K	R0603
4	AMS1117	SOT223_4
8	25MHz	XTL_2_11X5
70	NE555	SMD

--	--	--

Description
Bipolar Capacitor
CAP, MLCC, -F, -V, MATERIAL, -%, 0201
CAP, MLCC, -F, -V, MATERIAL, -%, 0201
CAP, MLCC, -F, -V, MATERIAL, -%, 0201, Bipolar Capacitor
CAP, MLCC, -F, -V, MATERIAL, -%, 0201, Bipolar Capacitor
CAP, MLCC, -F, -V, MATERIAL, -%, 0201, Bipolar Capacitor
Polar Capacitor
CAP, THD, ELEC, 25V
CAP, THD, ELEC, 15V
CAP, THD, ELEC, 15V
DIODE, SCHOTTKY, 40V, 3A
DIODE, FAST SWITCHING, 0.2A
FERRITE_Bead, 0805, 2A, 50mOhm, 220@100MHz
Inductor
INDUCTOR, 3.3uH, 8A (Irms), 10mOhm
LED, SMD, 0805, BLUE
CONN, PHOENIX MSTB, 5-G, 5.08mm pitch
CONN, PHOENIX MSTB, 5-G, 5.08mm pitch
CONN, PHOENIX MSTB, 5-G, 5.08mm pitch
CONN, PHOENIX MSTB, 5-G, 5.08mm pitch
CONN, PHOENIX MSTB, 5-G, 5.08mm pitch
Resistor
Resistor
Resistor
RESISTOR, SMD
Resistor
RESISTOR, SMD
Resistor, RESISTOR, SMD
XTAL Crystal

--

--

[illegible]