

MERIDIAN CLINICAL LABORATORIES

4120 Kingsley Research Park, Suite 300, Ashgrove, ST 00000
Telephone (000) 555 0140 · Fax (000) 555 0141

CLIA ID: 00X0000000 (fictitious)
Lab Director: A. Reyes, MD, PhD
Report Status: FINAL

URINALYSIS REPORT, COMPLETE WITH MICROSCOPIC EXAMINATION

PATIENT NAME DOE, JANE A.	DATE OF BIRTH / AGE / SEX 1986-03-14 / 40 Y / F
MEDICAL RECORD NO. MRN 0042-8891	ACCESSION NO. A26-0725-118240
ORDERING PROVIDER M. HALVORSEN, MD (NPI 0000000000)	CLIENT / FACILITY Ashgrove Family Medicine
COLLECTED 2026-07-23 07:38	RECEIVED 2026-07-23 11:05
REPORTED 2026-07-24 09:22	SPECIMEN TYPE Urine, midstream clean catch
COLLECTION / TRANSPORT Random void, refrigerated	PAGE 1 of 1

PHYSICAL AND MACROSCOPIC EXAMINATION

ANALYTE	RESULT	FLAG	UNITS	REFERENCE INTERVAL
Color	Yellow		n/a	Straw to amber
Appearance	Clear		n/a	Clear to slightly hazy
Specific gravity	1.018		n/a	1.005 to 1.030
pH	6.0		pH units	5.0 to 8.0
Volume submitted	45		mL	≥ 10

CHEMICAL EXAMINATION, REAGENT STRIP

ANALYTE	RESULT	FLAG	UNITS	REFERENCE INTERVAL
Protein	Negative		mg/dL	Negative to trace
Glucose	Negative		mg/dL	Negative
Ketones	Negative		mg/dL	Negative
Blood, occult	Negative		n/a	Negative
Bilirubin	Negative		n/a	Negative
Urobilinogen	0.2		mg/dL	0.2 to 1.0
Nitrite	Negative		n/a	Negative
Leukocyte esterase	Trace	H	n/a	Negative

MICROSCOPIC EXAMINATION OF CENTRIFUGED SEDIMENT

ANALYTE	RESULT	FLAG	UNITS	REFERENCE INTERVAL
White blood cells	6 to 10	H	/HPF	0 to 5
Red blood cells	0 to 2		/HPF	0 to 2
Squamous epithelial cells	Few		/LPF	None to few
Renal tubular epithelial cells	None seen		/HPF	None seen
Bacteria	Rare		/HPF	None to rare
Hyaline casts	0 to 1		/LPF	0 to 2
Granular casts	None seen		/LPF	None seen

ANALYTE	RESULT	FLAG	UNITS	REFERENCE INTERVAL
Cellular casts	None seen		/LPF	None seen
Crystals	None seen		/HPF	None to few
Yeast	None seen		/HPF	None seen
Trichomonas	None seen		/HPF	None seen
Mucus threads	Slight		n/a	None to slight

ADDITIONAL URINE CHEMISTRY				
ANALYTE	RESULT	FLAG	UNITS	REFERENCE INTERVAL
Creatinine, urine	112		mg/dL	20 to 320
Microalbumin, urine	8		mg/L	< 30
Albumin / creatinine ratio	7		mg/g creatinine	< 30

INTERPRETIVE AND TECHNICAL NOTES

- Flags: H above reference interval, L below reference interval. No result met critical value criteria.
- Trace leukocyte esterase with mildly increased white blood cells and rare bacteria, nitrite negative. Findings are non specific and may reflect early urinary tract infection or specimen contamination. Correlate clinically and consider a repeat clean catch specimen or urine culture if symptoms are present.
- Urine culture not ordered and not performed on this accession.
- Reagent strip results are qualitative screening measurements. Highly buffered or dilute specimens, ascorbic acid, and certain medications may interfere.
- Microscopic examination performed on the sediment of a 10 mL aliquot centrifuged at 400 g for 5 minutes, automated imaging with manual review.
- Specimens analysed more than 2 hours after collection without refrigeration may show cellular degradation, altered pH and bacterial overgrowth.
- Reference intervals are age and sex specific and apply to this laboratory and these methods only. Values from other laboratories are not directly comparable.
- Method codes: VIS visual inspection, REFR refractometry, DIP reagent strip reflectance photometry, MICRO automated urine microscopy with manual review, IMMU immunoturbidimetry, ENZ enzymatic, MEAS direct measurement, CALC calculated.

Reviewed by A. Reyes, MD, PhD, Laboratory Director (simulated signature, not valid for authentication)

Electronically released 2026-07-24 09:22 by LIS user ID 00147